




MADE IN AMERICA

UNEQUALED QUALITY.

KIMBER

EVEN BEFORE THE FIRST KIMBER[®] rifle was completed some 41 years ago, manufacturing firearms of unequaled quality was already Kimber's singular goal. Do this, it was reasoned, and everything else will fall in line. On the strength of that commitment, Kimber has become the world's largest producer of 1911 pistols and the market leader in classic hunting rifles. Recent introductions of dynamic platforms like the EVO SP, Micro 9 and K6s handguns, along with PepperBlaster® less-lethal products, have established Kimber® as an innovator as well; a position that will continue to solidify as new firearms and accessories are launched. Quality is the true measure of value. Whether it means accuracy or dependability, the beauty of a finish or the precise fit of wood to metal, quality is an integral part of every Kimber.



NEW PRODUCTS

formance and reliability into new lines of handguns and rifles, along with the expansion of existing platforms. From concealed

KIMBER'S EVER-EVOLVING QUEST to build premier U.S. manu- carry and personal defense to target shooting and game hunting, factured firearms drives us to apply our signature quality, per- our constant pursuit of perfection pushes us—being the best is simply not good enough. That is why Kimber is What All Guns Should Be™.

RAPIDE (BLACK ICE)

INTRODUCING THE LIGHTER side of the Rapide—the Rapide (Black Ice). Retaining the telltail porting on the slide and contrasting barrel finish, the Rapide (Black Ice) comes in a third caliber, 9mm, and carries G10 grips that pick up the stair-stepped cuts on the slide and mainspring housing. The black DLC finish on the barrel makes the cleaning after those high round count competition days easier. Learn more about the Rapide (Black Ice) and the Rapide on page 22.

RAPIDE (BLACK ICE)

MICRO 9 TRIARI™

See page 22

See page 38

MICRO 9

ADORNED WITH A formation as refined as every Micro 9, the Micro 9 TriariTM is truly an excellent choice in a subcompact pistol. Low-glare black KimPro® II finish throughout makes it contrast starkly with the new Micro 9 Amethyst—a stunning addition to the Micro 9 platform.

HANDGUN SELECTION GUIDE	6
1911 PISTOLS	10
КНХ	12
AEGIS ELITE	13
TWO-TONE II	14
<u>STAINLESS™ II</u>	15
<u>CDP™</u>	16
<u>TLE™ II</u>	17
WARRIOR®	18

COVERT™ (LG)	1
RAPTOR™ II	2
CUSTOM SHOP	2
SPECIAL EDITIONS	2
EVO SP PISTOLS	2
MICRO PISTOLS	37
MICROM	3
MICRO 9™	3
K6s® REVOLVERS	4

MICRO 9 AMETHYST (NS)

See page 40

K6S ROYAL

See page 48

KIMBER'S RAPTOR FINISH is a beloved thing. We couldn't resist bringing that same finish to our new striker fired platform with the EVO SP Stainless Raptor. Learn more about this and all EVO SP products on pages 26.

KIMBER AND LIGHTWEIGHT rifles are synonymous. 2020 brings a pairing of Proof Research™'s carbon-fiber wrapped barrels to our Open Range category-resulting in the Open Range Pro Carbon rifles in Granite and Gore® Optifade® Open Country stocks.



RIFLES	52	OPTICS	7
RIFLE SELECTION GUIDE	54	LESS LETHAL	7
HUNTER	56	ACCESSORIES	7
MOUNTAIN	58	SPECIFICATIONS	8
OPEN RANGE	62	PISTOLS	8
TRADITIONAL	64	REVOLVER	8
DANGEROUS GAME	68	MICRO	8
VARMINT	70	EVO SP	
TACTICAL	72	RIFLES	8



K6S

THE ROYAL IS a classic finish on a 1911. But why stop there? We brought the look of a blued 1911 to the revolver platform and updated the finish to a high-polish black DLC. Ivory G10 grips are paired to further reference what is a benchmark look. Not sparing any detail, the K6s Royal comes with a brass bead front sight and white dot dovetailed rear sight. Learn more about the K6s Royal on page 48.



EVO SP

OPEN RANGE PRO CARBON

kimberamerica.com | 5



HANDGUN SELECTION GUIDE

 $M\,I\,C\,R\,O^{{}_{T\!M}}$.380 ACP pistols include many proven 1911 design elements that make them comfortable to carry, quick and Micro family. Continuing with the concealable size and comsafe to operate, and easy to shoot accurately. With a starting weight of 13.4 ounces and barrel length of 2.75 inches, they are well-suited for concealed carry. Mild .380 ACP recoil, smooth single-action trigger pull and well-designed sights make them a pleasure to shoot. They are also a perfect fit for any size hand.

• Short 2.75-inch barrel and thin profile ensures concealability

- With a starting weight of 13.4 ounces, Micro pistols are easy to carry • Smaller grip dimensions provide a good fit for all hand sizes



 $ULTRA^{TM}$ models are easy to conceal and comfortable to carry with their 3-inch bull barrels and short grips. Most frames are made from aluminum rather than steel to reduce weight. While light pistols do have a slight increase in felt recoil, this is minimized by Kimber's recoil system and unequaled 1911 ergonomics. Ultra pistols are the smallest and lightest 1911 pistols offered today, but Kimber quality helps ensure this does not compromise either dependability or accuracy.

- Barrel is just 3 inches long for easy concealment
- Short grip for concealability and comfortable carry
- Most Ultra models weigh just 25 ounces
- Available in 2 calibers



 $MICRO~9^{\mbox{\tiny TM}}$ pistols bring the 9mm caliber to our popular fortable ergonomics of the Micro pistols, the Micro 9 pistols are equally safe and easy to shoot accurately. Only a small step up in size, they have a starting weight of 15.6 ounces and a barrel length of 3.15 inches. Manageable 9mm recoil, a smooth single-action trigger pull, available in a variety of finishes and sights, there is a Micro 9 for every shooter.

• Short 3.15-inch barrel and thin profile ensures concealability • With a starting weight of 15.6 ounces. Micro 9 pistols are easy to carry • Smaller grip dimensions provide a good fit for all hand sizes



PRO[™] models may be the best all-around 1911 configuration, combining a 4-inch barrel with a full-length grip. It is certain to be an ideal choice for concealed carry, personal defense or general use. Some have lightweight aluminum frames while others have heavier steel frames, and two models include the Kimber Tactical Rail[™] for mounting lights and accessories. All have a near-perfect balance that makes shooting them easy, accurate and fun.

- Barrel is 4 inches long to optimize balance and concealability
- Full-length grip fits shooters with larger hands
- Frame options permit a model selection that meets multiple needs Available in 2 calibers



Each of these pistols overlays the image of a custom-size 1911 for comparison.

SUGGESTED USE ICONS

Below and on the following pages you will find a suggested use based on the size and features of each gun This icon does not necessarily mean a certain firearm is not suitable for other uses. Visit our website or call our customer service staff for questions.



C

 $K6s^{\ensuremath{\ensuremath{^{\circ}}}}$ models have a 6-round capacity, compact frame and cylinder, and a 2- or 3-inch barrel. Edges are rounded and blended so they are less likely to hang up on clothing. For those that require power in a small package with mild recoil, the K6s fits the bill as it is designed to handle both .357 Magnum and .38 Special +P ammunition. This makes them wellsuited for backup or concealed carry.

- Compact 6-round capacity cylinder
- 2- or 3-inch barrel

• Ergonomic grip design for easy recoil control • Available .357 Magnum/.38 Special



CUSTOM[™] models are full-size 1911 pistols featuring a 5-inch barrel and full-length grip. The most popular configuration, they are favored by law enforcement professionals and competition shooters. Slightly heavier and with a greater distance between sights, they are easier to shoot accurately and have reduced felt recoil. The slim profile and outstanding 1911 ergonomics make them well-suited for duty, personal defense and general use.

• Full-length grip fits shooters with larger hands • Barrel is 5 inches long for optimal velocity and accuracy Wide selection of models for any application

• Available in 4 calibers





TARGET Topped with adjustable sights, these 1911s are well-suited for competition or a day at the range.





HOME DEFENSE The features and size of these firearms are well-suited for in-home defense.







MULTIPLE USE These firearms are suitable for use in a variety of spaces, in and outside of the home.

HUNT These models are wellsuited for backcountry camp protection and hand gun hunting.

 $EVO SP^{TM}$ models have a 3.16-inch barrel in a strikerfired, all-metal construction platform. Chambered in 9mm and shipping with a 7-round magazine, the EVO SP pistols are an excellent combination of the time-tested construction of an all-metal gun in an ultra reliable, striker-fired platform. All metal doesn't have to

mean heavy—at just 19 ounces, the EVO SP has a user-configurable magazine release, a grip system that is scalable and requires no hardware, and it breaks down without a trigger press.

- 3.16-inch barrel length is subcompact and concealable
- Ships with 7-round magazine
- All-metal construction weighing only 19 ounces
- Available in 9mm





LS models are full-size 1911 pistols featuring a 6-inch barrel and full-length grip. An ideal configuration for competition or as a hunting side-arm, the Long Slide 1911s are a popular platform at the range and in the field because of their inherent accuracy and recoil-reducing weight.

- Full-length grip fits shooters with larger hands
- Barrel is 6 inches long for optimal velocity and accuracy
- Porting, optics installed, adjustable sights, rounded heel frame are among features on these models
- · Available in 2 calibers


Each of these pistols overlays the image of a custom-size 1911 for comparison.

kimberamerica.com | 7







ACCURACY, DEPENDABILITY and meaningful features ducer of 1911 pistols. Compare a Kimber 1911 with any determine the true quality of a pistol. On the strength other brand—or any other type of semi-automatic—and of quality, Kimber[®] has become the world's largest pro-see why Kimber is What All Guns Should BeTM.



right here in America. Moreover, each critical component is manufactured inside the Kimber factories; getting it right means doing it yourself. The finest raw materials form the foundation and Kimber does the rest, including legendary SWAT units and United States Marines assigned


Kimber® builds the world's finest 1911 pistols to the tightest tolerances to the U.S. Special Operations Command, have chosen Kimber for its quality, dependability and accuracy. So should you. Descriptions of each Kimber 1911 family of pistols are presented throughout the following pages. To locate your nearest Kimber Master Dealer or find complete deensuring every part meets unequaled standards. America's best shooters, scriptions of each model pictured in this catalog, visit kimberamerica.com.






agonal serrations on the slide and topstrap, Stiplex frontstrap surfacing, fiber-optic ledged sights, a partnership with the industry's leading grip company, Hogue[®], has all the models wearing their unique G-Mascus® G10 grips and mainspring housings. Some models are available laser equipped, while full-size models carry their unique integral magwell/Magrip[™] system. KHX Ultra, Pro, and Custom models wear the laser-equipped MagGrips that

feature a red laser. Optics Ready (OR) models are milled to accept plates for some of the most popular mini red dot sights available today. Optics Installed (OI) models have the Trijicon RMR®06 Type 2 installed. Pro and Ultra models have a rounded heel frame for comfort and reduced printing during carry. Completely finished in KimPro® II gray with black small parts, these aggressively styled 1911s will find themselves at home on the range or on your person



frames and two-tone styling completed with G-10 Cyclone patterned grips make these standouts in any environment. AEX pattern serrations are a stylish answer to the practical need for grip surface during reloads. The Aegis Elite feature fiber optic sights on the Ultra, Pro, and Custom models, while the



C

1911 PISTOLS

AEX Serrations provide innovative grip surface

Vortex[®] Venom[®] Red Dot installed with 6MOA dot and white dot co-witness sights


24LPI front strap checkering

The features detailed above are offered IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 10.

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Aegis Elite Ultra™	3000356	669278303567	.45 ACP	3	25
Aegis Elite Ultra™	3000357	669278303574	9mm	3	25
Aegis Elite Pro™ (OI)	3000355	669278303550	.45 ACP	4	36.6
Aegis Elite Pro™ (OI)	3000354	669278303543	9mm	4	36.6
Aegis Elite Pro™	3000349	669278303499	.45 ACP	4	35
Aegis Elite Pro™	3000365	669278303659	9mm	4	35
Aegis Elite Custom™ (OI)	3000352	669278303529	.45 ACP	5	39.6
Aegis Elite Custom™ (OI)	3000353	669278303536	9mm	5	39.6
Aegis Elite Custom™	3000351	669278303512	.45 ACP	5	38
Aegis Elite Custom™	3000350	669278303505	9mm	5	38

A complete presentation of specifications and features begins on page 82.

MAKING ITS DEBUT in 2018, the Aegis Elite has rounded heel Optics Installed (OI) Pro and Custom models have the Vortex® Venom® Red Dot, with a 6MOA dot, milled and installed before leaving Kimber. Remaining true to Kimber's original purpose, this puts an otherwise custom gun within the reach of every shooter's hands.



carry. The classic two-tone slide and frame finish is accented

sizes, this Kimber 1911 is a perfect choice for concealed carry

by rosewood grips. Offering two caliber options in all three

GETTING BACK TO BASICS has never looked so good. The Kimber Two-Tone family has no-nonsense features that promote intuitive operation and dependability, including lowered and flared ejection ports, machined dovetail mounted sights and edges that are rounded and blended for comfortable



or personal defense. PRO CARRY II (TWO-TONE)

PRO CARRY II

(TWO-TONE)(LG)



THE ACCURACY, dependability and renowned Kimber features of have stainless steel slides and lightweight aluminum frames. The this family set the standard against which all other 1911 brands Stainless Target (LS), an ideal competition pistol, brings the 6-inch and models are measured. Their legendary performance has made barrel length and series I configuration to this benchmark family. Kimber the world's largest producer of 1911 pistols. The Stainless II Combine these foundations with the slim nature of the 1911 and is built entirely from stainless steel while the Pro and Ultra models you have the cornerstone in carry, accuracy, and concealability.

O YONKERS WY USA

STAINLESS TARGET



1911 PISTOLS

Fiber-optic sight for faster sight acquisition

6-inch barrel for increased inherent accuracy

Chamber and barrel are machined from solid stainless steel to critical match grade dimensions

Kimber's match grade trigger breaks crisp and clean at 4-5 pounds

The features detailed above are offered IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 10.

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Stainless™ II	3200328	669278323282	.45 ACP	5	38
Stainless™ II	3200327	669278323275	9mm	5	38
Stainless Target™ II	3200325	669278323251	.45 ACP	5	38
Stainless Target™ II	3200326	669278323268	9mm	5	38
Stainless Target (LS)	3000373	669278303734	.45 ACP	6	42
Stainless Target (LS)	3000372	669278303727	10 m m	6	42
Stainless Pro Carry™ II	3200324	669278323244	.45 ACP	4	28
Stainless Pro Carry™ II	3200323	669278323237	9mm	4	28
Stainless Ultra Carry™ II	3200330	669278323305	.45 ACP	3	25
Stainless Ultra Carry™ II	3200329	669278323299	9mm	3	25

A complete presentation of specifications and features begins on page 82.



features into a package that gives them their name. Adding these features during production reduces the price of these pistols by over \$600, making them an incredible value. Featuring tritium night sights dovetail mounted on a stainless steel slide, flush cut barrel, and the lightweight aluminum frame has 30 lines-per-inch checkering on the front strap and trigger guard. The frame, slide and small parts wear

our KimPro[®] II finishes that are self-lubricating and resistant to moisture and salt. The Carry Melt[™] treatment rounds and blends edges so they will not hang up on clothing. The Ultra-sized pistol features a Round Heel Frame and flush-cut barrel. Available in 4 sizes and configurations for any concealed carry or personal defense application, CDP pistols have no equal for carry and defense—just what you expect from Kimber.

CUSTOM CDP

PRO CDP



1911 PISTOLS

1913 Picatinny Kimber Tactical Rail for accessories

STAINLESS TLE II

STAINLESS TLE/RL II

Kimber's match grade trigger breaks crisp and clean at 4-5 pounds

30 lines-per-inch front strap checkering

The features detailed above are offered in addition to the standard features found on every kimber 1911 listed on page 10.

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Ultra TLE™ II	3200341	669278323411	.45 ACP	3	25
Pro TLE™ II	3200340	669278323404	.45 ACP	4	35
Custom TLE™ II	3200335	669278323350	.45 ACP	5	38
Custom TLE™ II	3200347	669278323473	10 m m	5	38
Stainless TLE™ II	3200342	669278323428	.45 ACP	5	38
Custom TLE/RL™ II	3200336	669278323367	.45 ACP	5	39
Custom TLE/RL™ II	3200338	669278323381	10 m m	5	39
Stainless TLE/RL™ II	3200343	669278323435	.45 ACP	5	39
Custom TLE/RL™ II TFS	3200337	669278323374	.45 ACP	5	39
Custom TLE/RL™ II TFS	3200339	669278323398	9mm	5	39

A complete presentation of specifications and features begins on page 82.

THE TLE (Tactical Law Enforcement) family of pistols is well-suited for duty carry, tactical applications and personal protection. This group of 1911s features an integrated mainspring lanyard slot, aggressive G-10 grips and a flat top slide. Created for and in cooperation with law enforcement and military experts, TLE models are professional tools

CUSTOM TLE II

outfitted with performance-enhancing features that also meet the defensive pistol needs of civilians. Available with barrels threaded for suppression, and a variety of rail and caliber options, the TLE family offers a configuration that meets almost any requirement. When you carry a Kimber, you carry with absolute confidence.

CUSTOM TLE/

RL II TFS



DESERT WARRIOR MODELS ARE HIGHLY REFINED technical pistols loaded with features that enhance real-world performance — they are the realization of the 1911 as a tool of military and law enforcement. The Kimber Tactical Rail permits the quick and secure mounting of accessories, Tactical Wedge night sights ensure low-light performance, and new G-10 grips as well as aggresive 24 lines-per-inch front strap checkering ensure a secure grip. Standard features include a military-length guide rod for quick field takedown, tough new KimPro[®] II self-lubricating finish, ambidextrous thumb safety and a lanyard slot for additional retention options.



THE COVERT .45 ACP PISTOLS are the perfect combination of light weight and meaningful features. With a gray color palette, flush-cut barrel and Round Heel Frame on Ultra models, Covert pistols feature both Crimson Trace Lasergrips® and Tactical Wedge tritium night sights; two sight systems that will ensure you acquire your sight picture regardless of light conditions. The 30 lines-per-inch front strap checkering with a bordered base helps ensure a positive grip even



1911 PISTOLS

Flush-cut barrel (on Ultra models)

KimPro® II gray finish on the frame and slide provides additional moisture resistance and is accented by matte black small parts


30 lines-per-inch front strap checkering with border base provides a positive grip

The features detailed above are offered in addition to the standard features found on every kimber 1911 listed on page 10.

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Ultra Covert™ (LG)*	3000250	669278302508	.45 ACP	3	25
Pro Covert™ (LG)*	3000244	669278302447	.45 ACP	4	28
Custom Covert™ (LG)*	3000235	669278302355	.45 ACP	5	31

*Includes Crimson Trace Lasergrips[®]. A complete presentation of specifications and features begins on page 82.

with cold, wet or gloved hands. The Carry Melt[™] treatment contours, rounds and blends all edges so they will not snag on clothing or holsters. A bumped and grooved beavertail grip safety provides control under stress, while the mainspring housing with lanyard slot on the Custom and Pro models add an extra level of safeguard if needed. Kimber Covert quality ensures unequaled accuracy and dependability; there is no reason to be afraid of the dark.



RAPTOR PISTOLS TAKE their name from a combination of special scaled texturing accents. While this patented design is unique, the features, dependability and accuracy are pure Kimber. Tritium night sights, ambidextrous thumb safety and a

20

bumped and grooved grip safety are all standard with the Rapaggressive slide and frame serrations, feathered logo grips and tor family. Stainless Raptors offer a choice of calibers, 9mm or .45 ACP, and all Ultra models feature a Round Heel Frame. The quality of the Kimber 1911 rivals America's finest gunsmiths; hold a Raptor and see for yourself.



EACH UNIQUE MODEL found in the Kimber Custom Shop Collection is superlative in every respect, from features to accuracy to dependability. They are the finest representatives of their class. From the Super Jägare™ designed for hunting

1911 PISTOLS

Ported 6-inch barrel and slide to enhance recoil management Stainless steel slide and frame Two-hole trigger Tough Diamond-Like Carbon (DLC) finish on slide High undercut under Green and black G-10 grips with the trigger guard black checkered inlay and serrated front strap for positive grip

> The features detailed above and on the OPPOSITE PAGE ARE OFFERED IN ADDITION TO THE STANDARD FEATURES FOUND ON EVERY KIMBER 1911 LISTED ON PAGE 10.

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Super Match™ II	3200309	669278323091	.45 ACP	5	39
Super Jägare™	3000278	669278302782	10 m m	6	42

A complete presentation of specifications and features begins on page 82.

to the accuracy guaranteed apex example of a single stack competition model, the Super Match II, these are collectively the finest 1911 pistols available today.

SUPER MATCH II

K

- Serrated flat top slide
- Stainless steel slide and frame
- KimPro[®] II finish and aggressive slide serrations
- · Extended flush magazine well and ambidextrous thumb safety
- 1-inch groups or better at 25 yards guaranteed.

1911 | 21



finishes and features that stand out in a crowd. Making a statement above and beyond the ordinary, Kimber Special Editions offer striking aesthetics, custom features, some carrying gem-tone finishes and all with the quality and dependability you expect. New for 2020 is a contrasting companion to our Rapide, the Rapide (Black Ice). With stunning attention to detail, carrying the testament to skilled engraving, find themselves in good company stepped serrations throughout this competition ready 1911 while including features like slide lightening ports and an extended magwell make this pistol an ideal choice for those ready to

finished slides and small parts. Slides are accented by intricate engraving and topped with tritium night sights. Coordinating grips are slim, allowing for increased hand contact for any size of hand. The RMEF[®] Camp Guard 10[™], the ultimate backcountry protection, and Stainless II (Engraved Edition), a beautiful with the Hero Custom-the result of a sponsorship with the Boot Campaign. With Kimber, performance and reliability are not compromised when unique finishing details are desired.

UPC 66927832383 .45 ACP 66927830233 66927832362 .45 ACP

CAMP GUARD 10

ITEM

3200362

3200273

MODEL

Hero Custom™

Camp Guard 10™

Sapphire Ultra™ II

Sapphire Ultra™ II

Round Heel Frame

669278322735

1911 PISTOLS

 KimPro® II black slide and frame Gold TiN (Titanium Nitride) coated barrel

 High undercut trigger guard Ledged fiber optic sights

RAPIDE

• Porting in the slide

Extended magwell

G-10 WavZ[™] grips

HERO CUSTOM

- · KimPro® II black slide with flag engraving on slide flat and Boot Campaign logo on topstrap
- KimPro® II Desert Tan frame
- Kryptek Highlander™ patterned grips
- Integrated lanyard loop
- Fiber optic sights

ROSE GOLD ULTRA II

- Highly polished stainless steel slide with rose gold PVD coating and cut scroll engraving and border
- Rose gold PVD-coated small parts Round Heel Frame
- Ball-milled grooves on front strap
- Thin ball-milled G-10 grips
- Ambidextrous safety and Tactical Wedge night sights

- AMETHYST ULTRA II
- Highly polished stainless steel slide with amethyst purple PVD coating and cut scroll engraving and border Amethyst PVD-coated small parts
- Round Heel Frame
- Ball-milled grooves on front strap • Thin ball-milled G-10 grips
- Ambidextrous safety and Tactical Wedge night sights

• KimPro® II finish provides resistance to the elements Custom RMEF® carved rosewood grips

Tactical Wedge tritium 3-dot night sights

- ECLIPSE CUSTOM
- Brush-polished finish and matte
- black small parts
- KimPro® II gray frame
- G-10 black and gray cyclone grips
- Tritium night sights
- MODEL ITEM UPC CALIBER BARREL WEIGHT CALIBER BARREL WEIGHT Rose Gold Ultra™ II 669278323732 .45 ACP Rose Gold Ultra™ II 6692783237 .45 ACP Amethyst Ultra™ II 669278323633 669278323190 Amethyst Ultra™ II 3200319 669278302386 Eclipse Custom¹ 3000238 .45 ACP Eclipse Custom™ 3000239 669278302393 10mm

A complete presentation of specifications and features begins on page 83.

1911 23






riously. The EVO Striker Pistol has been designed with critical and a grip system you can personalize to your palm. Shipped defensive carry needs in mind. Feature-rich across the entire with premium sights and cocking serrations on the rear and platform, the EVO SP elevates the striker-fired subcompact carry front of the slide, there's just one thing left to do-carry it.

Kimber takes the next step with subcompact carry pistols se- pistol beyond just basic black with a growing number of finishes



At the heart of the handgun is a brand new striker-fire mechanism that delivers a smooth, crisp and consistent trigger pull from start to finish. Linking the shooter to the system is a full metal trigger and trigger safety that not only ensures accuracy but inspires confidence as well. An aluminum alloy frame provides overall integrity and a ridged platform for the deep

crowned stainless steel barrel to rest in. Standard features for all models include a lowered and flared ejection port for enhanced ejection, a beveled magazine well for fast, positive loading, and night sights for fast target acquisition in any lighting level.



EVO SP PISTOLS



est allowable tolerances, it was also put through multiple iterations of hands-on human factors testing to ensure the best possible user experience before finalizing the design. Standout features include an innovative grip system that eliminates hardware on the grip surface,


tions, a 6-7lb trigger with crisp reset, and shipping with two 7-round magazines. EVO SP is the ideal choice for shooters that demand a feature packed, compact-size, striker-fired firearm matched with allmetal construction.

EVO SP PISTOLS

	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
	3900013	669278390130	9mm	3.16	19
tor)	3900014	669278390147	9mm	3.16	19
	3900011	669278390116	9mm	3.16	19
	3900012	669278390123	9mm	3.16	19
	3900010	669278390109	9mm	3.16	19

A complete presentation of specifications and features begins on page 85.


evo sp | 29






MICRO™ .380 ACP AND 9MM PISTOLS bring an unmatched level like ergonomics and simple operation. Mild recoil and a smooth of safety, dependability and performance to concealed carry. Small and light, they blend Kimber quality with superior 1911-

single-action trigger pull make them a pleasure to shoot.



With a starting weight of 13.4 ounces and a barrel length of 2.75 inches, Kimber Micro[™] .380 ACP and 9mm pistols are easy to carry and conceal. Micro barrels are machined from stainless steel for superior resistance to machined dovetails for additional integrity. Each Micro includes an extended moisture, and all Micro frames are shaped from the finest aluminum for 7-round magazine; flush-fitting 6-round magazines are available. Well-suited integrity and strength. In many respects a miniature 1911, the Micro offers for all shooters, including those with small hands and those who insist on important design advantages like a single-action trigger with a short, smooth pull that ensures accuracy and builds confidence. Its thumb safety, slide stop and magazine release are pure 1911 as well. Standard features include a unequaled Kimber quality, dependability and performance.

lowered and flared ejection port for flawless ejection and a beveled magazine well for fast, positive loading. Sights are steel - not plastic - and mounted in mild recoil, Micro provides power for concealed carry, home protection and many other applications in our smallest platform yet. Best of all, they offer



MICRO PISTOLS





MICRO PISTOLS

MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Micro Covert (LG)(NS)*	3300186	669278331867	.380 ACP	2.75	13.4
Micro Eclipse (NS)	3300188	669278331881	.380 ACP	2.75	13.4
Micro TLE (NS)	3300190	669278331904	.380 ACP	2.75	13.4
Micro Desert Tan™ (LG)(NS)*	3300209	669278332093	.380 ACP	2.75	13.4
Micro Desert Night™ (NS)	3300208	669278332086	.380 ACP	2.75	13.4
Micro Stainless Rosewood™ (NS)	3300207	669278332079	.380 ACP	2.75	13.4

micro 35



MICRO ROSE GOLD (NS)

• Mirror-polished slide and small parts • PVD color finish adds beauty and durability Ambidextrous thumb safety • Rose gold and black G-10 grips Delicately engraved scroll accents • Tritium night sights




• PVD color finish adds beauty and durability Delicately engraved scroll accents





MICRO BEL AIR (NS) • Ivory G-10 grips • Mirror-polished slide and small parts • Bel Air Blue™ finish on frame Tritium night sights





MICRO PISTOLS

	ITEM	UPC	CALIBER	BARREL	WEIGHT	
		0.0	UNLIDEN	(Inches)	(Ounces)	
;)	3300173	669278331737	.380 ACP	2.75	13.4	
S)	3300160	669278331607	.380 ACP	2.75	13.4	
S)	3300090	669278330907	.380 ACP	2.75	13.4	1
	3300210	669278332109	.380 ACP	2.75	13.4	
	3300087	669278330877	.380 ACP	2.75	13.4	
ess™ (NS)	3300084	669278330846	.380 ACP	2.75	13.4	1
)	3300206	669278332062	.380 ACP	2.75	13.4	
(NS)*	3300215	669278332154	.380 ACP	2.75	13.4	
	3300080	669278330808	.380 ACP	2.75	13.4	1
:)*	3300081	669278330815	380 ACP	2 75	13.4	

*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 84.

Kimby



MICRO PISTOLS



MODEL ITEM UPC CALIBER BARREL NEW Micro 9™ Triari™ Micro 9TM ESV (BLACK)(NS) 3300199 669278331997 Micro 9TM ESV (GRAY)(NS) 3300204 669278332048 Micro 9™ KHX (NS) 3300198 66927833195 Micro 9™ Covert (LG)(NS)* 3300187 66927833187 mm 669278331874 Micro 9™ TLE (NS) 3300191 66927833191

*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 84.

micro 39

• Hexagonal serrations

WEIGHT

gray urban camo

• Tritium night sights

Checkered front strap

$M I C R O_{Continued} 9$

MICRO 9 ECLIPSE (NS)

 Brushed polished flats on KimPro® II gray finished stainless steel slide • KimPro® II gray frame • Gray and black cyclone G-10 grips Tritium night sights

MICRO 9 SAPPHIRE (NS)

• Mirror-polished slide and small parts • PVD color finish adds beauty and durability Ambidextrous thumb safety • G-10 grips Delicately engraved scroll accents Tritium night sights



MICRO 9 ROSE GOLD (NS)

- Mirror-polished slide and small parts • PVD color finish adds beauty and durability
- Ambidextrous thumb safety
- G-10 grips
- Delicately engraved scroll accents • Tritium night sights





MICRO PISTOLS

MICRO 9 STAINLESS RAPTOR (NS)

- Patented scaled accents on slide and front strap
- Patented scaled grips
- Ambidextrous thumb safety
- Patented scalloped accents on mainspring housing and slide top
- Tritium night sights

۵

ITEM UPC CALIBER BARREL WEIGHT 3300189 669278331898 9mm 3.15 15.6 669278332147 9mm 669278331119 9mm 669278331744 9mm 3300214 3300174 669278331044 9mm 669278331096 9mm 66927833102 9mm 669278332161 9mm 66927833090 9mm 669278331959 9mm 15.6 3.15 15.6 15.6 3300195

*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 84.

MICRO 9 TWO-TONE (DN)

- Two-tone slide and frame finish Hogue® Wrap Around grips in black
- TRUGLO® TFX™ Pro Day/Night sights with rear cocking ledge and orange front sight ring

micro | 41 Kimb



*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 84.

MICRO PISTOLS









MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Micro 9™ Woodland Night*	3300178	669278331782	9mm	3.15	15.6
Micro 9™ Desert Tan (LG)*	3300168	669278331683	9mm	3.15	15.6
Micro 9 Desert Night (DN)	3300197	669278331973	9mm	3.15	15.6
Micro 9 Desert Night (LG)*	3300175	669278331751	9mm	3.15	15.6
Micro 9™ CDP (LG)(NS)*	3300098	669278330983	9mm	3.15	15.6
Micro 9™ CDP (NS)	3300097	669278330976	9mm	3.15	15.6
Micro 9™ Nightfall (DN)	3300194	669278331942	9mm	3.15	15.6
Micro 9™ Stainless	3300158	669278331584	9mm	3.15	15.6
Micro 9™ Stainless (DN)	3300193	669278331935	9mm	3.15	15.6

micro | 43






K)


KIMBER K6s[™] REVOLVERS set the bar for concealed carry revolvers by bringing an unmatched level of performance and shootability to concealed carry. Compact and light with the

smallest .357 Magnum cylinder ever offered and a light, no-stack trigger, the K6s blends superior ergonomics and simple operation. Kimber K6s is the revolver of the next generation.



THE KIMBER K6s[™] IS AMONG THE MOST ACCURATE, shootable and dependable compact revolvers available today. Delivering on size and power, the K6s is the smallest 6-shot revolver on the market today that is specifically designed to fire .357 Magnum defensive

ammunition. Mild recoil and a smooth double-action trigger pull make these revolvers a pleasure to shoot. Kimber engineers pushed the envelope to create the smallest and most comfortable .357 Magnum ever.



K6s REVOLVERS



A complete presentation of specifications and features begins on page 83.

k6s | 49 Kimby



MODEL	ITEM	UPC	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
K6s™ CDP	3400013	669278340135	.357 Mag.	2	23
K6s™ DC	3400012	669278340128	.357 Mag.	2	23
K6s™ Stainless (3")	3400011	669278340111	.357 Mag.	3	25.1
K6s™ Stainless	3400010	669278340104	.357 Mag.	2	23
K6s™ Stainless (LG)*	3400003	669278340036	.357 Mag.	2	23
K6s™ Stainless (NS)	3400004	669278340043	.357 Mag.	2	23
K6s™ DCR	3400009	669278340098	.357 Mag.	2	23


*Includes Crimson Trace Lasergrips®. A complete presentation of specifications and features begins on page 83.



K6s | 51 Kinber




RIFLE SELECTION GUIDE





KIMBER RIFLES OFFER A COMBINATION OF FEATURES that set them apart from other production brands. Barrels, chambers and triggers are crafted with critical match grade dimensions for unmatched accuracy. All of Kimber's rifles are controlled-round feed. Pillar and glass bedding add strength and ensure that nothing shifts under recoil or during rough use. Walnut stocks are finished and checkered by hand, and reinforced carbon-fiber stocks are the




HUNTER



RIFLES

MOUNTAIN








OPEN RANGE









TRADITIONAL















A complete presentation of specifications and features begins on page 85.

KIMBER BUILDS NO-COMPROMISE tactical rifles to help meet the requirements of military or law enforcement professionals. In these arenas, the need for accuracy and dependability takes on a new meaning. Kimber tactical rifles have match grade barrels, chambers and triggers for the highest degree of accuracy. Each action features a full-length Mauser claw extractor for air gauge to ensure accuracy, and every rifle is built by hand, the superior dependability of controlled-round feeding plus an extended bolt handle with an oversized bolt knob for positive operation regardless of field conditions. Advanced Tactical SOC II rifles now ship with a McRee Precision custom stock for Kimber in two color options—FDE and Sniper Gray—they

feature a left folding stock that allows for bolt manipulation while folded, a 4-point adjustable cheek weld for a versatile level of personalization, M-LOK® slots, tripod mount, and stock pack. The match grade dimensions of the Advanced Tactical[™] SOC II and Advanced Tactical SRC II barrels are verified with an guaranteeing each to have fired 3-shot groups measuring .5 MOA prior to shipping. From a short, light configuration for fast deployment to heavier models with advanced features for longrange precision, Kimber tactical rifles are ready for anything.

tactical 73





OPTICS

A PERFECT MATCH for the Kimber Mountain Ascent[™] and Adirondack[™] rifles, the Zeiss Conquest V4 (offered in Gore[™] Optifade[™] Open Country and Elevated patterns) offers premium German optical performance and field versatility in a

compact, lightweight yet rugged body. The newly enhanced optical design provides extremely bright images and contrast for precision shooting, even at high magnifications and in low light conditions.

ZEISS CONQUEST V4	3-12	2x56	4-16	5x44	6-24	x50
Magnification	3	12	4	16	6	24
Effective lens diameter	27.7 mm	56 mm	33.2 mm	44 mm	44.9 mm	50 mm
Exit pupil diameter	9.2 mm	4.7 mm	8.5 mm	2.8 mm	7.5 mm	2.1 mm
Twilight factor	9.1	25.9	11.5	26.5	16.4	34.6
Field of view at 100 Yards	38 ft	9.5 ft	28.5 ft	7.1 ft	19 ft	4.8 ft
Objective viewing angle	7.2°	1.8°	5.4°	1.4°	3.6°	0.9°
Diopter adjustment range	-3 / +	2 dpt	-3 / +	-2 dpt	-3 / +	2 dpt
Eye relief	3.5	in.	3.5	in.	3.5	in.
Parallax setting	100	yds	50 yc	1s – ∞	50 yd	S — 00
Elevation Adjustment Range	70 N	AON	801	AON	80 N	AON
Windage Adjustment Range	70 N	AON	60 1	AON	60 N	AOA
Adjustment per click at 100 yards	1/4 M	AON	1/4	MOA	1/4 /	AON
Center tube diameter	30 r	nm	30	mm	30 r	mm
Eyepiece tube diameter	44 r	nm	44	mm	44 r	mm
Objective tube diameter	62 r	nm	50	mm	56 r	mm
Coating	LotuTec*,	/ ZEISS T*	LotuTec*	/ ZEISS T*	LotuTec*	/ ZEISS T*
Nitrogen filling	ye	2S	У	es	ye	es
Water resistant	400 r	mbar	400	mbar	400 r	mbar
Operating temperature	-4 / +	131°F	-4 / +	131°F	-4 / +	131°F
Length	14.	5 in.	14	in.	14.5	5 in.
Weight	21.5	ō oz.	22.0	5 oz.	24.4	l oz.
Reticles	Z-P	lex	Z-Plex	, ZBR-2	ZBR-1, 2	ZMOA-1



GORE™ OPTIFADE™ Elevated II pattern	
	6X zoom for increased versatility
Precision German design and craftsmanship	
Compact and lightweight 30mm tube design	

LotuTec[®] lens coatings shed moisture and resist scratching

LEUPOLD VX®-6HD	(30	42mm mm) -ZL2	3-18 (3 CE
Magnification	2X	12X	3X
Effective objective lens diameter	42mm	42mm	44mm
Exit pupil diameter	21mm	3.5mm	14.7mm
Field of view at 100 yds	57.5	10.2	38.2
Eye relief	3.8	3 in.	
fotal adjustment travel	120	MOA	
djustment per click	1/4	MOA	
Main tube diameter	30	mm	
Gas filling type	Argon/	Krypton	Arg
Waterproof	У	es	
Length	12.	5 in.	
Weight	19.	7 oz	
Model numbers	172	2955	



MODEL	ITEM	UPC
ZEISS CONQUEST V4 SCOPE 3-12x56 ZPIex Reticle w/Open Country pattern	4100992	669278419923
ZEISS CONQUEST V4 4-16x44 ZMOA-2 Reticle SCOPE w/SubAlpine pattern	4100993	669278419930
ZEISS CONQUEST V4 4-16x44 ZMOA-2 Reticle SCOPE w/Open Country pattern	4100994	669278419947
ZEISS CONQUEST V4 6-24x50 ZMOA1 Reticle SCOPE w/Open Country pattern	4100995	669278419954
ZEISS CONQUEST V4 6-24x44 ZPIex Reticle SCOPE w/Open Country pattern	4100997	669278419978

OPTICS

PEPPERBLASTER II

ACCESSORIES



Technology, ergonomics and unmatched performance make PepperBlaster® II the most effective less-lethal protection


- A powerful solution of 10% Oleoresin Capsicum (OC) combines with benzyl alcohol to create the most effective inflammatory agent available. Effects are immediate and last up to 60 minutes.
- PepperBlaster[®] II uses patented Jet Protector Technology to propel two separate blasts of potent OC at 112 mph. This speed keeps each blast on target and reduces the risk of blowback or drift. Unlike sprays, PepperBlaster does not lose pressure over time.

available today. PepperBlaster isn't spray, it's better. Don't spray...shoot.

- PepperBlaster II has an effective range of up to 13 feet, stopping threats at a distance. The unit does not have to be vertically indexed like sprays and can be fired from any angle or position.
- The non-aerosol pyrotechnic delivery system is not affected by cold or heat and blasts straight through wind and rain. This delivery system is capable of accurate placement and enough force to wrap around glasses or penetrate masks.



RIMFIRE TARGET CONVERSION KIT





ABER

MAGAZINES

Kimber[®] pistol magazines are available in an assortment of finishes, sizes and calibers. 1911 magazines fit Kimber pistols, plus almost any brand and model of MIL-SPEC 1911. The KimPro

Tac-Mag[®] is the finest 1911 .45 ACP magazine available today. Each has a quick-change system that permits immediate attachment of three included bases, along with large round count holes that read at a glance. Two sizes of Micro[™] and Micro 9[™] magazines are available. Standard and extended options available for both.

GRIPS

Kimber offers a full selection of premium grips and Crimson Trace Lasergrips® that fit almost any brand of 1911 pistol, regardless of caliber. Many feature hand-cut checkering and hand finishing. Crimson Trace Lasergrips[®] are also available for Micro[™] and Micro 9[™] pistols. Premium hex head grip screw sets are offered separately and add a finishing touch.

LOGO GEAR

Kimber offers a wide variety of logo apparel and gear, and the selection is always growing. Visit store.kimberamerica.com for a complete presentation.

78

CONVERSION KIT

.22LR CONVERSION KITS

Shooting a rimfire is an effective way to teach new shooters and enhance the training of others, regardless of their level of experience. Our Rimfire Target Conversion Kit™ (fits 4- and 5-inch barrel models) and Rimfire Compact Conversion Kit[™] (fits 3- and 4-inch barrel models) are compatible with Kimber and most other MIL-SPEC 1911 pistols. Conversion kits are designed to operate with high velocity .22 LR ammunition. Adding a Rimfire Conversion Kit to any 1911 gives you two pistols in one and pays for itself in just a few hundred rounds.

MODEL	ITEM	CALIBER	BARREL (Inches)	WEIGHT (Ounces)
Rimfire Target Conversion Kit™ (black)	1100043	.22 LR	5	15
Rimfire Target Conversion Kit™ (silver)	1100044	.22 LR	5	15
Rimfire Compact Conversion Kit™ (black)	1100479	.22 LR	4	13
Rimfire Compact Conversion Kit™(silver)	1100485	.22 LR	4	13

A complete presentation of specifications and features begins on page 83.



KIMBER CUSTOM SHOP

The Kimber Custom Shop[™] can guickly and professionally modify or personalize any Kimber pistol. Services include installation of night sights, custom finishes, part replacement, checkering, melts, custom parts and tunina.

HOLSTERS

An assortment of fine leather holsters and magazine carriers with the Kimber logo are available for Kimber 1911, Micro[™] and Micro 9[™] pistols. Kimber holsters also may fit other brands of MIL-SPEC 1911 pistols.



RIFLE ACCESSORIES

A selection of scopes, mounting systems for any application, along with extended bolt handles, leather logo slings, patterned slings to match your rifles, and other items are available to complete your rifle set up.

accessories 79



1911 PISTOLS Image: marked base base base base base base base base	Sights Cuips Luigger Infutum Night sights Radius (inches) Radius (inches) Radius (inches) Water logo Material Radius (inches) Radius (inches) Radius (inches) Store y setting Radius (inches) Radius (inches) Radius (inches) Radius (inches)	(bner															i —					zine		1				T	ТC	1911 PIS'
SPECIFICATIONS No No No	rpe frum Night Sights adus (inches) laterial imber logo pe etory setting (appr. pounds)	(bnar																										ノレ		
	rpe frum Night Sights adlus (inches) laterial imber logo pe etory setting (appx, po	() Jand)			_						uare –		(Id	safet	fety												S	ON	ΓI	SPECIFICAT
	rpe Arbun Night Sight Adus (Inches) Laterial Imber logo pe Retory setting (Isp)	Jand										8	ing (L	l grip	nb sa					ds)		mpty				nia*				
Norm 0 6.00 0 0 0 0 <td>upe ppe ditum Night atterial imber logo ppe sctory settin</td> <td></td> <td></td> <td></td> <td></td> <td>2</td> <td></td> <td></td> <td></td> <td>ame</td> <td>jazin r trio</td> <td></td> <td>eckei</td> <td>oved</td> <td>thur</td> <td></td> <td></td> <td>1</td> <td></td> <td>unod</td> <td>acity</td> <td>X</td> <td></td> <td></td> <td></td> <td>alifor</td> <td></td> <td></td> <td></td> <td></td>	upe ppe ditum Night atterial imber logo ppe sctory settin					2				ame	jazin r trio		eckei	oved	thur			1		unod	acity	X				alifor				
Virtual Virtual Add Add Add Add	ype ittium N adius (i imber k ype sctory s	e (left	.	nches		ratio			atinny	eel Fr	d mag			0	trous			tmen	-	ring (ounce	ches)		Jches	e in Ca		s		
Norm 0 6.00 0 0 0 0 <td></td> <td>st rat</td> <td>terial⁶ hing</td> <td>gth (i</td> <td>top</td> <td>nt ser</td> <td>łs</td> <td>terial</td> <td>3 Pic.</td> <td>Hpu</td> <td>ended h cut</td> <td>5</td> <td>nt stra</td> <td>nped</td> <td>bidex</td> <td>lsh</td> <td>terial</td> <td>t trea</td> <td>de ro</td> <td>oilsp</td> <td>gazin</td> <td>ght (c</td> <td>Ith (in</td> <td>gth (i</td> <td>ght (i</td> <td>ilable oht (i</td> <td>iber</td> <td>tnote</td> <td><u>e</u></td> <td></td>		st rat	terial ⁶ hing	gth (i	top	nt ser	łs	terial	3 Pic.	Hpu	ended h cut	5	nt stra	nped	bidex	lsh	terial	t trea	de ro	oilsp	gazin	ght (c	Ith (in	gth (i	ght (i	ilable oht (i	iber	tnote	<u>e</u>	
Notion N N N N <td></td> <td></td> <td></td> <td>_</td> <td>Flat</td> <td>Fro</td> <td></td> <td>\rightarrow</td> <td>191</td> <td>, log</td> <td>EXt Hig</td> <td>Che</td> <td>_</td> <td>Bun</td> <td>Am</td> <td></td> <td>Mai</td> <td>Mel</td> <td><u>.</u></td> <td></td> <td>Mag</td> <td></td> <td>-</td> <td>_</td> <td>_</td> <td></td> <td></td> <td><u> </u></td> <td></td> <td></td>				_	Flat	Fro		\rightarrow	191	, log	EXt Hig	Che	_	Bun	Am		Mai	Mel	<u>.</u>		Mag		-	_	_			<u> </u>		
Import 1 <	FS 4.8 LEG PA 4-5				·			• •		-					_		-													
b b </td <td>FS 5.7 LEG PA 4–5</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td>	FS 5.7 LEG PA 4–5				-					-																				
bl bl bl <	FS 5.7 LEG PA 4-5				•			• •		•							-				_		_							
Normon 1 1 1 1 <td>OR 5.7 GTMG PA 4–5 OR 5.7 GTMG PA 4–5</td> <td></td> <td></td> <td></td> <td>·</td> <td></td> <td></td> <td></td> <td></td> <td>•</td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td>_</td> <td></td>	OR 5.7 GTMG PA 4–5 OR 5.7 GTMG PA 4–5				·					•	-						_												_	
Norma No No No No No<	FS 6.8 LEG PA 4-5				•	•		• •									-		_			_			_					
Network No No No No	FS 6.8 LEG PA 4–5				•																				-					
Image: Sector Im	0//T GTMG PA 4–5 0//T GTMG PA 4–5				•	•		• •									-													
Imatement Imat	01/T GTMG PA 4-5				•	•							SP			KP						_			5.25	5.2				
Network Network <t< td=""><td>OR 6.8 GTMG PA 4–5 OR 6.8 GTMG PA 4–5</td><td></td><td></td><td></td><td>•</td><td>•</td><td></td><td>• •</td><td></td><td>_</td><td></td><td>_</td><td></td><td></td><td>-</td><td></td><td>-</td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td></t<>	OR 6.8 GTMG PA 4–5 OR 6.8 GTMG PA 4–5				•	•		• •		_		_			-		-		_						_					
Image: Sector Im	OR 6.8 GTMG PA 4–5		- + +		÷	•		i				_					i 1		-						-				_	
Pack Pack Pack Pack	0//T GTMG PA 4-5	16 •	SS •	5	•	•	KP	SS	•				SP			KP	SS		FG	12	9	39	1.28	8.7	5.25	5.2	9mm		12	KHX Custom/RL (OI)
Pack Pack Pack Pack Pa	OV/T GTMG PA 4–5				•	·					•												_		_					
Applitine from 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 </td <td>FS 4.8 GT PA 4-5</td> <td></td> <td>-</td> <td></td> <td>FG</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td></td>	FS 4.8 GT PA 4-5																-		FG										_	
Pack Pack Pack Pack	FS 5.7 GT PA 4-5							•		-									-		_									
Paci-like free free free free free free free fr	FS 5.7 GT PA 4–5 0I/V GT PA 4–5					$\left \right $				-	-																			-
neg implemend	01/V GT PA 4-5	16 •	SS	4			KP	SS		_			24			SIL	SS		FG	14	9	28	_	7.7	5.25	5.2	9mm		13	Aegis Elite Pro (OI)
Pacial Pacia Pacia Pacia	OLV GT PA 4-5 OLV GT PA 4-5									-							-		-											
spandes Spandes <t< td=""><td>FS 6.8 GT PA 4–5</td><td></td><td></td><td></td><td></td><td>•</td><td></td><td>• •</td><td></td><td>-</td><td></td><td></td><td></td><td></td><td>-</td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td></t<>	FS 6.8 GT PA 4–5					•		• •		-					-		-								_					
New Particies Proteomy I	FS 6.8 GT PA 4-5					•	KP	• •		•																				
Salises Procenty 15 15 6 6 7 12					-			• •			_				-															
Stations"II 55 6.0 6.0.0 6.0 6.0 6.0 <th< td=""><td>FLP, FO 5.7 RW • AL 4–5</td><td></td><td></td><td></td><td>T</td><td></td><td></td><td>• •</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td>_</td><td></td><td>_</td><td></td><td>_</td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td></th<>	FLP, FO 5.7 RW • AL 4–5				T			• •									-		_		_		_		-					
Staines*II 15 0. 0.00 0.52 0.0 0.0 0.0 0	FLP 5.7 RW • AL 4–5																								_					
Stations Target" (1) (1) (2) (2) (2) (2)	FLP, FO 6.8 RW • AL 4–5 • FLP, FO 6.8 RW • AL 4–5				-	•											-		<u> </u>											
Staines Target*11 5 6 6.0 7 6 7	KA, FO 7.8 RW • AL 4-5																								_				15	
Stainless Target*1 15 10 9.00 9.0 9.0 9.0 <	KA, FO 7.8 RW • AL 4–5 KA, FO 6.8 RW • AL 4–5				_							_			-															
VIta Carry"II (Wo-Tone) 14 9 9 9 6 7 16 16 16 16 <th1< td=""><td>KA, FO 6.8 RW • AL 4–5 KA, FO 6.8 RW • AL 4–5</td><td></td><td></td><td>-</td><td></td><td>•</td><td></td><td>• •</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th1<>	KA, FO 6.8 RW • AL 4–5 KA, FO 6.8 RW • AL 4–5			-		•		• •									-													
New Utrace of the origon o	FLP,WD 4.8 RW AL 4-5		- + +					• •											<u>i</u>											
Procary"I (Ivo-Tone) 14 0 4.8 0 5.2 7.0 12.8 7.0 12.8 7.0 12.0 7.0	FLP.WD 4.8 RW AL 4–5 FLP 4.8 RW, LG • AL 4–5				-					-	-				-															
New Pro Carry"II (Two-Tone) (Li) 4 3 A.S. 6/P 6 A.L S.L A.L S.L<	FLP,WD S.7 RW AL 4–5							•									-		-				_						_	
Custom II" (Two-Tone)1414156.6.6.7.8.7189.871671655.1.9.1. <td>FLP;WD 5.7 RW AL 4–5</td> <td></td> <td>-</td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	FLP;WD 5.7 RW AL 4–5																-		_				_							
Lasses Lasses Image <	FLP 5.7 RW, LG • AL 4–5 FLP,WD 6.8 RW AL 4–5							• •			-	-			-		-		_		_	_	_		_			3		
Ultra CDP** 16	FLP;WD 6.8 RW AL 4-5					•		• •													7									
Ultra CDP"(LG) 16 3 A5ACP 4 5 6.8 128 25 7 18 6.0 A.1 6.8 1.0 A.1 6.8 0.0 <th< td=""><td>FLP 6.8 RW, LG • AL 4–5 FLP • 4.8 RW PA 4–5</td><td></td><td></td><td></td><td>_</td><td>·</td><td></td><td>\rightarrow</td><td></td><td>_</td><td>_</td><td>20</td><td>20</td><td></td><td></td><td></td><td></td><td>CM</td><td></td><td></td><td>_</td><td>_</td><td></td><td></td><td></td><td></td><td></td><td>3</td><td></td><td></td></th<>	FLP 6.8 RW, LG • AL 4–5 FLP • 4.8 RW PA 4–5				_	·		\rightarrow		_	_	20	20					CM			_	_						3		
Ultra CDP ^m 16 9mm 9mm 6 8 16 7 16 9 8 16 6 10 4 6 10 6 10 <th1< td=""><td>FLP • 4.8 RW PA 4-5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td><td>3</td><td>_</td><td></td></th1<>	FLP • 4.8 RW PA 4-5											_													_			3	_	
Pro CDP** 16 V. 9mm V. S. 7.7 1.2 2.8 9 1.4 6. 0.4 0.5 0.1 0.5 S.1. 0.4 0.5 S.1. 0.4 0.5 S.1. 0.4 0.5 0.4 0.5 0.4 0.5 0.4 0.5 0.4 0.5 0.4 0.5 0.4 0.5 0.4 0.5 0.4 0.5 0.4 0.5 <th< td=""><td>FLP • 4.8 RW PA 4-5</td><td>16 •</td><td>SS</td><td>3</td><td>•</td><td>\square</td><td>SIL, KP</td><td>SS</td><td></td><td></td><td>•</td><td>30</td><td>30</td><td></td><td>•</td><td></td><td></td><td>CM</td><td>FG</td><td>16</td><td>_</td><td>25</td><td>1.28</td><td>6.8</td><td>4.75</td><td>4.7</td><td></td><td></td><td>16</td><td></td></th<>	FLP • 4.8 RW PA 4-5	16 •	SS	3	•	\square	SIL, KP	SS			•	30	30		•			CM	FG	16	_	25	1.28	6.8	4.75	4.7			16	
Custom CDP** 16 17 6.6 7 16 16 16 16 16 16 16 16 16 16 16 16	FLP • 5.7 RW PA 4–5 FLP • 5.7 RW PA 4–5				•							_			•														_	
Desert Warrior* (TFS) 18 4 4.5/LP 5.5 9.9 9.9 9.0 7.0	FLP • 6.8 RW PA 4-5	16	SS •	5	·	•	SIL, KP	SS			_		30		•	CG, KP	AL	CM	FG	16		31	1.28	8.7	5.25	5.2	.45 ACP		16	Custom CDP™
Ultra Covert ^{**} (LG) 19 3 A5 /LP 6 8 12 2 7 18 6 10 A 6 10 A 6 10 A 6 10 A 10 A 6 10 A 10 A 6 10 A 6 10 A 6 10 A 10 <td>TW 6.8 GT SA 4–5 FC,SH 6.8 GT SA 4–5</td> <td></td> <td>+ +</td> <td>•</td> <td>-</td> <td></td>	TW 6.8 GT SA 4–5 FC,SH 6.8 GT SA 4–5													+ +	•	-														
ProCovert"(LG) 9 3 65/kP 5 7 1 2 8 7 2 7 2 6 0 A 6 0 0 0 5 6 0	TW • 4.8 UC, LG • AL 4–5							<u> </u>							L.			<u> </u>												
Ultra Raptor ^m II 20 3.5 /// C - 4.75 6.8 2.5 7 1.8 7 1.8 7 1.8 7 1.8 7 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 7.6 1.8 1.8 1.6 1.8 1.8 1.6 1.8 1.8 1.6 1.8	TW • 5.7 UC,LG • AL 4–5							SS						•			-		FG						5.25	5.2				
ProRaptor"II 20 4.5 //V 5.5 //V 7.7 //V 1.8 //V 3.5 //V 8.7 //V 8.7 //V 9.7 //V	TW • 6.8 UC, LG • AL 4–5 TW • 4.8 ZW • AL 4–5				BC						-			· ·	1.		<u> </u>	CM										3		
	TW • 5.7 ZW • AL 4-5	16	SS	4	BC		MB	ST					SR	•	-		ST		FG	22	8	35		7.7	5.25	5.2	.45 ACP		20	
Stainless Ultra Raptor [™] II 20 4.75 6.8 1.28 25 7 1.8 F6 AL SIL • • SR SIL BC 3 SS 1.6 BC 3 SS 1.6 -	TW • 6.8 ZW • AL 4-5 TW • 4.8 ZW • AL 4-5							• •							-		-													
Stainless Ultra Raptor™II 20 .45 MP 4.75 6.8 1.28 25 7 1.8 F6 AL SL - SR SS SL BC 3 SS 1.6 - Stainless Ultra Raptor™II 20 9mm 4.75 6.8 1.28 25 8 1.4 F6 AL SIL - SS SIL BC 3 SS 1.6 -	• TW • 4.8 ZW • AL 4-5																		1						_					
Stainless Pro Raptor**II 20 .45 /kP 5.25 7.7 1.28 35 8 22 F6 55 SIL - SS SIL - 6 4 55 51 16	TW • 5.7 ZW • AL 4-5	16			BC		SIL	SS						+ +						22	8	35	1.28	7.7	5.25	5.2				Stainless Pro Raptor™ II
Stainless Pro Raptor"II 20 9mm 5.25 7.7 1.28 35 8 1.4 FG SS SIL 4 SS SIL 4 SS 4 SS 1.6 4 SS 51 SS SIL SS SS	TW • 5.7 ZW • AL 4–5 TW • 6.8 ZW • AL 4–5				_									+ +	-		_		_											
Stainless rapion in 20 300 mm 5 5.2 6.7 1.2 30 10 70 5 31,07 <td>IW • 0.6 ZW • AL 4-5 TW • 6.8 ZW • AL 4-5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>• •</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>+ +</td> <td>-</td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td>_</td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td></td> <td></td>	IW • 0.6 ZW • AL 4-5 TW • 6.8 ZW • AL 4-5							• •						+ +	-		-					_	_		_					
Ultra TLE**II 17 45 MCP 4.75 6.8 12.8 25 7 18 FG AL MB 30 ST MB - 3 SS 16 - Description 17 46 M2 57 7 18 FG AL MB 30 ST MB - 3 SS 16 -	FLP • 4.8 GT AL 4-5				_				$ \neg $	-	-	Ţ																		
ProTLE™II 17 .45 /kP 5.25 7.7 1.28 35 7 22 FG ST MB 30 ST MB - 4 SS 16 ProTLE/RL™II 17 .45 /kP 5.25 7.7 1.28 36 7 22 FG ST MB 30 Image: ST MB - 4 SS 16	FLP • 5.7 GT AL 4–5 FLP • 5.7 GT AL 4–5				_																									
Custom TLE™I 17 //.5 A/P 5.25 8.7 1.8 38 7 16 F6 ST M8 M8<	FLP • 6.8 GT AL 4-5	16	SS •	5	•	+ +	MB	ST					30			MB	ST		FG	16	7	38	1.28	8.7	5.25	5.2	.45 ACP		17	Custom TLE™ II
Custom TLE™II 17 10mm 5.25 8.7 1.28 38 8 18.5 FG ST MB 30 ST MB - - 5 SS - 16 - Custom TLE/RL™II 17 .45 MP 5.25 8.7 1.28 39 7 16 FG ST MB 30 - - ST MB - - 5 SS - 16 -	FLP				·			• •															_							
Custom TLE/RL™I 17 10mm 5.25 8.7 1.26 39 7 10 76 51 700 51 70 53 70 <	FLP • 6.8 GT AL 4-5				•	•			·										-		-								_	
Custom TLE/RL™ II (TFS) 17 5 4.5 M/P 5.25 9.19 1.28 39 7 16 FG ST M8 30 - - ST SS s - 16 Custom TLE/RL™ II (TFS) 17 5 4.50 M/P 5.25 9.19 1.28 39 7 16 FG ST M8 30 - - 5.5 SS - 16	FC,SH 6.8 GT AL 4–5							• •	-		T						-				_									
Custom TLE/RL ^m II (TFS) 17 5 9mm 52 9.19 1.28 39 9 12 FG ST M8 30 - st ST M8 - st	FC, SH 6.8 GT AL 4–5 FLP • 6.8 GT AL 4–5				_				·		+		_				-				_	_	_					5		
Stainless TLE/RL [™] II 17 45/MCP 525 8.7 1.28 39 7 16 FG SS SIL 30 .	FLP • 6.8 GT AL 4–5				_			• •	•																					

														_							_					_					-						_	_
	1011 5			-	_													Fram						Slic	le			В	arrel				Sights		Grip	s	Trig	iger
	1911 P SPECIFIC				California*				w/ empty magazine	city	(spunod)					humb safety	ved grip safety	checkering (LPI)	r triggerguard (LPI)	zine well	trigger guard	me								and)			Sight Profile					(appx. pounds)
	Model	Page	Footnotes	Caliber	Available in Califo	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) и	Magazine capac	Recoil spring (po	Guide rod	Melt treatment	Material	Finish	Ambidextrous thumb	Bumped & grooved	Front strap chec	Checkering under trigger guard	Extended magazine	High cut under trigger	Round Heel Frame	erial	Finish	Front serrations	Flat top	Length (inches)	Material*	Bushing	Twist rate (left hand)	Ramped	Type	Tritium Night Si	Radius (inches)	Material	Kimber logo	Type	Factory setting
	Eclipse Custom™	23		.45 ACP		5.25	8.7	1.28	38	8	16	FG		SS	CG			30					SS	CG, BP	•		5	SS	•	16		FLP	•	6.8	GT	\square	PA	4-5
	Eclipse Custom™	23		10mm		5.25	8.7	1.28	38	8	18.5	FG		SS	CG			30					SS	CG, BP	•		5	SS	•	16	•	FLP	•	6.8	GT	\square	PA	4-5
	Sapphire Ultra™ II	23		9mm		4.75	6.8	1.15	25	8	16	FG		AL	SIL	·		BM				•	SS	BB			3	SS		16	•	TW	· ·	4.8	GT	\square	SA	4-5
	Sapphire Ultra™ II	23		.45 ACP		4.75	6.8	1.15	25	7	18	FG		AL	SIL	•		BM				•	SS	BB			3	SS		16	•	TW	•	4.8	GT		SA	4-5
	Amethyst Ultra™ II	23		.45 ACP		4.75	6.8	1.15	25	7	18	FG		AL	SIL	•		BM				•	SS	AP			3	SS		16	•	TW	<u> </u>	4.8	GT	\square	SA	4-5
	Amethyst Ultra™ II	23		9mm		4.75	6.8	1.15	25	8	16	FG		AL	SIL	•		BM				•	SS	AP			3	SS		16	•	TW	•	4.8	GT	\square	SA	4-5
	Rose Gold Ultra™ II	23		.45 ACP		4.75	6.8	1.15	25	7	18	FG		AL	MB, KP	•		BM				•	SS	RG			3	SS		16	•	TW	· ·	4.8	GT	\square	SA	4-5
	Rose Gold Ultra™ II	23		9mm		4.75	6.8	1.15	25	8	16	FG		AL	MB, KP	•		BM				•	SS	RG			3	SS		16	•	TW	•	4.8	GT		SA	4-5
	Camp Guard 10™	23		10mm		5.25	8.7	1.28	38	8	18.5	SL		SS	SIL			30				•	SS	MB, KP	•		5	SS	•	16		TW		6.8	RW		PA	4-5
	Hero Custom	23	7	.45 ACP		5.25	8.7	1.28	38	8	16	FG		SS	KP, DT								SS	KP	•		5	SS	•	16		FS		6.8	GT		AL	4-5
	Rapide	22	8	.45 ACP		5.25	8.7	1.28	38	8	16	FG		SS	KP	•	•	SP		•	•		SS	KP	•		5	SS	•	16		FS	•	6.8	GT	\square	PA	4-5
I	Rapide	22	8	10mm		5.25	8.7	1.28	38	8	18.5	FG		SS	KP	•	•	SP		•	•		SS	KP	•		5	SS	•	16	•	FS	•	6.8	GT		PA	4-5
NEW	Rapide (Black Ice)	22	8	.45 ACP		5.5	8.7	1.28	38	8	16	FG		SS	KP	•	•	SP		•	•		SS	KP	•	•	5	SS	•	16		FS	•	6.8	GT		PA	4-5
NEW	Rapide (Black Ice)	22	8	10mm		5.5	8.7	1.28	39	8	18.5	FG		SS	KP	•	•	SP		•	•		SS	KP	•	•	5	SS	•	16	•	FS	•	6.8	GT		PA	4-5
NEW	Rapide (Black Ice)	22	8	9mm		5.5	8.7	1.28	39	9	12	FG		SS	KP	•		SP		•	•		SS	KP	•	•	5	SS	•	16	•	FS	· ·	6.8	GT		PA	4-5
i	Super Jägare™	21	6	10mm	Ì	5.25	9.7	1.28	42	8	18.5	SL	CM	SS	CG, KP			SC					SS	DLC		SC	6	SS	•	16	Î	OI/DP		Ì	MI		PA	4-5
	Super Match™ II	21	5	.45 ACP	1	5.5	8.7	1.28	39	8	16	FG		SS	SIL	•		30	30	•	•		SS	MB, KP	FL	SE	5	SS	.	16		KA		6.8	W		PA	4-5
1	Rimfire Compact Conversion Kit [™]	79		.22 LR	1		7.7		13	10		FG			_								AL	SIL		Ì	4	ST	•	16	·Ì	FLP		5.7	_		i – 1	
	Rimfire Compact Conversion Kit [™]	79		.22 LR			7.7		13	10		FG			-								AL	MB			4	ST	•	16		FLP		5.7	-		-	- 1
	Rimfire Target Conversion Kit™	79		.22 LR	1		8.7		15	10		FG			_								AL	SIL			5	ST		16		KA		6.8	_		_	
	Rimfire Target Conversion Kit™	79		.22 LR			8.7		15	10		FG			-								AL	MB	•		5	ST		16	. 1	KA		6.8	_		- 1	

AL	Aluminum	FG	Full-length guide rod	LEG	Hogue [®] Laser Enhanced G10 MagGrip™	SC	Super Carry™ pattern
AP	Amethyst purple PVD finish	FLP	Fixed low profile, black	LG	Crimson Trace Lasergrips®	SE	Serrations
BA	Bel Air Blue™ finish	FLP, CS	Fixed low profile, cocking shoulder	MB	Matte black	SIL	Satin Silver
BB	Bright blue PVD finish	FO	Fiber optic front sight	MI	Micarta	SL	Standard or military-length guide rod
BM	Ball-milled front strap	FS	Fiber optic sights	MP	Mirror polished	SP	Stiplex pattern
BO	Bone	FW	French walnut	OR	Optics ready	SR	Scaled Raptor™ pattern
BP	Brush polished flats	GM	Gunmetal PVD finish	OI/T	Optics installed, Trijicon Type 2 RMR®06	SS	Stainless steel
BS	Black synthetic	GT	G-10	OI/V	Optics installed, Vortex Venom 6MOA	ST	Steel
CB	Charcoal blue	GTMG	Hogue Magrip™ G-10 Mag Grip	OI/D	Optics installed, Leupold DeltaPoint Pro	TFX	TruGlo TFX Pro Day/Night
CG	Charcoal gray	HF	Highly polished flats	Р	Polished flats	TW	Tactical Wedge
CM	Carry Melt [™] treatment	HP	High polish	PA	Premium Aluminum	UC	Urban camouflage
DLC	Diamond-Like Carbon coating	KP	KimPro® II	RG	Rose gold PVD finish	W	Walnut
DT	Desert Tan	KA	Kimber adjustable	RW	Rosewood	WD	White dot sights
FC, SH	Fixed cocking shoulder, suppressor height	KA B/D	Kimber adjustable bar/dot	SA	Solid aluminum	ZW	Zebrawood

														Frame		Cyl	linder		Barr	el			Sig	hts			Gri	ps	Trig	gger
	REVOLVER Ecificatic Feature key		Model	Page	Caliber	Available in California*	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) <i>w/ empty cylinder</i>	Cylinder capacity	Action	Material	Finish	Backstrap	Material	Finish	Length (inches)	Material	Finish	Black serrated	White Dot Sights	Tritium Night Sights	Fiber Optic	Brass Bead	Radius (inches)	Material	Kimber logo	Single Action Factory setting (appx. pounds)	Double Action Factory setting (appx. pounds)
BR	Black rubber		K6s® Stainless™	51	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS		•				4.1	BR	•		9.5-11
BRS	Brushed stainless finish	J	K6s [®] Stainless [™] (LG)	51	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS		•				4.1	MS	•		9.5-11
DAO	Double action only	J	K6s® Stainless™ (NS)	51	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS			•			4.1	BR	•		9.5-11
DLC	Diamond-like carbon finish		K6s [®] Stainless [™] (3")	51	.357 Mag.	•	5	7.62	1.39	25.1	6	DAO	SS	BRS	SE	SS	BRS	3	SS	BRS						5.1	W			9.5-11
GT	G-10		K6s [®] DCR™	50	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	SIL	SE	SS	SIL	2	SS	SIL	i		1	•		4.1	LW	•		9.5-11
HP	High polish		K6s [®] DC™	50	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	BRS/DLC	SE	SS	BRS/DLC	2	SS	BRS/DLC			•			4.1	GT	•		9.5-11
LW	Laminated wood	NEW	K6s® Royal	48	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	HP/DLC	SE	SS	HP/DLC	2	SS	HP/DLC	•				•	4.1	GT	•	1	9.5-11
MB	Matte black	1	K6s [®] CDP™	50	.357 Mag.	•	4.46	6.62	1.39	23	6	DAO	SS	BRS/DLC	SE	SS	BRS	2	SS	BRS			•			4.1	RW	•		9.5-11
	Crimson Trace Master Series™	1	K6s® TLE 2in	49	.357 Mag.		4.46	6.62	1.39	23	6	DAO	SS	MB	SE	SS	MB	2	SS	MB			•			4.1	GT			9.5-11
MS	Lasergrips [®]		K6s® TLE 3in	49	.357 Mag.		5	7.62	1.39	25.1	6	DAO	SS	MB	SE	SS	MB	3	SS	MB			•			5.1	GT			9.5-11
SIL	Satin silver		DASA 2in	49	.357 Mag.			6.62	1.39	23	6	DAO	SS	BRS	SE	SS	BRS	2	SS	BRS		•				4.1	W	•	3-3.5	9.5-11
SS	Stainless steel		DASA 3in	49	.357 Mag.			7.62	1.39	25.1	6	DAO	SS	BRS	SE	SS	BRS	3	SS	BRS		•				5.1	W		3-3.5	9.5-11
W	Walnut																													

FEATURE KEY

*Barrel material for 1911 pistols available in California may be carbon steel rather than stainless steel where indicated.

FOOTNOTES

Crimson Carry models with Crimson Trace Lasergrips* that project a green beam are also available.
 Warrior* models, along with the Pro Covert and Custom Covert, have a lanyard slot.
 All LG models with Crimson Trace grips have a recessed slide stop pin.
 All LG models with Crimson Trace grips have a recessed slide stop pin.
 TFS models are threaded for suppression and include a removable thread protector cap.
 User Match has serrated rear of slide, flush magwell and flush fit barrel crown.
 Burger Match has a ported barrel.
 Hero Custom features an American Flag engraving on the slide and Kryptek* Highlander* grips.
 Rapide and Rapide (Black Ice) models have a ported slide.

specifications | 83 Kimber

MICRO & MICRO 9 SPECIFICATIONS

													Fra	ne		s	ilide		Barı	rel				Sight	s		Grip	os	Trig	gge
Model	Page	Footnotes	Caliber	Height (inches)	Length (inches)	Width (inches)	Weight (ounces) <i>w/ empty magazine</i>	Magazine capacity	Recoil spring (pounds)	Guide rod	Melt treatment	Material	Flnish	Ambidextrous thumb safety	Front strap checkering (LPI)	Material	Finish	Length (inches)	Material	Twist rate (left hand)	Ramped	White Dot Sights	Tritium Night Sights	Fiber Optic Signts	TRUGLO TFX Pro Day/Night Sights	Radius (inches)	Material	Kimber logo	Type	(abarrow ware a state of the
Micro Stainless Rosewood™ (NS)	35	1, 2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL	-		SS	SIL	2.75	SS	16	•	-	•		-	3.9	RW	•	SA	7
Micro CDP™ (NS)	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	CM	AL	MB		30	SS	SIL	2.75	SS	16						3.9	RW		SA	7
Micro CDP™ (LG) (NS)	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	CM	AL	MB	•	30	SS	SIL	2.75	SS	16			•			3.9	RW, LG		SA	7
Micro Raptor™ (NS)	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	cin	AL	MB		SR	SS	MB	2.75	SS	16						3.9	ZW		SA	7
Micro Raptor Stainless™ (NS)	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL		SR	SS	SIL	2.75	SS	16	•		•			3.9	ZW		SA	7
Micro Two-Tone (LG) (NS)	37	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL			SS	MB	2.75	SS	16			•			3.9	RW, LG		SA	7
Micro Sapphire™ (NS)	36	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL	•	BM	SS	BB	2.75	SS	16	•		•			3.9	GT		SA	7
Micro Rose Gold (NS)	36	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	SIL		BM	SS	RG	2.75	SS	16						3.9	GT		SA	
Micro Amethyst™ (NS)	36	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	_	AL	SIL		BM	SS	AP	2.75	SS	16	•		•	-	-	3.9	GT		SA	
Micro Bel Air™ (NS)	36	1, 2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	BA			SS	MP	2.75	SS	16						3.9	GT		SA	
Micro™ Two-Tone (NS)	37	1, 2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	-	AL	SIL	-		SS	MB	2.75	SS	16	•			_		3.9	RW		SA	T
Micro Desert Night (NS)	35	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	KP			SS	KP	2.75	SS	16						3.9	GT		SA	
Micro Desert Tan (LG) (NS)	35	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	_	AL	MB	-		SS	KP	2.75	SS	16			•	-		3.9	DT. LG		SA	
Micro Covert (NS)	34	1, 2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	KP		30	SS	KP	2.75	SS	16						3.9	UC, LG		SA	
Micro Eclipse (NS)	34	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG	-	AL	KP		30	SS	P	2.75	SS	16						3.9	GT		SA	
Micro TLE (NS)	35	1,2	.380 ACP	4	5.6	1.07	13.4	7	8	FG		AL	MB		30	SS	МВ	2.75	SS	16	•					3.9	GT		SA	
Micro 9 [™] Sapphire (NS)	40	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG	_	AL	SIL	•	BM	SS	BB	3.15	SS	16				-		4.3	GT		SA	
Micro 9™ Amethyst (NS)	40	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL		BM	SS	AP	3.15	SS	16						4.3	GT		SA	
Micro 9™ Rose Gold (NS)	40	1,2	9mm	4.07	6.1	1.00	15.6	7	16	FG	_	AL	SIL		BM	SS	RG	3.15	SS	16						4.3	GT		SA	
Micro 9™ Two-Tone	41	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG	_	AL	SIL		Divi	SS	MB	3.15	SS	16	•					4.3	RW		SA	
Micro 9™ Two-Tone (LG)	41	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG	_	AL	KP			SS	MB	3.15	SS	16				-		4.3	RW, LG		SA	
Micro 9 [™] Stainless	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL			SS	SIL	3.15	SS	16						4.3	RW		SA	
Micro 9™ CDP (NS)	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG	CM	AL	MB		30	SS	SIL	3.15	SS	16		-				4.3	RW		SA	
Micro 9 [™] CDP (IG) (NS)	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG	CM	AL	MB	•	30	SS	SIL	3.15	SS	16	•		•			4.3	RW.LG		SA	
Micro 9 [™] Stainless Raptor (NS)	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG	cm	AL	KP		SR	SS	SIL	3.15	SS	16						4.3	ZW		SA	
Micro 9™ Bel Air	41	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	BA		211	SS	MP	3.15	SS	16						4.3	GT		SA	
Micro 9™ Desert Night (LG)	41	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	KP			SS	MB	3.15	SS	16						4.3	BLK, LG		SA	
Micro 9 [™] Desert Tan (LG)	42	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	MB			SS	KP	3.15	SS	16						4.3	DER, EG		SA	
Micro 9 [™] Woodland Night (LG)	42	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	KP			SS	MB	3.15	SS	16						4.3	DG, LG		SA	
Micro 9 [™] Stainless (DN)	42	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL			SS	SIL	3.15	SS	16						4.1	WG		SA	┢
Micro 9 [™] Two-Tone (DN)	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	SIL			SS	MB	3.15	SS	16		-				4.1	WG		SA	
Micro 9 [™] Nightfall (DN)	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	MB			SS	MB	3.15	SS	16	•					4.1	WG		SA	t
Micro 9 [™] Desert Night (DN)	43	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	DT			SS	MB	3.15	SS	16						4.1	WG		SA	t
Micro 9 [™] Covert (NS)	39	1,2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	KP		30	SS	KP	3.15	SS	16						4.3	UC, LG	-	SA	
Micro 9™ Eclipse (NS)	40	1, 2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	KP		30	SS	P	3.15	SS	16	•					4.3	GT		SA	
Micro 9™ TLE (NS)	39	1, 2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	MB		30	SS	MB	3.15	SS	16	•					4.3	GT		SA	┢
Micro 9 [™] ESV (TiN) (NS)	39	1, 2	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	KP		30	55	KP	3.15	SS	16	•		•			4.3	GT		SA	╈
Micro 9™ ESV (GRY) (NS)	39	1, 2, 3	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	KP		30	SS	KP	3.15	SS	16						4.3	GT		SA	┢
Micro 9™ KHX	39	1, 2, 3	9mm	4.07	6.1	1.08	15.6	7	16	FG		AL	KP		SP	SS	KP	3.15	SS	16	•	-				4.3	GM		SA	
Micro 9™ Triari™	39	1, 2	9mm	4.07	6.1	1.08	15.6	/	16	FG	_	AL	KP		SP	SS	KP	3.15	SS	16	· ·					4.3	MI		SA	÷


FEATURE KEY

AL	Aluminum	DE/DG	Dark earth/dark green	HP	High polish	Р	Polished flats	SR	Scaled Raptor™ pattern
AP	Amethyst purple PVD finish	DLC	Diamond-Like Carbon coating	KP	KimPro® II	PA	Premium Aluminum	SS	Stainless steel
BA	Bel Air Blue™ finish	DT	Desert Tan	LG	Crimson Trace Lasergrips®	RG	Rose gold PVD finish	UC	Urban camouflage
BB	Bright blue PVD finish	FG	Full-length guide rod	LW	Laminated wood	RW	Rosewood	W	Walnut
BM	Ball-milled front strap	GT	G-10	MB	Matte black	SA	Solid aluminum	WG	Hogue Wraparound Grip
BP	Brush polished flats	GM	Hogue G-Mascus® G10 Grips & mainspring housing	MI	Micarta	SIL	Satin Silver	ZW	Zebrawood
CM	Carry Melt [™] treatment	HF	Highly polished flats	MP	Mirror polished	SP	Stiplex Pattern		

FOOTNOTES

All magazine capacities are given with the extended magazines. Flush fit magazines capacity for both Micro 9[™] and Micro are 6 rounds.
 All Crimson Carry, Master Carry, Super Carry and Micro models, along with the Classic Carry Pro, have a recessed slide stop pin.
 Micro 9 ESV models have a ported slide.

EVO SP Specifications



AL	Aluminum	DE/DG	Dark earth/dark green	HP	High polish	Р	Polished flats	SP	Stiplex Pattern
AP	Amethyst purple PVD finish	DLC	Diamond-Like Carbon coating	KP	KimPro [®] II	PA	Premium Aluminum	SR	Scaled Raptor™ pattern
BA	Bel Air Blue™ finish	DT	Desert Tan	LG	Crimson Trace Lasergrips®	PM	Polymer	SS	Stainless steel
BB	Bright blue PVD finish	FG	Full-length guide rod	LW	Laminated wood	RG	Rose gold PVD finish	UC	Urban camouflage
BM	Ball-milled front strap	FNC	Ferritic nitrocarburizing	MB	Matte black	RW	Rosewood	W	Walnut
BP	Brush polished flats	GT	G-10	MI	Micarta	SA	Solid aluminum	WG	Hogue Wraparound Grip
CM	Carry Melt [™] treatment	HF	Highly polished flats	MP	Mirror polished	SIL	Satin Silver	ZW	Zebrawood

RIFLE SPECIFICATIONS CALIBER-SPECIFIC INFORMATION

						Stock			Barrel											Stock			Barrel				
Model	Caliber	Action	Page	Foo th otes	Length of pull (inches)	Drop at heel (inches)	Drop at comb (inches)	Barrel length (inches)	Muzzle diameter (inches)	Twist rate (right hand)	Magazine capacity	Approx. weight (pounds/ounces) ¹	Overall length (inches)	Model	Caliber	Action	Page	Footnotes	Length of pull (inches)	Drop at heel (inches)	Drop at comb (inches)	Barrel length (inches)	Muzzle diameter (inches)	Twist rate (right hand)	Magazine capacity	Approx. weight (pounds/ounces) ¹	
	7mm-08 Rem.	84M	60	2	13.7	0.54	0.43	22	0.56	9	4	4/13	41.25		.243 Win.	84M	66	1	13.7	0.54	0.43	22	0.56	10	5	5/13	4
	.308 Win.	84M	60	2	13.7	0.54	0.43	22	0.56	10	4	4/13	41.25		.257 Roberts	84M	66	1	13.7	0.54	0.43	22	0.56	10	5	5/12	Γ
	6.5 Creedmoor	84M	60	2	13.7	0.54	0.43	22	0.56	8	4	4/14	41.25	Classic	.308 Win.	84M	66	1	13.7	0.54	0.43	22	0.56	10	5	5/10	
	.270 Win.	84L	60	2	13.8	0.54	0.43	24	0.56	10	4	5/7	43.75	Select Grade™	.270 Win.	84L	66	1	13.8	0.54	0.43	24	0.56	10	5	6/2	
ountain Ascent™	.280 Ack. Imp.	84L	60	2	13.8	0.54	0.43	24	0.56	9	4	5/6	43.75		.30-06 Sprg.	84L	66	1	13.8	0.54	0.43	24	0.56	10	5	6/2	
.3 .2 .3 .3	.30-06 Sprg.	84L	60	2	13.8	0.54	0.43	24	0.56	10	4	5/5	43.75		.300 Win. Mag.	8400 LM	66	1	13.8	0.54	0.43	26	0.56	10	4	7/4	
	.300 WSM	8400 SM	60	2	13.5	0.54	0.43	24	0.56	10	3	5/12	43.5	SuperAmerica™	.308 Win.	84M	66	1	13.7	0.54	0.43	22	0.56	10	5	5/10	
	.270 WSM	8400 SM	60	2	13.5	0.54	0.43	24	0.56	10	3	5/12	43.5		.243 Win	84M	56		13.7	0.54	0.43	22	0.56	10	3	5/10	
	.300 Win. Mag.	8400 LM	60	2	13.8	0.54	0.43	26	0.56	10	4	6/7	46.5		.257 Roberts	84M	56		13.7	0.54	0.43	22	0.56	10	3	5/10	
	7mm Rem. Mag.	8400 LM	60	2	13.8	0.54	0.43	26	0.56	9.5	4	6/7	46.5	Hunter	6.5 Creedmoor	84M	56		13.7	0.54	0.43	22	0.56	8	3	5/9	ļ
pen Country	6.5 Creedmoor	84M	64		13.8	0.54	0.43	24	0.85	8	4	6/15	43.25		7mm-08 Rem.	84M	56		13.8	0.54	0.43	22	0.56	9	3	5/7	
pen country	.308 Win.	84M	64		13.8	0.54	0.43	24	0.56	10	4	6/15	43.25		.308 Win.	84M	56		13.7	0.54	0.43	22	0.56	10	3	5/7	ļ
pen Range Pro Carbon NEW	6.5 Creedmoor	84M	62		13.8	0.54	0.43	24	0.85	8	4	6/3	43.25		.270 Win.	84L	56		13.8	0.54	0.43	24	0.56	10	3	5/13	L
,	.308 Win.	84M	62		13.8	0.54	0.43	24	0.56	10	4	6	43.25		.280 Ack. Imp.	84L	56		13.8	0.54	0.43	24	0.56	9	3	5/12	
armint	.204 Ruger	84M	70	1	13.8	0.54	0.43	24	0.69	12	6	7/5	43.25		.30-06 Sprg	84L	56		13.8	0.54	0.43	24	0.56	10	3	5/11	L
	.22-250 Rem.	84M	70	1	13.8	0.54	0.43	26	0.69	14	5	7/9	45.25		7mm-08 Rem.	84M	58	4	13.7	0.54	0.43	22	0.56	9	4	5/2	Ļ
ro Varmint™	.223 Rem.	84M	70		13.8	0.54	0.43	24	0.85	9	6	8/0	43.25		.308 Win.	84M	58	4	13.7	0.54	0.43	22	0.56	10	4	5/2	
	.22-250 Rem.	84M	70		13.8	0.54	0.43	24	0.85	14	5	8/0	43.25		6.5 Creedmoor	84M	58	4	13.7	0.54	0.43	22	0.56	8	4	5/2	Ļ
aprivi™	.375 H&H Mag.	8400 LM	68	1	13.8	0.49	0.59	24	0.7	12	4	8/10	44.5	Montana™	.270 Win.	84L	58	4	13.8	0.54	0.43	24	0.56	10	4	5/9	L
lkeetna™	.375 H&H Mag.	8400 LM	68		13.8	0.49	0.59	24	0.7	12	4	7/12	44.5		.280 Ack. Imp.	84L	58	4	13.8	0.54	0.43	24	0.56	9	4	5/8	Ļ
dvanced Tactical™ SRC ∥	.308 Win.	8400 SM	73	3	13.5	Adjust.	Adjust.	16	0.83	10	5	10/8	37		.30-06 Sprg.	84L	58	4	13.8	0.54	0.43	24	0.56	10	4	5/7	Ļ
dvanced Tactical™ SOC II	.308 Win.	8400 SM	72	3	13.7 Adjust.		Adjust.	22	0.83	10	5	11/8	43		.300 WSM	8400 SM	58	4	13.5	0.54	0.43	24	0.56	10	3	6/3	Ļ
	6.5 Creedmoor	8400 SM	72	3	13.7	Adjust.	Adjust.	22	0.83	8	5	11/8	43	· · · · · · · · · · · · · · · · · · ·	.300 Win. Mag.	8400 LM	58	4	13.8	0.54	0.43	26	0.56	10	4	6/13	Ļ
															7mm-08 Rem.	84M	58	4	13.7	0.54	0.43	18	0.59	9	4	4/13	ŀ
FOOTNOTES													Adirondack™	.308 Win.	84M	58	4	13.7	0.54	0.43	18	0.59	10	4	4/13		

- Weight can vary as much as 8 ounces due to natural walnut density.
- Barrel length indicated on Mountain Ascent rifles does not include muzzle brake.
 Advanced Tactical SRC II and Advanced Tactical SOC II rifles are shipped with one (1) 5-round detachable magazine. Additional 5- and
- 10-round magazines are available as an accessory.
- 4. Adirondack and Montana models have a threaded barrel and ship with a thread protector cap, but do not include a muzzle brake (which is available as an accessory). Adirondack also has a hollowed bolt knob.

								Frame		S	lide		Barr	el				Grips	5	Trigger
Length (Inches)	Width (inches)	Weight (ounces) w/ empty magazine	Magazine capacity	Recoil spring (pounds)	Guide rod	Melt treatment	Material	Flnish	Front strap checkering (LPI)	Material	Finish	Length (inches)	Material	Twist rate (left hand)	Ramped	Tritium night sights	Radius (inches)	Material	Kimber logo	Factory setting (appx. pounds)
.1	1.06	19	7	16	FG	•	AL	KP	30	SS	FNC	3.16	SS	16		•	4.3	G10		6-7
.1	1.06	19	7	16	FG	•	AL	KP	30	SS	FNC	3.16	SS	16		•	4.3	G10		6-7
.1	1.06	19	7	16	FG		AL	KP	30	SS	FNC	3.16	SS	16		•	4.3	G10/ZW		6-7
.1	1.06	19	7	16	FG		AL	KP	30	SS	FNC	3.16	SS	16		•	4.3	G10		6-7
.1	1.06	19	7	16	FG		AL	KP	SP	SS	FNC	3.16	SS	16		•	4.3	PM		6-7

FEATURE KEY

RIFLE SPECIFICATIONS CONTINUE TO NEXT PAGE \rightarrow

specifications | 85

RIFLE PECIFICATIONS GENERAL INFORMATION		Classic Select Gra de™	SuperAmerica"	Hunter New	Montana' [™]	Adirondack™	Mountain Ascent [™] N EW	Open Country	Open Range NEW	Varmint	Pro Varmint'"	Caprivi'*	Talkeetna'''	Advanced Tactical [™] SRC II	Advanced Tactical ^{**} SOCII
	A walnut			-	_		_						-		
	AAA walnut French walnut		•												
	French walnut											•			
	ed carbon fiber				•	•	•	•	•				•		
TIDE	glass composite														
	aminated wood														
6	Aluminum Coverage	Panel	Wrap	None	None	None	None	None		Panel	None	Wrap	None	• None	• None
Checkering	Lines per inch	20	24	NUTIC	NULLE	NULLE	None	NUILE		20	NUTE	24	None	NUTIC	None
	Stippling			•											
E	bony forend tip Cheekpiece	•	•									•			
	ubbed oil finish		•							•	•	•			
	fade™ Elevated					•									
NEW Optif	Optifade™ Open Country NEW Optifade™ Subalpine						•	•							
Stock	Realtree* Edge			•											
Krypte	<™ Highlander™ Granite			•											
	Sniper Gray														
	FDE													•	
Howell-style inlette Front barrel b	and swivel stud											•			
	ng swivel studs		•	•	•		•	•	•	•					•
Additional front swive	l stud for bipod ng swivel studs							•	•		•				
	swivel cups (4)													•	
	ouble crossbolts	1	1									•			
	Recoil pad thickness (inches) Pachmayr Decelerator pad			1	1	1	1	1	1	0.5	1	1	1	1	1
	Kimber custom recoil pad			•				•	•						
	Pillar bedding Glass bedding	•	•		•	•	•	•	•	•	•	•	•		
All	uminum chassis	•	•							•	•	•	•		
	Steel grip cap									•	•	•			
	Steel	•	•									•			
Material	Stainless steel			•	•	•	•	•		•	•		•	•	
Carbon Fiber Wrapp									•						
High	y polished blue Matte black		•												
Sati	n stainless steel				•		•								
KimP	ro* II Desert Tan														
	KimPro* II Gray KimPro* II Black							•							
	Express sights											•	•		
	Fluting Threaded Barrel						•	•		•	•				
	grade chamber				•	•	•	•						•	
Material	Steel	•	•							•		•			
Wat	Stainless steel			•	•	•		•	•		•		•	•	•
	Matte black	•								•		•			
	y polished blue n stainless steel				•		•	ļ							ļ
	ro® II Desert Tan													•	
5	KimPro* II Gray KimPro* II Black							•							
	ocking repeater			•				•	•					•	
	r claw extractor		•	•	•	•	•	•	•	•	•	•	•	•	•
	Sporter luted, hollowed	•	•	•	•		•			•		•	•		
a Bott Handle	Varmint							•	•		•				
	Tactical													•	•
3-position Model 70 Picatinny rail, 20	-type wing safety ninutes elevation	•	•	•	•	•	•	•	•	•	•	•	•	•	•
					-					·	;	1			



Kimber® pistols and rifles are shipped with a California-approved cable lock as a safety measure. Additionally, 1911 pistols are shipped in a lockable high-impact case, and Micro, EVO SP, and K6s pistols are shipped in a lockable soft case. Use of the cable lock is encouraged at all times when a firearm is in storage. Kimber owners may request a free cable lock by mail. Please contact our customer service department at 888-243-4522.

Kimber firearms and less-lethal products should only be purchased and used in complete compliance with all laws; national, state and local. All suggestions for use in this catalog, or in any Kimber literature, must be taken within the context of these laws. Customers and dealers are required to comply with all applicable laws.

Chamber Indicator Port® feature

Firearm safety is every gun owner's responsibility. Use and store all firearms safely. Teach everyone in your home, especially children, proper firearm safety.

Kimber less-lethal products contain a strong irritant (inflammatory agent) derived from cayenne peppers. Avoid contact with skin and eyes. In case of contact, flush with water for at least 15 minutes. Seek immediate medical attention if symptoms persist or worsen. Always keep Kimber less-lethal products out of the reach of children. There is risk of injury to eyes if used at less than the minimum safe distances specified in the product instruction manual. Kimber less-lethal products may be unlawful to own or possess in some states and jurisdictions. Check with your state and local authorities. Use of Kimber less-lethal products for any purpose except lawful self-defense may be a crime. U.S. PAT. 6,951,07082.

Certain products may not be available for sale in certain states.

©2020, Kimber Mfg., Inc. All rights reserved. The absence herein of any product name, mark, logo, etc. does not constitute a waiver by Kimber Mfg., Inc. of any intellectual property rights that Kimber Mfg., Inc. may own. Information and specifications presented are for reference only and subject to change without notice at any time. Company names other than Kimber Mfg., Inc. mentioned herein, and such other companies' respective product names, may be trademarks of such respective companies.



All Kimber centerfire 1911 pistols include the Loaded Chamber Indicator Port[®] feature. When a round is in the chamber and light is available, the brass or silver color of the shell casing should be visible through the port in the barrel hood. This feature is another example of Kimber's commitment to firearm safety. However, one must never assume a firearm is unloaded until both the chamber and magazine are empty and the magazine is removed. Even then, all established rules of firearm safety must always be followed. Micro pistols do not have the Loaded

87





KB57555

RA FIFIE

ONKETTE TAT US

308 WI

(888) 243-4522 | kimberamerica.com

MADE IN AMERICA

100

31111

Siger