

W TABLE OF CONTENTS

Ruger Custom Shop®	3-6
Centerfire Pistols	
Ruger-57™	7-8
Security-9®	9-12
Ruger American® Pistol	13-16
SR1911®	17-20
LCP®/ LCP® II	23-24
EC9s⊚	25
LC380CA™	26
AR-556® Pistol	79-80
Rimfire Pistols	
SR22 [®]	27-30
Mark IV™	31-38
Silent-SR [®] .22 CAL	37-42
22 Charger™	81-84
Double-Action Revolvers	
Ruger SP101 [®]	45-48
GP100 [®]	49-52
Redhawk®	53-54
Super Redhawk®	55-56
LCR®	57-62
Single-Action Revolvers	
Wrangler®	63-64
New Vaquero	67-68
New Model Super Blackhawk®	69-70
New Model Blackhawk®	71-72
New Model Single-Six®	73-76
New Bearcat®	77-78

Autoloading Rifles	
10/22®	85-92
Silent-SR [®] ISB	93-96
PC Carbine™	97-100
AR-556®	101-108
Mini-14® and Mini Thirty®	109-114
Bolt-Action Rifles	
Ruger Precision® Rifle	115-118
Ruger Precision [®] Rimfire	119-122
Ruger American® Rifle	123-130
Ruger American® Rimfire	131-136
Ruger⊗ Scout Rifle	137-140
Hawkeye®	141-150
77-Series Rifles	151-154
Single-Shot Rifles	
No.1 Rifle	155-156
Rifle Magazines	157-158
Pistol Magazines	159-160
Legal Information	161-162
Contact Information	163-164

NEW PRODUCT QUICK REFERENCE

Ruger Custom Shop® SR1911® Competition in .45 Auto	5
Ruger Custom Shop® SR1911® Officer-Style	5
Ruger Custom Shop® Super GP100® Competition in 9mm Luger	5
Ruger Custom Shop® 10/22® Competition with Skeletonized Green Mountain Laminate Stock	6
Ruger-57™	7
Security-9® Pro	12
Security-9 [®] Compact Pro	12
Security-9 [®] Compact with Hogue® Grip Sleeve	12
Security-9 [©] Compact with Viridian®E-Series™ Red Laser	12
LCP® with IWB Holster	23
LCP® II in .22 LR	23
EC9s® with Purple Grip Frame	25
EC9s® with Flat Dark Earth Grip Frame	25
EC9s® with Turquoise Grip Frame	25
EC9s® with Gray Grip Frame	25
EC9s® with IWB Holster	25
Mark IV [™] Target with 10'' Barrel	35
Mark IV [™] 22/45 [™] Lite with Diamond Gray Anodized Finish and Gold Barrel	38
AR-556® Pistol in .350 Legend	79
AR-556® Pistol in .300 BLK	79
AR-556® Pistol Flag Series	79
22 Charger™ with Picatinny-Style Rail Brace Mount	83
22 Charger™ Takedown Lite with Picatinny-Style Rail Brace Mount	83
10/22 [®] Carbine with Viridian® Scope	89
10/22 [®] Carbine with Scope Base Adapter and Gray Stock	89
10/22 [®] Carbine with Scope Base Adapter and Charcoal Stock	89
PC Carbine [™] Flag Series with Free-Float Handguard	100
PC Carhine™ Chassis Model	100

PC Carbine™ Chassis Model

Q RUGER.COM **f**

5	AR-556 [®] with Lite Free-Float Handguard	106
5	AR-556 [®] with Free-Float Handguard 10-Round	106
5	AR-556® with Free-Float Handguard in .300 BLK	106
	AR-556 [®] MPR Flag Series	107
6	Mini-14® Tactical with Speckled Black and Brown Hardwood Stocl	< 113
7	Mini-14® Tactical with Strikeforce ATI Collapsible Folding Stock	114
12	Ruger Precision® Rifle in 6mm Creedmoor with 26'' Barrel	117
12	Ruger Precision® Rimfire Flag Series	121
12	Ruger American® Ranch Rifle in 6.5 Grendel	128
12 23	Ruger American® Rifle Compact with GO Wild® Camo I-M Brush Stock in .243 Win.	130
23	Ruger American [®] Rifle Compact with GO Wild [®] Camo I-M Brush Stock in 6.5 Creedmoor	130
25 25	Ruger American® Rifle with GO Wild® Camo I-M Brush Stock in 6.5 PRC	130
25	Ruger American® Rimfire with GO Wild® Camo I-M Brush Stock	135
25	Ruger American® Rimfire Long-Range Target	136
25	Ruger® Scout Rifle in .350 Legend	139
35	Hawkeye® Hunter	145
	Hawkeye⊗ Long-Range Hunter	146
38	Hawkeye® Long-Range Target in .204 Ruger	146
79	Hawkeye® Long-Range Target in .308 Win.	146
79 79	77-Series with Threaded Barrels	153-154

LEFT-HANDED RIFLES

unt	83	Ruger American® Rifle (One Model)	127
	89	Ruger American® Rifle Predator (Four Models)	129
	89	Ruger® Scout Rifle (One Model)	139
	89	Hawkeye® African (One Model)	143
	100	Hawkeye® Hunter (Two Models)	145
	100	Ruger⊛ Guide Gun (One Model)	149

THE RUGGED RELIABILITY YOU EXPECT. THE CRAFTSMANSHIP YOU DESERVE.

KOENIG

The Ruger Custom Shop® embodies the pinnacle of style, performance and design, offering a level of refinement and attention to detail that could only be expected from an industry leader like Ruger. Custom Shop products have been designed by Ruger's expert team of engineers with input from professionals in the field: competitive shooters, renowned hunters and award-winning writers. This line of firearms represents the finest example of quality and innovation in Ruger® products built to the highest of standards. The Custom Shop features exclusive collectible, competition, hunting and personal defense firearms for the most discriminating shooters.

VIEW THE ENTIRE CUSTOM SHOP LINE AT **RUGER.COM/CUSTOMSHOP**

.









RUGER CUSTOM SHOP®









Hand-Fitted Slide and Frame Provide a Remarkably Tight, Yet Smooth, Action

Model 6766 Features 25 Lines-Per-Inch a Techwell Magwell Checkered Front Strap

Undercut Trigger Guard and Beavertail Grip Safety

SR1911°

COMPETITION

		COMPARE												
	Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Grip Panels	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
	6766	9mm Luger	10+1	Stainless Steel/ Black Nitrided and Stainless Two-Tone	Black Nitrided Stainless Steel	Hogue⊛ Piranha G10	Fiber Optic/ Adjustable Target	5''	8.67''	5.63''	1.45''	41 oz.	1:16''	\$2,499.00
NEW	6776	45 Auto	8+1	Stainless Steel/ Black Nitrided and Stainless Two-Tone	Black Nitrided Stainless Steel	Textured G10	Fiber Optic/ Adjustable Target	5''	8.67''	5.63''	1.45''	40 oz.	1:16''	\$2,299.00

OFFICER-STYLE

	Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Grip Panels	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
NEW	6779	45 Auto	7+1	Stainless Steel/ Black Nitrided and Stainless Two-Tone	Black Nitrided Stainless Steel	Deluxe G10	Tritium Front/ Adjustable Combat Rear	3.60"	7.25''	5''	1.34''	31 oz.	1:16''	\$1,899.00



Model 5066 Shown

SUPER COMPETITION REVOLVER



Superior Action of the Super Redhawke Allows for a Two-Spring Lock Work Arrangement in the Ejection of Spent Cartridges

Ships with Three Full Moon Clips

Hogue® Hardwood Grip is Replaceable, Fiber Optic Front Sight that Act as Speed Loaders and Aid Hand-Finished for a Glowing, and Adjustable Rear Sight Allow Smooth, Polished Feel for Quick Target Acquisition

		COMPARE										
	Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
	5065	357 Magnum	8	Stainless Steel/ Matte PVD	Hogue® Hand-Finished Hardwood	Fiber Optic	Adjustable	5.50''	11''	47 oz.	1:16''	\$1,549.00
NEW	5066	9mm Luger	8	Stainless Steel/ Satin Stainless with Matte Black PVD Accents	Hogue⊚ Hand-Finished Hardwood	Fiber Optic	Adjustable	6.0''	11''	45.6 oz.	1:16''	\$1,549.00
5					•							

10/22[®] COMPETITION RIFLE





Top Barrel Locator Allows for a Free-Floating Barrel for Superior Accuracy

Integral, Optics-Ready 30 MOA Picatinny Rail for Increased Long-Range Elevation Capabilities

				COMPARE								
	Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
	31120	22 LR	10	Alloy Steel/ Satin Black	Speckled Black/ Gray Laminate	None	16.12''	36''	6 lbs.	13.50''	1:16''	\$899.00
	31127	22 LR	10	Stainless Steel/ Satin Stainless, Black Cerakote Accents	Natural Brown Laminate	None	16.12''	36''	6 lbs.	13.50''	1:16''	\$899.00
NEW	31147	22 LR	10	Stainless Steel/ Satin Stainless, Black Cerakote Accents	Skeletonized Green Mountain Laminate	None	16.12''	36.75''	5.5 lbs.	14.25''	1:16''	\$899.00





Easy-to-Use, Prominent Magazine Release Provides Smooth, No-Fuss Removal of Flush-Mounted Magazine



BX-Trigger® with a Light, Crisp 2.5 - 3 Pound Trigger Pull Weight with Minimal Overtravel and a Positive Reset



Fully Adjustable Cheek Rest Can be Repositioned to Accommodate Varying Comb Heights and Positions (Excludes Model 31147)

RUGER-57

The all new **Ruger-57**[™] pistol is a cutting edge platform for Ruger. The Ruger-57[™] is a full-featured handgun wrapped around a standard capacity, 20-round steel magazine, chambered in the high performance and low-recoiling 5.7x28mm caliber.

RUGER PRESCOTT, AZ USA 5.7 X 28

ASTRA MEAN AND AND A



FEATURES

- ShopRuger.com.
- Windage and elevation adjustable, serrated rear sight and rapid acquisition fiber optic front sight for fast, accurate shooting.
- treatment for wear resistance.
- Steel magazine provides double stack capacity without unnecessary bulk.
- Textured, ergonomic frame provides a secure and comfortable grip.
- The Secure Action[™] fire control is derived from the reliable and proven hammer-fired LCP® fire control system. The Secure Action™ fire control combines the smooth trigger pull of the LCP® with the short, crisp feel and positive reset of a single action.

NEW	Ruger-57 ™ (Model 16401)
-----	------------------------------------

	Model Number	Caliber	COMPARE Capacity	Slide/ Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height	Slide Width	Weight	Twist	Suggested Retail
Maw	16401	5.7x28mm	20+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	Fiber Optic Front/ Adjustable Rear	4.94''	8.65''	5.60''	1.20''	24.5 oz.	1:9''	\$799.00
	16402	5.7x28mm	10+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	Fiber Optic Front/ Adjustable Rear	4.94''	8.65''	5.60''	1.20''	24.5 oz.	1:9''	\$799.00





R U G E R - 5 7[™]



• Robust, all-steel slide is drilled and tapped for easy mounting of optics with separately available optic adapter plate, available at

- The alloy steel barrel features a black nitride
- Safe, easy takedown with no tools or trigger pull required.
- Inspection port allows for visual confirmation of a loaded or empty chamber.
- Picatinny-style accessory rail for easy mounting of lights and lasers.
- Easily operated ergonomic controls like the popular 1911-style ambidextrous manual safety, reversible magazine release and robust slide release.
- Magazine drops free on release for convenient reloading.
- Also includes: two, steel magazines.

SECURITY-9°

When it comes to security, simple and affordable is hard to beat. Ideal for everyday carry and self-defense, the **Security-9**° is an affordable, rugged, centerfire pistol that provides everyday security in the perfect caliber and size, at the perfect price point.





SECURITY-9®





NINE MODELS

COMPACT



SECURITY-9°

FEATURES

- Compact for easy concealment, the Security-9® pistol is designed to fit a variety of available holsters.
- Rugged construction with black oxide, through-hardened alloy steel slide and barrel and high-performance, glass-filled nylon grip frame.
- Precision-machined, hard-coat anodized aluminum chassis with full-length guide rails.
- The Secure Action[™] is derived from the reliable and proven hammer-fired LCP[®] fire control system. The Secure Action™ combines the smooth trigger pull of the LCP® with the short, crisp feel and positive reset of a single-action.
- Textured grip frame provides a secure and comfortable grip.
- Dovetailed, high-visibility sight system with drift adjustable rear sight and fixed front sight. Sights can be easily changed out for different color options (available separately). Pro models feature square ledge tritium sights.

- Internal, Secure Action[™] hammer provides strong ignition force, yet allows for easier slide racking when compared with many striker-fired pistols. Front cocking serrations enable positive slide manipulation.
- Safety features include integrated trigger safety; external manual safety (excludes Pro models); neutrally balanced sear with significant engagement and strong spring tension; and hammer catch to help prevent the hammer from contacting the firing pin unless the trigger is pulled.
- Safe, easy takedown with no special tools or trigger pull required.
- Also includes: two alloy steel magazines. Pro models ship with three magazines.







Textured Grip Frame for Secure and Comfortable Grip

Front Cocking Serrations



Eye-Catching Sights for Superior Visibility



Available with or without External Manual Safety



Secure Action™ Fire Control System Provides the Crisp Feel of a Hammer-Fired Single-Action

SECURITY-9®





			COMPARE			nagazinee and nee oare		a maaa	2 001100	nou Eucor		anoga	o anpoi	0010
	Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Feature	Sights	Barrel Length	Overall Length	Height	Slide Width	Weight	Twist	Suggested Retail
	3810*	9mm Luger	15+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	-	Fixed Front, Drift Adjustable Rear	4''	7.24''	5''	1.02''	23.8 oz.	1:10"	\$379.00
NEW	3825*	9mm Luger	15+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	Pro	Steel Tritium	4''	7.24''	5''	1.02''	23.8 oz.	1:10''	\$549.00
	3811**	9mm Luger	10+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	-	Fixed Front, Drift Adjustable Rear	4''	7.24''	5''	1.02''	23.8 oz.	1:10''	\$379.00
	3816*	9mm Luger	15+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	Viridian® E-Series™ Red Laser	Fixed Front, Drift Adjustable Rear	4''	7.24''	5''	1.02''	24.3 oz.	1:10''	\$439.00
	3819*	9mm Luger	10+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	Hogue⊛ Grip Sleeve	Fixed Front, Drift Adjustable Rear	4''	7.24''	5''	1.02''	24.5 oz.	1:10''	\$399.00

SECURITY-9® COMPACT



Pro Models Feature Square Ledge Tritium Sights,

	COMPARE					LU 101								
	Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Feature	Sights	Barrel Length	Overall Length	Height	Slide Width	Weight	Twist	Suggested Retail
	3818**	9mm Luger	10+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	Compact	Fixed Front, Drift Adjustable Rear	3.42''	6.52''	4.35''	1.02''	21.9 oz.	1:10''	\$379.00
NEW	3829**	9mm Luger	10+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	Compact with Hogue⊛ Grip Sleeve	Fixed Front, Drift Adjustable Rear	3.42''	6.52''	4.35''	1.02''	22.5 oz.	1:10''	\$399.00
NEW	3830**	9mm Luger	10+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	Compact with Viridian⊛ E-Series™ Red Laser	Fixed Front, Drift Adjustable Rear	3.42''	6.52''	4.35''	1.02''	22.4 oz.	1:10''	\$439.00
NEW	3815***	9mm Luger	10+1	Alloy Steel/ Black Oxide	Black, High- Performance, Glass-Filled Nylon	Compact Pro	Steel Tritium	3.42''	6.52''	4.35''	1.02''	21.9 oz.	1:10''	\$549.00

Three Magazines and No Safety Lever

* Some magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines. ** Ships with two, 10-round magazines. *** Ships with three, 10-round magazines.



Three Magazines and No Safety Lever

Model 3816 Features a Viridian® E-Series™ Red Laser

Model 3819 Features a Hogue® Grip Sleeve



Model 3830 Features

a Viridian® E-Series™ Red Laser



Model 3829 Features a Hoque® Grip Sleeve

RUGER AMERICAN[®] PISTOL

Designed with the latest U.S. Military Standards in mind, the **Ruger American**[®] **Pistol** is built to perform in the harshest conditions. A true American innovation, this pistol is a revolutionary platform for Ruger – one that combines a recoil-reducing barrel cam (which is designed to better spread recoil energy over time) with a low-mass slide, low center of gravity and low bore axis to provide an unparalleled shooting experience.



9mm LUGER

TWO CALIBERS




RUGER AMERICAN® PISTOL





FIFTEEN MODELS





Q RUGER AMERICAN[®] PISTOL

FEATURES

- Pre-tensioned striker system features a powerful striker spring for positive ignition without a heavier trigger pull.
- Barrel cam distributes recoil forces over a longer period of time to reduce felt recoil.
- Safe, easy takedown with no tools or trigger pull required.
- Rigid, one-piece, precision-machined, black nitrided, stainless steel chassis with integral frame rails and fire control housing.
- Modular, wrap-around grip system allows for adjustment of palm swell and trigger reach to fit a wide range of hand sizes. Ergonomic grip modules lock in solidly and do not loosen.
- Genuine Novak® LoMount Carry three-dot sights with wide rear notch for rapid sight acquisition and alignment.
- Ambidextrous slide stop and magazine release.
- Performance tested for sustained +P ammunition use.

- Black nitride finish on stainless steel slide and chassis is durable, non-reflective and corrosion-resistant.
- MIL-STD-1913 Picatinny rail acts as a mounting point for a wide variety of standard lights and lasers.
- Non-slip surfaces include functional slide serrations and purpose-oriented grip frame texturing for enhanced control.
- Safety features include internal, automatic sear block system, ambidextrous manual safety and integrated trigger safety.
 Pro models come without manual safety.
- Also includes: two nickel-Teflon[®] plated steel magazines; small (9mm Luger models only), medium and large grip modules.





Short Takeup Trigger with Positive Reset



Recoil-Reducing Barrel Cam, Low-Mass Slide, Low Center of Gravity and Low Bore Axis



Safe, Easy Takedown with No Tools or Trigger Pull Required



Genuine Novake LoMount Carry Three-Dot Sights

Modular, Wrap-Around Grip System for Adjusting Palm Swell and Trigger Reach



Ambidextrous Slide Stop, Manual Safety and Magazine Release Allow Actuation with Either Hand (Pro Models Come without External Safety)

* Some magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines. ** Ships with large grip module installed.

RUGER AMERICAN® PISTOL DUTY



	COMPARE		_										
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Safety Option	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
8605* Pro	9mm Luger	17+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	4.20''	7.50''	5.60''	1.40''	30 oz.	1:10''	\$579.00
8607 Pro	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	4.20''	7.50''	5.60''	1.40''	30 oz.	1:10''	\$579.00
8608*	9mm Luger	17+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.20''	7.50''	5.60''	1.50''	30.5 oz.	1:10''	\$579.00
8638	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.20''	7.50''	5.60''	1.50''	30.5 oz.	1:10''	\$579.00
8661**	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.20''	7.50''	5.60''	1.50''	30.5 oz.	1:10''	\$579.00
8615 Pro	45 Auto	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	4.50''	8''	5.70''	1.40''	31.5 oz.	1:16''	\$579.00
8618	45 Auto	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.50''	8''	5.70''	1.50''	32.5 oz.	1:16''	\$579.00
8680**	45 Auto	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.50''	8''	5.70''	1.50''	32.5 oz.	1:16''	\$579.00

RUGER AMERICAN® PISTOL COMPACT



	COMPARE												_
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Safety Option	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
8635* Pro	9mm Luger	17+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	3.55''	6.65''	4.48''	1.40''	28.7 oz.	1:10''	\$579.00
8637 Pro	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	3.55''	6.65''	4.48''	1.40''	28.7 oz.	1:10''	\$579.00
8639*	9mm Luger	17+1	Stainless Steel/ Black Nitride	One-Piece, High- Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	3.55''	6.65''	4.48''	1.50''	29.2 oz.	1:10''	\$579.00
8633	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	3.55''	6.65''	4.48''	1.50''	29.2 oz.	1:10''	\$579.00
8663**	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	3.55''	6.65''	4.48''	1.50''	29.2 oz.	1:10''	\$579.00
8645 Pro	45 Auto	10	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	3.75''	7.25''	4.65''	1.40''	28.6 oz.	1:16''	\$579.00
8648	45 Auto	10	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	3.75''	7.25''	4.65''	1.50''	29 oz.	1:16''	\$579.00



Available with or without Manual Safety



Available with or without Manual Safety

SR1911°

A classically styled pistol, the **SR1911**° has been designed with modern features to make an ergonomic, accurate, rugged and reliable pistol.





SR1911[®]

FEATURES

- Classic, original 1911 fire control.
- Precision CNC-controlled machining process results in a superior slide-to-frame fit and smooth slide travel.
- Positive barrel lock-up allows for superior accuracy out of the box.
- Oversized ejection port and extended magazine release enhance performance.
- Traditional design with replaceable grip panels and checkered backstrap.
- Lightweight, aluminum, skeletonized trigger provides a very crisp, no creep, light trigger pull with a quick, positive reset.
- Skeletonized hammer and titanium firing pin for faster lock time.
- Oversized beavertail grip safety provides positive function and reliability.

- Extended thumb safety and slide stop lever for improved, positive manipulation.
- Integral plunger tube for slide stop and thumb safety is not staked and will never come loose.
- Features a flat mainspring housing and rear slide serrations for a positive grip.
- Inspection port allows for visual confirmation of a loaded or empty chamber.
- Accepts most standard, aftermarket 1911 parts and accessories.
- Model 6711 features a polished titanium feed ramp.
- Also includes: two stainless steel magazines.



Available in a Variety of Grip Configurations



Lightweight, Aluminum, Skeletonized Trigger



Superior Slide-to-Frame Fit



Oversized Beavertail Grip Safety





	COMPARE		_			_							_
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame/ Finish	Grip Panels	Sights	Barrel Length	Overall Length	Height	Width	Weight †	Twist	Suggested Retail
6702**	45 Auto	7+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Hardwood	Drift Adjustable Novak® 3-Dot	4.25''	7.75''	5.45''	1.34''	36.4 oz.	1:16''	\$939.00
6711**	45 Auto	7+1	Stainless Steel/ Low-Glare Stainless	Anodized Aluminum/ Armor Black Cerakote®	Hardwood	Drift Adjustable Novak® 3-Dot	4.25''	7.75''	5.45''	1.34''	28.6 oz.	1:16''	\$979.00
6722***	9mm Luger	9+1	Stainless Steel/ Low-Glare Stainless	Anodized Aluminum/ Tungsten Cerakote®	Black Rubberized	Drift Adjustable Novak® 3-Dot	4.25''	7.75''	5.45''	1.34''	29.5 oz.	1:10''	\$979.00

SR1911[®] OFFICER-STYLE





Steel and Aluminum Frames Available

	COMPARE												
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame/ Finish	Grip Panels	Sights	Barrel Length	Overall Length	Height	Width	Weight †	Twist	Suggested Retail
6758**	9mm Luger	7+1	Stainless Steel/ Low-Glare Stainless	Anodized Aluminum/ Tungsten Cerakote®	Deluxe Textured G10	Drift Adjustable Novak® 3-Dot	3.60''	7.25''	5''	1.34''	27.2 oz.	1:10"	\$979.00
6762**	45 Auto	7+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Deluxe Textured G10	Drift Adjustable Novak® 3-Dot	3.60''	7.25''	5''	1.34''	31 oz.	1:16''	\$979.00

SR1911[®] TARGET Model 6739 Shown Models 6736 and 6759 Feature Ambidextrous Extended Thumb Safety COMPARE 0.1.5

Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame/ Finish	Grip Panels
6736*	45 Auto	8+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Deluxe Checkered G10
6739*	10mm Auto	8+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Black Rubberized
6759***	9mm Luger	9+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Deluxe Checkered G10

SR1911[®] FULL-SIZE



Drift Adjustable Novak® Three-Dot Sights

Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame/ Finish	Grip Panels	Sights	Barrel Length	Overall Length	Height	Width	Weight †	Twist	Suggested Retail
6700*	45 Auto	8+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Hardwood	Drift Adjustable Novak® 3-Dot	5''	8.67''	5.45''	1.34''	39 oz.	1:16''	\$939.00

* Ships with one, 7-round and one, 8-round magazine. ** Ships with two, 7-round magazines. *** Ships with two, 9-round magazines. † With empty magazine.



Drift Adjustable Novak® Three-Dot Sights



Steel and Aluminum Frames Available





Deluxe Textured G10 Grip Panels



3.60" Officer-Style Barrel Length with Bushingless Bull Barrel







Barrel

Length

5''

5''

5'



Adjustable Target Sights

Overall Length	Height	Width	Weight †	Twist	Suggested Retail
8.67''	5.45''	1.34''	39 oz.	1:16''	\$1,019.00
8.67''	5.45''	1.34''	40.4 oz.	1:16''	\$1,019.00
8.67''	5.45''	1.45''	41.9 oz.	1:10"	\$1,019.00

Sights

Target

Target

Target

Adjustable

Adjustable

Adjustable

Bushingless Bull Barrel

RUGER[®] LIGHTWEIGHT, COMPACT PISTOLS

EAD 145T

Ruger offers lightweight, compact pistols for every personal protection need.

38052855





LCP

THREE CALIBERS





RUGER[®] LIGHTWEIGHT, COMPACT PISTOLS

LC380CA

FOUR FAMILIES



RUGER.COM

LCP® FEATURES

- Compact and lightweight, the LCP[®] is designed to fit a variety of holsters.
- Textured grip frame provides a secure and comfortable grip.
- Fixed front and rear sights are integral to the slide, while the hammer is recessed within the slide.
- Rugged construction with through-hardened steel slide and one-piece, high-performance, glass-filled nylon grip frame.





- Includes finger grip extension floorplate that can be added to the magazine for comfort and improved grip.
- Black oxide, alloy steel barrel.
- Also includes: one magazine.





Model 13704 Includes an IWB Holster

						COMPARE							
	Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
	3701	380 Auto	6+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	Integral	2.75''	5.16''	3.60''	0.82''	9.6 oz.	1:16''	\$259.00
	3752	380 Auto	6+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	Integral/Viridian® E-Series™ Red Laser	2.75''	5.16''	3.60''	0.82''	10.4 oz.	1:16''	\$349.00
NEW	13704	380 Auto	6+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	Integral	2.75''	5.16''	3.60''	0.82''	9.6 oz.	1:16''	\$279.00

LCP® II FEATURES

- Secure Action™ fire control that combines the smooth pull of the LCP[®] with the short, crisp feel and positive reset of a single action.
- Larger grip surface for better distribution of recoil forces.
- Improved sights for superior visibility.

LCP® II



- Magazine is designed to hold open slide after last round ejection.
- Safety features include an integrated trigger safety; neutrally balanced sear with significant engagement and strong spring tension; and hammer catch to help prevent the hammer from contacting the firing pin unless the trigger is pulled.
- Also includes: one magazine. Model 13705 includes one magazine loader.



Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height*	Width	Weight	Twist	Suggested Retail
3750	380 Auto	6+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	Integral	2.75''	5.17''	3.71''	0.91''	10.6 oz.	1:16''	\$349.00
3758	380 Auto	6+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	Integral/Viridian® E-Series™ Red Laser	2.75''	5.17''	3.71''	0.91''	11.4 oz.	1:16''	\$439.00
3787	380 Auto	7+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	Integral	2.75''	5.17''	4.40''	0.91''	11 oz.	1:16''	\$399.00

LCP[®] II in .22 LR





Lite Rack™ System Includes Refined Slide Serrations, Pronounced Cocking Ears and a Lighter Recoil Spring, Allowing for Easy Slide Manipulation

SIX
-

Low Recoil for Comfortable Training Extends the Grip for Improved Control Insti



Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height*	Width	Weight	Twist	Suggested Retail
13705	22 LR	10+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	Integral	2.75''	5.20''	4''	0.97''	11.2 oz.	1:16''	\$349.00

* With magazine installed.

NEW



EC9s[®]

FEATURES

- Striker-fired with a short, light, crisp trigger pull for faster, more accurate shooting.
- Slim, lightweight and compact for personal protection. Just slightly larger than the popular and incredibly compact LCP[®].
- Rugged construction with through-hardened steel slide and one-piece, high-performance, glass-filled nylon grip frame.
- Checkered grip frame provides a secure and comfortable grip.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and improved grip.

- Sights are machined integrally with the slide and feature glare-reducing, rear-facing serrations.
- Black oxide, alloy steel barrel.
- Safety features include integrated trigger safety, manual safety, magazine disconnect and inspection port that allows for visual confirmation of a loaded or empty chamber.
- Also includes: one, 7-round magazine.







Model 13202 Includes an IWB Holster

Integral Sights

				COMPARE										
	Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Feature	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
	3283	9mm Luger	7+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	-	Integral	3.12''	6''	4.50''	0.90''	17.2 oz.	1:10''	\$299.00
NEW	3295	9mm Luger	7+1	Alloy Steel/ Aluminum Cerakote®	Purple, High-Performance, Glass-Filled Nylon	-	Integral	3.12''	6''	4.50''	0.90''	17.2 oz.	1:10''	\$329.00
NEW	3297	9mm Luger	7+1	Alloy Steel/ Black Oxide	Flat Dark Earth, High- Performance, Glass-Filled Nylon	-	Integral	3.12''	6''	4.50''	0.90''	17.2 oz.	1:10''	\$319.00
NEW	13200	9mm Luger	7+1	Alloy Steel/ Aluminum Cerakote®	Turquoise, High-Performance, Glass-Filled Nylon	-	Integral	3.12''	6''	4.50''	0.90''	17.2 oz.	1:10''	\$329.00
NEW	13201	9mm Luger	7+1	Alloy Steel/ Black Oxide	Gray, High-Performance, Glass-Filled Nylon	_	Integral	3.12''	6''	4.50''	0.90''	17.2 oz.	1:10''	\$319.00
NEW	13202	9mm Luger	7+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	IWB Holster	Integral	3.12''	6''	4.50''	0.90''	17.2 oz.	1:10''	\$319.00

LC380CA[™]

FEATURES

- Same compact size as the popular EC9s® with the reduced recoil of the .380 Auto cartridge and a lighter recoil spring allowing for easier slide manipulation.
- Rugged construction with through-hardened steel slide and one-piece, high-performance, glass-filled nylon grip frame.
- Checkered grip frame provides a secure and comfortable grip.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.



LC9[®] Conversion Kit for LC380CA[™] Converts the LC380CA[™] (.380 Auto) to Accept 9mm Luger Available At ShopRuger.com

Model Number	Caliber	Capacity	Slide/Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
3253	380 Auto	7+1	Alloy Steel/ Black Oxide	Black, High-Performance, Glass-Filled Nylon	Drift Adjustable 3-Dot	3.12''	6''	4.50''	0.90''	17.2 oz.	1:16''	\$539.00

- Dovetailed, high-visibility, three-dot sight system with drift adjustable rear sight and fixed front sight.
- Black oxide, alloy steel barrel.
- Safety features include internal lock, manual safety, magazine disconnect and patented loaded chamber indicator that allows for visual confirmation of a loaded or empty chamber.
- Also includes: one, 7-round magazine.









Chambered in Reliable and Effective .380 Auto

Easy-to-Rack Slide

SR22°

The do-it-all .22 LR pistol for the shooter who appreciates style and demands reliability, the **SR22**[®] is packed with versatile features. It is lightweight, easy to field strip, fun to shoot and will run reliably with a wide variety of ammunition (not just high-velocity ammunition).





SR22®







SR22[®]

FEATURES

- Light double-action and crisp single-action trigger pulls. External hammer is designed with a rounded spur for easy cocking and single-action shooting.
- Polymer frame and two interchangeable rubberized grips with angled serrations allow shooters to select either a slim or wider palm swell option (no tools required).
- The aerospace-grade aluminum slide has serrations on both the front and rear for better grip and slide manipulation.
- The dovetailed, high-visibility, three-dot sight system has a fixed front sight and a rear sight that is both windage- and elevation-adjustable. A reversible blade allows shooters to select two white dots or a solid black blade.





- The easy-to-use underside Picatinny rail features multiple cross slots for variable mounting of most popular accessories.
- Inspection port allows for visual confirmation of a loaded or empty chamber.
- Readily replaceable stainless steel barrel.
- Ambidextrous manual thumb safety/decocking lever and magazine release.
- Easy to field strip.
- Also includes: two, 10-round magazines; two finger grip extension floorplates.



			COMPARE						_			_	
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Thread Pattern	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
3600	22 LR	10+1	Aluminum/ Black Anodized	Black Polymer	Adjustable 3-Dot	-	3.50''	6.40''	4.90''	0.97''	17.5 oz.	1:16''	\$439.00
3604*	22 LR	10+1	Aluminum/ Black Anodized	Black Polymer	Adjustable 3-Dot	1/2''-28	3.50''	6.40''†	4.90''	0.97''	17.5 oz.	1:16''	\$479.00
3607	22 LR	10+1	Aluminum/ Silver Anodized	Black Polymer	Adjustable 3-Dot	-	3.50''	6.40''	4.90''	0.97''	17.5 oz.	1:16''	\$469.00
3620	22 LR	10+1	Aluminum/ Black Anodized	Black Polymer	Adjustable 3-Dot	-	4.50''	7.40''	4.90''	0.97''	18.7 oz.	1:16''	\$459.00



External Hammer with a Rounded Spur for Easy Cocking



Picatinny Rail with Multiple Cross Slots for Mounting a Variety of Accessories



Ambidextrous Manual Thumb Safety/ Decocking Lever and Magazine Release



Fixed, White Dot Front Sight and Adjustable Rear Sight with Reversible Blade



Two Grip Options for Slim or Wider Palm Swell



MARK IV

Ruger has long set the standard for reliable, affordable and accurate .22 LR handguns, beginning with the introduction of the Standard Pistol in 1949. Since then, the Standard Pistol has undergone a series of enhancements with the development of the Mark I, Mark II[™], Mark III[™] and now the Mark IV[™] Pistol. The **Mark IV[™]** maintains the classic look of the original but adds a simple, one-button takedown for quick and easy field stripping.





MARK IV[™]





NINETEEN	MODELS
HUNTER	COMPETITION
22/45 [™] LITE	22/45™ TACTICAL

₩ MARK IV

FEATURES

- Simple, one-button takedown for quick and easy field-stripping and proper chamber-to-muzzle cleaning. Pressing a button in the back of the frame allows the barrel-receiver assembly to tilt up and off the grip frame without the use of tools.
- One-piece, precision CNC-machined grip frame.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Ergonomic bolt stop.
- Smoothly contoured, comfortable grip features a natural-pointing grip angle with replaceable, checkered or textured grip panels for a non-slip hold. Some models are also available with laminate, target grips featuring wrap-around finger grooves.
- Internal cylindrical bolt construction ensures permanent sight-tobarrel alignment and higher accuracy potential than conventional moving-slide designs.
- Contoured ejection port and easy-to-grasp bolt ears allow for durable and reliable operation round after round.

- Accurate sighting system features a drilled and tapped receiver for Weaver- or Picatinny-style rail for easy mounting of optics (rail included only on Tactical models).
- Ambidextrous manual safety can be converted to left-side only with included washer.
- Features a conveniently located push-button magazine release on the left side of the frame.
- Magazine drops free on release for convenient reloading.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Also includes: two, nickel-Teflon® coated magazines.

RUGER® MARK IV™ OWNERS: SEE INSIDE BACK COVER FOR AN IMPORTANT Product safety warning and recall notice from ruger!





Available in Multiple Barrel Configurations



Accurate, Adjustable Sighting System



Simple, One-Button Takedown for Quick and Easy Field-Stripping (No Tools Required)



Ambidextrous Manual Safety Positively Locks the Sear When Applied



Available in a Variety of Grip Configurations



MARK IV[™]

MARK IV[™] STANDARD

Model Numbe 40104 40105









V.					One-Piece	e Aluminum Grip Fr	ame	Checke	red Syntheti	c Grips		Таре	red Barrel	
								COMPARE						
l Der	Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
4	22 LR	10+1	Alloy Steel/ Blued	Aluminum/ Anodized	Tapered	Checkered Synthetic	Fixed	4.75''	9''	5.40''	1.20''	28.2 oz.	1:16''	\$449.00
5	22 LR	10+1	Alloy Steel/ Blued	Aluminum/ Anodized	Tapered	Checkered Synthetic	Fixed	6''	10.25''	5.40''	1.20''	30.1 oz.	1:16''	\$449.00

MARK IV[™] STANDARD 70TH ANNIVERSARY LIMITED EDITION







Commemorative 70th Anniversary Laser Engraving Limited Edition "70th" Serial Number Prefix

Model Number	Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40168	22 LR	10+1	Alloy Steel/ Blued	Aluminum/ Anodized	Tapered	Checkered Synthetic	Fixed	4.75''	9''	5.40''	1.20''	28.2 oz.	1:16''	\$529.00

MARK IV[™] TARGET





One-Piece, Aluminum or Checkered Synthetic or Stainless Steel Grip Frame Laminate, Target Grips

Bull Barrel (Model 40126 Features Threaded Barrel)

70 T H • 9 4 7 9 4

Model Caliber Capacity Upper Grip Frame/ Barrel Grips Sights Barrel Overall Height Width Weight Twist Suggested Number Finish Finish Length Length Retail 40101 22 LR 10+1 5.50'' 5.50'' 1.20'' 1:16'' \$529.00 Alloy Steel/ Aluminum/ Bull Checkered Fixed Front. 9.75'' 35.6 oz. Blued Anodized Synthetic Adjustable Rear 40159 22 LR 10+1 Alloy Steel/ Aluminum/ Bull Laminate, Fixed Front, 5.50'' 9.75'' 5.50'' 1.46'' 35.8 oz. 1:16" \$569.00 Anodized Adjustable Rear Blued Target 40103 22 LR 10+1 Stainless Steel/ Stainless Steel/ Checkered Fixed Front, 5.50'' 9.75'' 5.50'' 1.20'' 42.8 oz. 1:16'' \$689.00 Bull Satin Stainless Satin Stainless Adjustable Rear Svnthetic 9.75'' 5.50'' 1.20'' 1:16'' \$699.00 40126* 22 LR 10+1 Stainless Steel/ Checkered Fixed Front 5.50'' 42.8 oz. Stainless Steel/ Threaded Satin Stainless Satin Stainless Bull Synthetic Adjustable Rear MEW 40173 22 LR 10+1 Alloy Steel/ Aluminum/ Bull Checkered Fixed Front, 10'' 14'' 5.50'' 1.20'' 46.3 oz. 1:16'' \$645.00 Blued Anodized Synthetic Adjustable Rear MEW 40174 22 LR 10+1 Stainless Steel/ Stainless Steel/ Bull Checkered Fixed Front, 10'' 14'' 5.50'' 1.20'' 53.5 oz. 1:16'' \$719.00 Satin Stainless Satin Stainless Synthetic Adjustable Rear

MARK IV[™] HUNTER





						COMPARE								
Model Number	Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40118	22 LR	10+1	Stainless Steel/ Satin Stainless	Stainless Steel/ Satin Stainless	Fluted Bull	Checkered Laminate	Fiber Optic Front, Adjustable Rear	6.88''	11.12''	5.50''	1.20''	44 oz.	1:16''	\$769.00
40160	22 LR	10+1	Stainless Steel/ Satin Stainless	Stainless Steel/ Satin Stainless	Fluted Bull	Laminate, Target	Fiber Optic Front, Adjustable Rear	6.88''	11.12''	5.50''	1.46''	44.2 oz.	1:16''	\$799.00

MARK IV[™] COMPETITION





Steel Grip Frame

Model Number	Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips
40112	22 LR	10+1		Stainless Steel/ Satin Stainless	Slab- Sided Bull	Checkered Laminate with Thumb Rest

MARK IV" TACTICAL



			Factory-Inst	alled Top and	Bottom Picati	nny Rails Cheo	ckered Synthe	etic Grips	Threaded	l Barrel (1/2	2''-28) for P	opular Muzz	le Accessories	
Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail	
22 LR	10+1	Alloy Steel/	Aluminum/	Threaded	Checkered	Fixed Front, Adjustable Pea	4.40''	8.50''	5.50''	1.20''	34.6 oz.	1:16''	\$569.00	

Model Number	Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40150*	22 LR	10+1	Alloy Steel/ Blued	Aluminum/ Anodized	Threaded Bull	Checkered Synthetic	Fixed Front, Adjustable Rear	4.40''	8.50''	5.50''	1.20''	34.6 oz.	1:16''	\$569.00

* Pistols with threaded barrels are not available in all states and locales due to laws containing feature-based restrictions. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such firearms.





One-Piece, Stainless Steel Grip Frame Checkered Laminate or Laminate, Target Grips

Fluted Bull Barrel

with Thumb Rest Barrel Overall Height Width Weight Twist Suggested Grips Sights Length Length Retail Checkered Fixed Front, 6.88" 11.12" 5.50" 1.75" 45.8 oz. 1:16" \$749.00 Laminate with Adjustable Rear

₩ MARK IV[™] 22/45[™]

FEATURES

- Simple, one-button takedown for guick and easy field-stripping and proper chamber to muzzle cleaning. Pressing a button in the back of the frame allows the barrel-receiver assembly to tilt up and off the grip frame without the use of tools.
- Lite models feature a lightweight, ventilated, aerospace-grade aluminum receiver and a tensioned stainless steel barrel.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Threaded barrel models feature a 1/2"-28 thread pattern for popular muzzle accessories (thread protector included).
- Comfortable, precision-molded polymer grip frame with a serrated frontstrap and checkered backstrap.
- Checkered, 1911-style grip panels for a great appearance and comfortable, non-slip hold.
- Ergonomic bolt stop.
- Internal cylindrical bolt construction ensures permanent sightto-barrel alignment and higher accuracy potential than conventional moving-slide designs.

- Contoured ejection port and easy-to-grasp bolt ears allow for durable and reliable operation round after round.
- Accurate sighting system features an adjustable rear sight and a factory-installed Picatinny rail for easy mounting of optics (excludes model 40107).
- Ambidextrous manual safety can be converted to left-side only with included washer.
- Features a conveniently located push-button magazine release on the left side of the frame.
- Magazine drops free on release for faster reloading.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Also includes: two, nickel-Teflon® coated magazines.

RUGER® MARK IV™ 22/45™ OWNERS: SEE INSIDE BACK COVER FOR AN IMPORTANT PRODUCT SAFETY WARNING AND RECALL NOTICE FROM RUGER!

LR



Lightweight, Ventilated, Aerospace-Grade Aluminum Receiver



Ambidextrous Manual Safety Positively Locks the Sear When Applied



Accurate Sighting System Features an Adjustable Rear Sight and a Factory-Installed Picatinny Rail for Easy Mounting of Optics (Excludes Model 40107)



Comfortable, Precision-Molded Polymer Grip Frame



Threaded Barrel Models Feature a 1/2"-28 Thread Pattern for Popular Muzzle Accessories

MARK IV[™] 22/45[™] LITE



Π



Checkered 1911-Style or Laminate, Target Grips

				COMPARE											
	Model Number	Caliber	Capacity	Upper/ Finish	Barrel	Grip Frame	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
NEW	43934*	22 LR	10+1	Aluminum/ Diamond Gray Anodized	Gold, Threaded	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	4.40''	8.40''	5.50''	1.22''	25 oz.	1:16''	\$559.00
	43921	22 LR	10+1	Aluminum/ Diamond Gray Anodized	Stainless, Non- Threaded	Polymer	Laminate, Target	Fixed Front, Adjustable Rear	4.40''	8.40''	5.50''	1.50''	27 oz.	1:16''	\$599.00
	43926*	22 LR	10+1	Aluminum/ Gold Anodized	Black, Threaded	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	4.40''	8.40''	5.50''	1.22''	25 oz.	1:16''	\$559.00
	43927*	22 LR	10+1	Aluminum/ Black Anodized	Gold, Threaded	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	4.40''	8.40''	5.50''	1.22''	25 oz.	1:16''	\$559.00

MARK IV[™] 22/45[™] TACTICAL



Model Number	Caliber	Capacity	Upper/ Finish	Barrel	Grip Frame	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40149*	22 LR	10+1	Alloy Steel/ Blued	Threaded Bull	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	4.40''	8.50''	5.50''	1.22''	33.3 oz.	1:16''	\$529.00

MARK IV™ 22/45™



Model Number	Caliber	Capacity	Upper/ Finish	Barrel	Grip Frame	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40107	22 LR	10+1	Alloy Steel/ Blued	Bull	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	5.50''	9.75''	5.50''	1.22''	34.4 oz.	1:16''	\$409.00

* Pistols with threaded barrels are not available in all states and locales due to laws containing feature-based restrictions. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such firearms.





Lightweight, Ventilated, Aerospace-Grade Aluminum Barrel-Receiver Assembly



Threaded Barrel (1/2"-28) for Popular Muzzle Accessories (Excludes Model 43921)



Factory-Installed Top and Bottom Picatinny Rails



Threaded Barrel (1/2"-28) for Popular Muzzle Accessories



Bull Barrel

SILENT-SR°.22 CAL

TACTICAL

Offering top-tier sound reduction, the **Silent-SR®.22 CAL** sound suppressor features best-in-class materials and an advanced design resulting in a lightweight, compact size. It was designed and built by Ruger utilizing the very latest in fluid dynamic simulation and computer numeric controlled (CNC) machining equipment.





RATED FOR .22 LR FULL AUTO, .22 WMR AND .17 HMR PISTOLS AND RIFLES. REDUCES SOUND PRESSURE LEVELS BY UP TO 40 dB.

	THE	SILEN	T - S R ®	.22	CAL	IS	СОМРА
--	-----	-------	-----------	-----	-----	----	-------

R22 [®] Pistol with Threaded Barrel	1(
rk IV™ Target with Threaded Barrel	10/
Mark IV [™] Tactical	10/22
Mark IV [™] 22/45 [™] Tactical	10/22 Takedo
V [™] 22/45 [™] Lite with Threaded Barrel	10/22
Charger™/22 Charger™ Takedown	Fluted .9

Pistol Not Included

0

Silent-SR[®] .22 CAL (Model 19000)

Mark



SILENT-SR[®].22 CAL



TIBLE WITH A HOST OF RUGER® FIREARMS

)/22® Tactical

22[®] Target Lite

2 Takedown® Lite

wn® with Threaded Barrel

2 Takedown⊛ with 20'' Diameter Barrel 10/22[®] Competition

Ruger American® Rimfire Threaded Barrel Models

Ruger American® Rimfire Compact Threaded Barrel Models

Ruger Precision® Rimfire



SILENT-SR[®].22 LR

FEATURES

- Reduces sound pressure levels of .22 LR, .22 WMR and .17 HMR pistols and rifles by up to 40 dB.
- Rated for .22 LR full auto, .22 WMR and .17 HMR pistols and rifles. Features a standard 1/2"-28 thread pattern for compatibility with most threaded rimfire firearms.
- Patented outer tube and muzzle mount are interlocked to prevent inadvertent disassembly when removing the suppressor from your firearm. Disassembly tool is included.
- Compact and lightweight for balance and portability.
- Easy to disassemble and clean; each piece snaps together to seal the baffles and keep the byproducts of combustion away from the tube and end caps.

• Utilizing a titanium tube, aluminum rear cap, and stainless steel thread mount, baffles and front cap, Ruger has selected the best material for each part to maximize strength and minimize weight without sacrificing durability.

22 LR





Easy Disassembly for Cleaning



22 WMR

17

HMR

Using the Provided Disassembly Tool, Remove the Front and Rear Caps



Slide the Entire Stack of Baffles Out of the Rear of the Suppressor Tube



Snap Apart Each Part of the Baffle Stack

Model Number	Caliber	Material/Finish	Length	Diameter	Weight	Thread Pattern	Suggested Retail
19000*	22 LR/22 WMR/17 HMR	Titanium, 17-4 Stainless and Aluminum/Cerakote®	5.37''	1.06''	6.3 oz.	1/2''-28	\$449.00

* Sound suppressors are not available in all states and locales due to laws restricting their ownership and use. Prior to purchasing, please check your state and local regulations to verify that you may legally possess a suppressor.





RUGER[®] DOUBLE-ACTION REVOLVERS

Combining superior design and engineering with dedicated craftsmanship, **Ruger Double-Action Revolvers** are packed with features and inspire genuine pride of ownership and provide years of reliable service.









RUGER[®] DOUBLE-ACTION REVOLVERS







FOUR FAMILIES





RUGER SP101°

FEATURES

- Grip frame easily accommodates a variety of custom grips.
- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Cushioned rubber grip with black synthetic or hardwood inserts (excludes model 5782) has no exposed metal in the backstrap, making it extremely comfortable.
- Dual chambering allows .357 Magnum models to accept factory .38 Special cartridges.

- Takedown of integrated subassemblies requires no special tools, allowing for easy maintenance and re-assembly.
- Transfer bar mechanism provides an unparalleled measure of security against accidental discharge.



RUGER SP101[®]



Grip Frame Design



Triple-Locking Cylinder



Available in a Variety of Grip Configurations



Transfer Bar Mechanism



Easy Takedown Requires No Special Tools

RUGER SP101® MATCH CHAMPION®



Full-Lug Barrel with 11° Target Crown for Competition-Level Accuracy



Match-Tuned Action



Dovetailed, Fiber Optic Front and Adjustable Rear Sights



W RUGER SP101°

RUGER SP101[®] with 2.25["] Barrel




DE



Pinned, Replaceable Black Ramp Front

and Integral Rear Sights







Cushioned Rubber Grip with Black Synthetic Inserts

Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5737	38 Spl +P	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	2.25''	7.20''	26 oz.	1:18.75''	\$719.00
5718	357 Mag	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	2.25''	7.20''	26 oz.	1:16''	\$719.00
5783	9mm Luger	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	2.25''	7.20''	25 oz.	1:16''	\$719.00

RUGER SP101[®] with 3" Barrel





Pinned, Replaceable Black Ramp Front and Integral Rear Sights

Cushioned Rubber Grip with Black Synthetic Inserts

Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5719	357 Mag	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	3''	8''	27 oz.	1:16''	\$719.00

RUGER SP101[®] with Spurless Hammer









Cushioned Rubber Grip with Black Synthetic Inserts

Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5720	357 Mag	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	2.25''	7.20''	25 oz.	1:16''	\$719.00

RUGER SP101[®] with Blued Finish



Model Number	Caliber	Capacity	Material/ Finish	Grip
15702	357 Mag	5	Alloy Steel/ Blued	Cushioned Rubber, Engraved Hardwood

RUGER SP101[®] with Engraved Hardwood Inserts



	COMPARE										
Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5765	22 LR	8	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Fiber Optic	Adjustable	4.20''	9.12''	30 oz.	1:16''	\$769.00
5773	327 Fed Mag	6	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Fiber Optic	Adjustable	4.20''	9.12''	29.5 oz.	1:16''	\$769.00
5771	357 Mag	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Fiber Optic	Adjustable	4.20''	9.12''	29.5 oz.	1:16''	\$769.00
5784	327 Fed Mag	6	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Ramp	Integral	3''	8''	27 oz.	1:16''	\$749.00

RUGER SP101® MATCH CHAMPION®



Model Number	Caliber	Capacity	Material/ Finish	Grip		
5782	357 Mag	5	Stainless Steel/ Gloss Stainless	Altamont Stippled, Checkered Hardwood		



Pinned, Replaceable Black Ramp Front and Integral Rear Sights



Cushioned Rubber Grip with Engraved Hardwood Inserts

Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp	Integral	2.25''	7.20''	26 oz.	1:16''	\$719.00



Dovetailed, Fiber Optic Front and Adjustable Rear Sights (Excludes Model 5784)



Cushioned Rubber Grip with Engraved Hardwood Inserts



Dovetailed, Fiber Optic Front and Adjustable Rear Sights



Custom Stippled, Checkered Hardwood Grip

Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Fiber Optic	Adjustable	4.20''	9.12''	30 oz.	1:16''	\$859.00

GP100°

FEATURES

- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Grip frame design easily accommodates a wide variety of custom grips.
- Dual chambering allows .357 Magnum models to accept factory .38 Special cartridges.
- Disassembly of integrated subassemblies requires no special tools and allows for easy maintenance and assembly.
- Transfer bar mechanism provides an unparalleled measure of security against accidental discharge.



GP100®



Easy Disassembly with No Special Tools Required



Triple-Locking Cylinder



Available in a Variety of Grip Configurations



Grip Frame Design

HUBER MPART

GP100® MATCH CHAMPION®



Match-Tuned Action



Custom Hogue® Hardwood Grip with Stippled Sides



Chamfered Cylinder Ejector for Convenient Reloading



RUGER.COM/GP100



GP100[®]







Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1715	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp	Integral	3''	8.50''	36 oz.	1:18.75''	\$799.00

GP100[®] in .22 LR



Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1757	22 LR	10	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts	Fiber Optic	Adjustable	5.50''	11"	42 oz.	1:16''	\$829.00

GP100[®] 7-Round



							COMPARE				
Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1774	357 Mag	7	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts	Fiber Optic	Adjustable	2.50''	8''	36 oz.	1:18.75''	\$899.00
1771	357 Mag	7	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts	Fiber Optic	Adjustable	4.20''	9.50''	40 oz.	1:18.75''	\$899.00
1773	357 Mag	7	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts	Fiber Optic	Adjustable	6''	11.50''	43.5 oz.	1:18.75''	\$899.00

GP100[®] with 4.20["] Barrel





Heavy, Full-Shrouded Barrel Ramp Front and Adjustable Rear Sight

Recoil-Reducing, Cushioned, Black Rubber Hogue® Monogrip®

			COMPARE								
Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1702	357 Mag	6	Alloy Steel/ Blued	Hogue® Monogrip®	Ramp	Adjustable	4.20''	9.50''	40 oz.	1:18.75''	\$769.00
1705	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp	Adjustable	4.20''	9.50''	40 oz.	1:18.75''	\$829.00

GP100[®] with 6["] Barrel







Heavy, Full-Shrouded Barrel Adjustable Rear Sights

Recoil-Reducing, Cushioned, Black Rubber Hogue® Monogrip®

Model Number	Caliber	Capacity	COMPARE Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1704	357 Mag	6	Alloy Steel/ Blued	Hogue® Monogrip®	Ramp	Adjustable	6''	11.50''	45 oz.	1:18.75''	\$769.00
1707	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp	Adjustable	6''	11.50''	45 oz.	1:18.75''	\$829.00

GP100[®] MATCH CHAMPION[®]



	COMPARE						-				
Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1754	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Stippled Hardwood	Fiber Optic	Fixed	4.20''	9.50''	38 oz.	1:18.75''	\$969.00
1755	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Stippled Hardwood	Fiber Optic	Adjustable	4.20''	9.50''	38 oz.	1:18.75''	\$969.00
1775	10mm Auto	6	Stainless Steel/ Satin Stainless	Hogue® Stippled Hardwood	Fiber Optic	Adjustable	4.20''	9.50''	37 oz.	1:16''	\$969.00





Fiber Optic Front and Adjustable Rear Sights



Cushioned Rubber Grip with Hardwood Insert



Cushioned Rubber Grip with Hardwood Insert



Slab-Sided, Half-Lug Barrel and Fiber Optic Front Sight

Novake LoMount Carry or Adjustable Rear Sights

Hogue® Stippled Hardwood Grip

REDHAWK[®]

FEATURES

- Unique, single-spring mechanism allows for a smooth, light trigger pull.
- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Easy sighting with readily replaceable colored front blade sight insert and adjustable rear sight with white outline.
- Rugged, stainless steel construction with no side plates is designed specifically to handle powerful magnum loads through extra metal in the top strap, sidewalls and barrel mounting areas.
- Transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Cold hammer-forged sleeve and shroud barrel provides outstanding accuracy.
- .44 Magnum models are dual chambered to also accept factory .44 Special cartridges.
- .357 Magnum models are dual chambered to also accept factory .38 Special cartridges.





Cold Hammer-Forged Sleeve and Shroud Barrel



Readily Replaceable Colored Front Blade Sight Insert and Adjustable Rear Sight with White Outline



Unique, Single-Spring Mechanism



Transfer Bar Mechanism



Triple-Locking Cylinder



Available in a Variety of Grip Configurations

REDHAWK[®]



	COMPARE			
Model Number	Caliber	Capacity	Material/ Finish	Grips
5043	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood
5041	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood
5051	357 Mag	8	Stainless Steel/ Satin Stainless	Hardwood
5059	357 Mag	8	Stainless Steel/ Satin Stainless	Hardwood
5060	357 Mag	8	Stainless Steel/ Satin Stainless	Hardwood

REDHAWK[®] in .45 Auto/.45 Colt




Model Number	Caliber	Capacity	Material/ Finish	Grips
5050	45 Auto/45 Colt	6	Stainless Steel/ Satin Stainless	Engraved Hardwood

REDHAWK® with Hogue® Monogrip®



Model Number	Caliber	Capacity	Material/ Finish	Grips
5044	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®




Moon Clips Included with .357 Magnum Models

for Convenient Loading



Hardwood Grips

Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	5.50''	11''	49 oz.	1:20''	\$1,079.00
Ramp Front, Adjustable Rear	7.50''	13''	54 oz.	1:20''	\$1,079.00
Ramp Front, Adjustable Rear	2.75''	8.25''	44 oz.	1:18.75''	\$1,079.00
Ramp Front, Adjustable Rear	4.20''	9.50''	49 oz.	1:18.75''	\$1,079.00
Ramp Front, Adjustable Rear	5.50''	11''	52 oz.	1:18.75''	\$1,079.00



Moon Clips Included for Convenient Loading



Engraved Hardwood Grips

Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	4.20''	9.50''	44 oz.	1:16''	\$1,079.00



Black Hogue® Monogrip®

Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	4.20''	9.50''	47 oz.	1:20''	\$1,079.00

SUPER REDHAWK®

FEATURES

- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Durable, corrosion-resistant stainless steel construction.
- Strong, extended frame with extra metal in the top strap, sidewalls and barrel mounting areas to handle powerful, big game loads.
- Hogue® Tamer™ Monogrip® with an internal recoil cushion positioned under the web of the hand helps reduce the impact of powerful loads, while the peg-style grip frame easily accommodates custom grips (excludes some models).
- Dual chambering allows .44 Magnum models to accept factory .44 Special cartridges and .454 Casull models to accept factory .45 Colt cartridges.

- Transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Replaceable front sight ramp insert and adjustable rear sight (non-Alaskan models feature a red ramp insert).
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.






Strong, Extended Frame



Recoil-Reducing, Cushioned, Black Rubber Hogue® Tamer™ Monogrip®





Replaceable Front Ramp Insert and Adjustable Rear Sights



Cold Hammer-Forged Barrel

SUPER REDHAWK®



	COMPARE									_
Model Number	Caliber	Capacity	Material/ Finish	Grip	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5507	480 Ruger	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50''	13''	53 oz.	1:18''	\$1,189.00
5501	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50''	13''	53 oz.	1:20''	\$1,159.00
5502	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	9.50''	15''	58 oz.	1:20''	\$1,159.00
5505	454 Casull	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50''	13''	52 oz.	1:24''	\$1,189.00

SUPER REDHAWK® in 10mm Auto



Model Number	Caliber	Capacity	Material/ Finish	Grip
5524	10mm Auto	6	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts


SUPER REDHAWK ALASKAN®



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grip	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5302	480 Ruger	6	Stainless Steel/ Satin Stainless	Hogue®Tamer™Monogrip®	Ramp Front, Adjustable Rear	2.50''	7.62''	44 oz.	1:18''	\$1,189.00
5303	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50''	7.62''	45 oz.	1:20''	\$1,189.00
5301	454 Casull	6	Stainless Steel/ Satin Stainless	Hogue®Tamer™Monogrip®	Ramp Front, Adjustable Rear	2.50''	7.62''	44 oz.	1:24''	\$1,189.00



Integral Mounts are Machined Directly on the Solid-Steel Barrel Rib to Provide a Stable Mounting Surface for Scope Rings, Eliminating a Potential Source of Looseness and Inaccuracy in the Field (Scope Not Included)



Moon Clips Included for Convenient Loading

Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	6.50''	12''	54 oz.	1:16''	\$1,159.00



Compact 2.50" Barrel for Ease of Carry

LCR®

The **LCR**[®] is the evolution of the revolver. Packed with the latest technological advances and features required by today's most demanding shooters, the LCR® is a lightweight, small-frame revolver with a uniquely smooth trigger and highly manageable recoil.

1111

0





357 MAG

EDATES & Rothing

1542-00280

LCRx® in .357 Magnum with 3" Barrel and Adjustable Rear Sight



L C R ®



FIFTEEN MODELS

TRIGGER PULL COMPARISON



TRIGGER PULL DISTANCE





FEATURES

- Monolithic frame is made from aerospace-grade, 7000-series aluminum in .22 LR, .22 Magnum and .38 Special models and from 400-series stainless steel in the powerful .357 Magnum, 9mm Luger and .327 Federal Magnum models.
- Patented friction-reducing cam is a next generation design in fire control systems that results in a smooth, non-stacking trigger pull.
- Patented polymer fire control housing holds all the fire control components in their proper dimensional relationships, reduces weight significantly and helps reduce felt recoil.
- High-strength stainless steel cylinder, featuring a PVD finish for excellent durability, is extensively fluted, reducing weight.
- Hogue® Tamer™ Monogrip® reduces perceived recoil.

- Grip peg allows for a variety of grip styles to be installed.
- Replaceable, pinned ramp front sight with white bar.
- Models chambered in 9mm Luger ship with three full moon clips that both act as speed loaders and aid in the ejection of spent cartridges.






High-Strength Stainless Steel Cylinder



Replaceable, Pinned Ramp Front Sight with White Bar



Patented Friction-Reducing Cam



Hogue® Tamer™ Monogrip® Reduces Perceived Recoil



LCR®







Replaceable, Pinned Ramp Front and Integral U-Notch Rear Sights

Compact Hogue® Tamer™ Monogrip® with Finger Grooves

	COMPARE											
Model Number	Caliber	Capacity	Grip	Frame/Finish	Front Sight	Rear Sight	Barrel Length	Overall Length	Height	Weight	Twist	Suggested Retail
5410	22 LR	8	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	14.9 oz.	1:16''	\$579.00
5414	22 WMR	6	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	16.6 oz.	1:9''	\$579.00
5401	38 Spl +P	5	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	13.5 oz.	1:16''	\$579.00
5456	9mm Luger	5	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.2 oz.	1:16''	\$669.00
5452	327 Fed Mag	6	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17 oz.	1:16''	\$669.00
5450	357 Mag	5	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.1 oz.	1:16''	\$669.00

LCRx® with 3" Barrel and Adjustable Rear Sight







	COMPARE											
Model Number	Caliber	Capacity	Grip	Frame/Finish	Front Sight	Rear Sight	Barrel Length	Overall Length	Height	Weight	Twist	Suggested Retail
5435	22 LR	8	Full-Size Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Adjustable	3''	7.50''	5.80''	17.3 oz.	1:16''	\$579.00
5437	22 WMR	6	Full-Size Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Adjustable	3''	7.50''	5.80''	17.8 oz.	1:9''	\$579.00
5431	38 Spl +P	5	Full-Size Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Adjustable	3''	7.50''	5.80''	15.7 oz.	1:16''	\$579.00
5444	357 Mag	5	Full-Size Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Adjustable	3''	7.50''	5.80''	21.3 oz.	1:16''	\$669.00

LCRx®





Compact Hogue® Tamer™ Monogrip® with Finger Grooves



	COMPARE											
Model Number	Caliber	Capacity	Grip	Frame/Finish	Front Sight	Rear Sight	Barrel Length	Overall Length	Height	Weight	Twist	Suggested Retail
5439	22 WMR	6	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	15.4 oz.	1:9''	\$579.00
5430	38 Spl +P	5	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	13.5 oz.	1:16''	\$579.00
5464	9mm Luger	5	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.4 oz.	1:16''	\$669.00
5462	327 Fed Mag	6	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.7 oz.	1:16''	\$669.00
5460	357 Mag	5	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.1 oz.	1:16''	\$669.00



Replaceable, Pinned Ramp Front and Adjustable Black Blade Rear Sights

Full-Size Smooth Hogue® Tamer™ Monogrip®



External Hammer for Single-Action Use

WRANGLER[®]

Built on the legacy of Ruger's Single-Six®, the new Wrangler® expands Ruger's rich history in both quality single-action revolvers and rugged, reliable .22 LR firearms. The attractive price, combined with affordable rimfire ammunition, make this revolver ideal for learning to shoot, introducing friends or family to the sport, or just experiencing the fun of single-action shooting.

00-01035







Wrangler® with Black Cerakote® Finish (Model 2002)

FEATURES

- Blade front and integral notch rear sights.
- Chambered for affordable .22 LR ammunition.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.

			COMPARE							
Model Number	Caliber	Capacity	Cylinder Frame Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
2002	22 LR	6	Aluminum Alloy/ Black Cerakote®	Checkered Synthetic	Blade Front, Integral Rear	4.62''	10.25''	30 oz.	1:14''	\$249.00
2003	22 LR	6	Aluminum Alloy/ Silver Cerakote®	Checkered Synthetic	Blade Front, Integral Rear	4.62''	10.25''	30 oz.	1:14''	\$249.00
2004	22 LR	6	Aluminum Alloy/ Burnt Bronze Cerakote®	Checkered Synthetic	Blade Front, Integral Rear	4.62''	10.25''	30 oz.	1:14''	\$249.00

0



W R A N G L E R®





THREE MODELS



• Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

- Cerakote® finish provides rugged reliability in all environments.
- Checkered synthetic grips on a Single-Six[®] pattern grip frame.

RUGER[®] SINGLE-ACTION REVOLVERS

With superb grip, balance and mechanical simplicity, **Ruger**[®] **Single-Action Revolvers** are offered in a wide variety of sizes and calibers, and include features that are sure to please any fan of these timeless firearms.





NEW MODEL Super Blackhawk® RUGER VAQUERO®







RUGER® SINGLE-ACTION REVOLVERS





FIVE FAMILIES

W RUGER VAQUERO®


FEATURES

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural-pointing of any grip style.
- Patented reverse indexing pawl allows for easier loading and unloading, while the traditional beveled cylinder simplifies holstering.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Handsome, larger crescent-shaped ejector rod head boasts traditional form, perfect for every cowboy or cowgirl.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Blade front and integral notch rear sights.
- Models chambered in .357 Magnum also accept factory .38 Special cartridges











Traditional Western-Style, Hand-Filling Grip

Blade Front and Integral Notch Rear Sights

Patented Reverse Indexing Pawl

Transfer Bar Mechanism

THE GUN THAT WON THE NEW WEST

RUGER VAQUERO® with Blued Finish



COMPARE

	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5107	357 Mag	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	4.62''	10.25''	43 oz.	1:16''	\$829.00
5106	357 Mag	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	5.50''	11.12''	44 oz.	1:16''	\$829.00
5102	45 Colt	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	4.62''	10.25''	40 oz.	1:16''	\$829.00
5101	45 Colt	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	5.50''	11.12''	40 oz.	1:16''	\$829.00

RUGER VAQUERO® with High-Gloss Stainless Finish



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5109	357 Mag	6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	4.62''	10.25''	43 oz.	1:16''	\$829.00
5108	357 Mag	6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	5.50''	11.12''	44 oz.	1:16''	\$829.00
5105	45 Colt	6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	4.62''	10.25''	40 oz.	1:16''	\$829.00
5104	45 Colt	6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	5.50''	11.12''	41 oz.	1:16''	\$829.00

BISLEY[™] RUGER VAQUERO®



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5130	357 Mag	6	Stainless Steel/ High-Gloss Stainless	Simulated Ivory	Blade Front, Integral Rear	5.50"	11.12''	45 oz.	1:16''	\$899.00
5129	45 Colt	6	Stainless Steel/ High-Gloss Stainless	Simulated Ivory	Blade Front, Integral Rear	5.50''	11.12''	41 oz.	1:16''	\$899.00

SASS® RUGER VAQUERO® Two-Gun Set



Black Checkered Grips with SASS[®] Logo

	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5133	357 Mag	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Blade Front, Integral Rear	4.62''	10.25''	45 oz.	1:16''	\$1,699.00 (Two-Gun Set)
5134	45 Colt	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Blade Front, Integral Rear	5.50''	11.12''	40 oz.	1:16''	\$1,699.00 (Two-Gun Set)

ł		



Simulated Ivory Grips

Bisley-Style Hammer





Montado-Style Hammer



Consecutive Serial Numbers with "SASS" Prefix, Shipped Together in Commemorative Case

W NEW MODEL SUPER BLACKHAWK[®]

FEATURES

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural-pointing of any grip style.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Durable coil springs throughout for maximum reliability.
- Fixed ramp front sight and adjustable rear sight.
- Integral mounts, machined directly on the solid-steel barrel rib of Hunter models, provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Chambered in the powerful .44 Magnum, these models also accept factory .44 Special cartridges, which deliver superb accuracy and milder recoil.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

ORIGINAL "OLD MODEL" (PRE-1973) OWNERS: SEE INSIDE BACK COVER FOR AN IMPORTANT FREE SAFETY OFFER FROM RUGER!







Traditional Western-Style, Hand-Filling Grip





Chambered for .44 Magnum and .44 Special Cartridges







Ramp Front with Red Insert and Adjustable Rear Sights

Integral Scope Mounts Provide Stable Surface for Mounting Included Scope Rings

Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0860	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Black Laminate	Ramp Front, Adjustable Rear	7.50''	13.63''	52 oz.	1:20''	\$959.00

NEW MODEL SUPER BLACKHAWK[®] BISLEY[™] HUNTER



Retail Length Length 0862 44 Rem Mag Stainless Steel/ Black Laminate Ramp Front, 7.50'' 13.12'' 52 oz. 1:20'' \$959.00 Satin Stainless Adjustable Rear

NEW MODEL SUPER BLACKHAWK®



			COMPARE							
Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0813	44 Rem Mag	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	4.62''	10.50''	45 oz.	1:20''	\$829.00
0814	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	4.62''	10.50''	45 oz.	1:20''	\$829.00

NEW MODEL SUPER BLACKHAWK® with Fluted Cylinder



			COMPARE							
Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0810	44 Rem Mag	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	5.50''	11.38''	45 oz.	1:20''	\$829.00
0811	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50''	11.38''	45 oz.	1:20''	\$829.00

NEW MODEL SUPER BLACKHAWK® with Square Back Trigger Guard



			COMPARE							
Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0802	44 Rem Mag	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.38''	48 oz.	1:20''	\$829.00
0807	44 Rem Mag	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	10.50'' (Target)	16.38''	55 oz.	1:20''	\$829.00
0804	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.38''	48 oz.	1:20''	\$829.00
0806	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	10.50'' (Target)	16.38''	55 oz.	1:20''	\$859.00



Blued or Stainless Finish



Blued or Stainless Finish

Fluted Cylinder



Blued or Stainless Finish



W NEW MODEL BLACKHAWK[®]

FEATURES

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural pointing of any grip style.
- Target-grade accuracy with ramp front and adjustable rear sights.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Variety of calibers, barrel lengths, grips, finishes and weights guarantees a model to meet the needs of today's single-action shooters.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- .357 Magnum models are dual chambered to also accept factory .38 Special cartridges.

ORIGINAL "OLD MODEL" (PRE-1973) OWNERS: SEE INSIDE BACK COVER FOR AN IMPORTANT **FREE SAFETY OFFER** FROM RUGER!











Variety of Calibers, Barrel Lengths, Grips and Finishes Available

Transfer Bar Mechanism

Target-Grade Accuracy

Traditional Western-Style, Hand-Filling Grip

NEW MODEL BLACKHAWK® with Satin Stainless Finish



Model Number	Caliber	Capacity	Material/ Finish	Grips
0309	357 Mag	6	Stainless Steel/ Satin Stainless	Hardwood
0319	357 Mag	6	Stainless Steel/ Satin Stainless	Hardwood

NEW MODEL BLACKHAWK® CONVERTIBLE



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0308	357 Mag/ 9mm Luger	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	42 oz.	1:16''	\$749.00
0318	357 Mag/ 9mm Luger	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12.38''	45 oz.	1:16''	\$749.00
0446	45 Colt/ 45 Auto	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	39 oz.	1:16''	\$749.00
0463	45 Colt/ 45 Auto	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	5.50''	11.38''	40 oz.	1:16''	\$749.00

NEW MODEL BLACKHAWK® with	Blued Finish
---------------------------	---------------------



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0505	30 Carb	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	7.50''	13.38''	46 oz.	1:20''	\$669.00
0306	357 Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	42 oz.	1:16''	\$669.00
0316	357 Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12.38''	45 oz.	1:16''	\$669.00
0405	41 Rem Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	38 oz.	1:20''	\$669.00
0406	41 Rem Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12.38''	41 oz.	1:20''	\$669.00
0445	45 Colt	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	39 oz.	1:16''	\$669.00
0455	45 Colt	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	7.50''	13.38''	42 oz.	1:16''	\$669.00
0465	45 Colt	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	5.50''	11.38''	40 oz.	1:16''	\$669.00

	COMPARE				
Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	4.62''	10.50''	46 oz.	1:16''	\$799.00
Ramp Front, Adjustable Rear	6.50''	12.38''	48 oz.	1:16''	\$799.00



Includes Two Cylinders That Can Be Interchanged Without the Use of Tools

W NEW MODEL SINGLE-SIX[®] FAMILY

FEATURES

- Windage- and elevation-adjustable rear sights (available on most models) help put you on target and keep you there.
- Chambered for affordable rimfire shooting.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

ORIGINAL "OLD MODEL" (PRE-1973) SINGLE-SIX® OWNERS: See inside back cover for an important **free safety offer** from ruger!







Available in a Variety of Sight, Grip and Finish Configurations





Transfer Bar Mechanism



Available in Multiple Calibers





W NEW MODEL SINGLE-SIX[®] FAMILY

SINGLE-TEN®





Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
8100	22 LR	10	Stainless Steel/ Satin Stainless	Hardwood Gunfighter	Williams™ Adjustable Fiber Optic	5.50''	11''	38 oz.	1:14''	\$699.00

SINGLE-NINE®



	E	
 _	TU	

6.50" Barrel Helps the .22 WMR Cartridge Reach its Fullest Potential Williams™ Adjustable Fiber Optic Sights

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
8150	22 WMR	9	Stainless Steel/ Satin Stainless	Hardwood Gunfighter	Williams™ Adjustable Fiber Optic	6.50''	12''	39 oz.	1:14''	\$699.00

NEW MODEL SINGLE-SIX® in .17 HMR





Adjustable Rear Sights

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0661	17 HMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12''	35 oz.	1:7''	\$629.00

NEW MODEL SINGLE-SIX® HUNTER



NEW MODEL SINGLE-SIX® CONVERTIBLE





			COMPARE							
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0625	22 LR/ 22 WMR	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50''	11''	39 oz.	1:14''	\$699.00
0626	22 LR/ 22 WMR	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	6.50''	12''	40 oz.	1:14''	\$699.00
0623	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.25''	32 oz.	1:14''	\$629.00
0621	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	5.50''	11''	33 oz.	1:14''	\$629.00
0622	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12''	35 oz.	1:14''	\$629.00
0624	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	9.50''	15''	39 oz.	1:14''	\$629.00

NEW MODEL SINGLE-SIX® CONVERTIBLE with Fixed Sights



Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0629	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Blade Front, Integral Rear	5.50''	11"	33 oz.	1:14''	\$699.00





Ramp Front and Adjustable Rear Sights

Extra Cylinder Allows Shooters to Easily Change from Shooting .22 LR to .22 WMR



Blade Front and Integral Rear Sights

Extra Cylinder Allows Shooters to Easily Change from Shooting .22 LR to .22 WMR

FEATURES

- Decorative, unfluted cylinder displays a rollmark with a bear and cougar design.
- Classic styling and one-piece frame are reminiscent of Civil War-era Remington® revolvers.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Lightweight and accurate with blade front and integral notch rear sights.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

ORIGINAL BEARCAT® AND SUPER BEARCAT® OWNERS: SEE INSIDE BACK COVER FOR AN IMPORTANT **FREE SAFETY OFFER** FROM RUGER!

22 LR



			COMPARE							
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0912	22 LR	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	4.20''	9''	24 oz.	1:16''	\$639.00
0913	22 LR	6	Stainless Steel/ Satin Stainless	Hardwood	Blade Front, Integral Rear	4.20''	9''	24 oz.	1:16''	\$689.00



Decorative Unfluted Cylinder





Lightweight and Accurate



Transfer Bar Mechanism



Cold Hammer-Forged Barrel

Classic Styling and One-Piece Frame







AR-556° PISTOL

The **AR-556**[®] **Pistol** is equipped with an SB Tactical[®] SBA3[®] Pistol Stabilizing Brace[®], which features integral QD sling sockets and a minimalist design.

		COMPARE											_
	Model Number	Caliber	Capacity	Finish	Sights	Feature	Handguard	Barrel Length	Overall Length	Weight	Thread Pattern	Twist	Suggested Retail
	8570*	5.56 NATO/ 223 Rem	30	Type III Hard Coat Anodized	None	SB Tactical [®] SBA3 [®] Pistol Stabilizing Brace [®]	Free-Float with M-LOK [®] Attachment Slots	10.50''	25.30''- 27.90''	6.2 lbs.	1/2''-28	1:8''	\$899.00
NEW	8571*	350 Legend	5	Type III Hard Coat Anodized	None	SB Tactical [®] SBA3 [®] Pistol Stabilizing Brace [®]	Free-Float with M-LOK [®] Attachment Slots	9.50''	24''- 26.60''	5.6 lbs.	1/2''-28 x 0.4	1:16''	\$949.00
NEW	8572*	300 BLK	30	Type III Hard Coat Anodized	None	SB Tactical [®] SBA3 [®] Pistol Stabilizing Brace [®]	Free-Float with M-LOK [®] Attachment Slots	10.50''	25.30''- 27.90''	5.8 lbs.	5/8''-24	1:7''	\$949.00
NEW	8573*	5.56 NATO/ 223 Rem	30	American Flag Cerakote®	None	SB Tactical [®] SBA3 [®] Pistol Stabilizing Brace [®]	Free-Float with M-LOK® Attachment Slots	10.50''	25.30''- 27.90''	6.2 lbs.	1/2''-28	1:8''	\$949.00







THREE CALIBERS

AR-556[®] Pistol in .350 Legend (Model 8571)

FEATURES

00

- Lower receiver is fitted with an adjustable SB Tactical[®] SBA3[®] Pistol Stabilizing Brace® to aid in accuracy, balance and recoil management.
- Slim handguard is free-floated for accuracy and its slim 9" length provides enhanced ergonomics and support. Magpul® M-LOK® accessory attachment slots along the 3:00, 6:00 and 9:00 positions.
- Made from aerospace-grade 7075-T6 aluminum forging, the flattop upper receiver includes a forward assist, dust cover and brass deflector.
- Bolt is machined from 9310 alloy steel and is shot peened and pressure (proof) tested to ensure strength, structural integrity and durability.
- Carbine-length gas system ensures reliable function with a wide variety of ammunition. Models 8571 and 8572 feature a pistol-length gas system

* Some firearms may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.



AR-556® PISTOL



- Cold hammer-forged 4140 chrome-moly steel barrel with ultra-precise rifling provides exceptional accuracy, longevity and easy cleaning. M4 feed ramps provide improved reliability, and the matte black oxide finish reduces glare and provides corrosion resistance.
- Bolt carrier and gas key have chrome-plated inside diameters to provide exceptional resistance to hot gases. The gas key is staked so that it will not loosen after extensive firing. A matte black oxide finish on the exterior of the bolt carrier provides corrosion resistance.
- A Ruger® flash suppressor is provided, and the threaded barrel allows for standard muzzle accessories to be installed.
- Also includes: One magazine.

22 CHARGER[®]

First introduced in 2007, the **22 Charger**[™] .22 LR pistol has become a favorite of target shooters and plinkers alike. This unique pistol offers enhanced ergonomics, the BX-15® magazine and the takedown model employs the very popular 10/22 Takedown® quick disconnect feature that allows this pistol to be taken down quickly and easily.





ONE CALIBER

The 22 Charger™ Takedown model quickly and easily breaks down into two sections for convenient storage and transport.







22 CHARGER™



FOUR MODELS





Q 22 CHARGER[™]

FEATURES

- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Features a standard A2-style grip that can be easily replaced with any AR-style grip.
- Factory-installed Picatinny-style rail provides ample room for scopes and red-dot sights.
- Includes one, 15-round, BX-15[®] magazine, which is the perfect length when shooting with the included bipod prone or from the bench.
- Included adjustable bipod provides rock-steady sighting.
- Threaded barrel features a 1/2"-28 thread pattern that accepts most suppressors, flash hiders and the factory-installed thread protector.
- Takedown models quickly and easily breaks down into two sections for convenient storage and transport.
- Brace-ready models feature a factory-installed Picatinny-style rail brace mount with integrated QD cup.

22 LR



						COMPARE						
	Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Stock Option	Stock Feature	Barrel Length	Overall Length	Weight**	Twist	Suggested Retail
	4923*	22 LR	15	Alloy Steel/ Matte Black	Black Polymer	Standard	-	10''	19.25''	3.1 lbs.	1:16''	\$309.00
	4924*	22 LR	15	Alloy Steel/ Matte Black	Black Polymer	Takedown	-	10''	19.25''	3.2 lbs.	1:16''	\$419.00
NEW	4938*	22 LR	15	Alloy Steel/ Matte Black	Black Polymer	Standard	Picatinny-Style Rail Brace Mount	8''	17''	3.2 lbs.	1:16''	\$349.00
NEW	4935*	22 LR	15	Alloy Steel/ Matte Black	Black Polymer	Takedown	Picatinny-Style Rail Brace Mount	10''	19''	3.5 lbs.	1:16''	\$599.00



Adjustable Bipod for Rock-Steady Sighting



Brace-Ready Models Feature a Factory-Installed Picatinny-Style Rail Brace Mount



Standard A2-Style Pistol Grip



Includes a 15-Round, BX-15® Magazine

Factory-Installed Picatinny-Style Rail

* Some firearms may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale. ** Without magazine and bipod.



Takedown Model is Easily Separated and Reassembled





10/22°

Built in our American factories by American workers, every **10/22**° rifle that comes off the line is a quality firearm. With millions sold over a span of more than half a century, the Ruger® 10/22° has long been America's favorite rimfire rifle. When it comes to choosing your next .22 rifle, don't settle for an imitation, make it an original.





86

Q 10/22[®]

FEATURES

- This legendary action is a tried and true Ruger design that ensures consistent, reliable performance.
- Detachable 10-round rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- Easy-to-use, prominent magazine release provides smooth, no-fuss removal of the flush-mounted magazine.
- Positive, push-button, cross-bolt manual safety.
- Combination scope base adapter for both Weaver-style and .22 tip-off scope mounts included.

- Cold hammer-forged barrel is locked into the receiver by a unique, two-screw, V-block system.
- Heat-stabilized, glass-filled, polymer trigger housing assembly is precision made of high-tech material for improved manufacturing tolerances, impact and abrasion resistance and an unmatched ability to withstand the elements.
- The receiver and stock combine to create classic lines for attractive styling.







Detachable 10-Round Rotary Magazine

Easy-to-Use, Prominent Magazine Release



Combination Scope Base Adapter Included



Positive, Push-Button, Cross-Bolt Manual Safety





	10/22 ®	CARBINE				But I						l
				Model 17	103 Shown	5	20			9	1	
				COMPARE	1	Gold Bead Front a Folding Rea		Factory-Installe	94 Ships with d Weaver™ 3-9x4 d Hard Case	40 Factor	odel 31143 S y-Installed Vi Scope and H	iridian® 3-9x40
	Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
	1103	22 LR	10	Alloy Steel/ Satin Black	Hardwood	Gold Bead Front, Adjustable Rear	18.50''	37''	5 lbs.	13.50''	1:16''	\$309.00
	1151	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear	18.50''	37''	4.4 lbs.	13.50''	1:16''	\$309.00
	21194	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear (3-9x40 Weaver™ Scope Included)	18.50''	37''	5.4 lbs.	13.50''	1:16''	\$399.00
NEW	31143	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear (Viridian® EON 3-9x40 Scope Included)	18.50''	37''	5.4 lbs.	13.50''	1:16''	\$399.00
	1256	22 LR	10	Stainless Steel/ Satin Stainless	Black Synthetic	Gold Bead Front, Adjustable Rear	18.50''	37''	4.4 lbs.	13.50''	1:16''	\$339.00

10/22[®] CARBINE with Scope Base Adapter



10/22[®] CARBINE with GO Wild[®] Camo Rock-Star[®] Stock



* Some rifles may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.

10/22® COMPACT



Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
31114	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Fiber Optic Front, Adjustable Fiber	16.12''	34''	4.4 lbs.	12.50''	1:16''	\$309.00





Satin Black

Synthetic



										7 4110110	
Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
1102	22 LR	10	Alloy Steel/ Satin Black	American Walnut	Gold Bead Front, Adjustable Rear	18.50''	37''	5.2 lbs.	13.88''	1:16''	\$419.00



Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
21186*	22 LR	10	Alloy Steel/ Satin Black	Black Laminate with Thumbhole	None	16.13''	35.25''	5 lbs.	13.75''	1:16''	\$649.00





Ruger® Modular Stock System with Low Comb Fiber Optic Front and Adjustable Compact Length of Pull Module Installed

Fiber Optic Rear Sights

Optic Rear



Factory-Installed Flash Suppressor with 1/2"-28 Thread Pattern



Contoured Buttplate on Black Synthetic Stock

Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
16.12''	36.25''	4.3 lbs.	13.50''	1:16''	\$359.00

1/2"-28 Threaded Barrel Tensioned in Black Light, Crisp BX-Trigger® Anodized Aluminum Alloy Barrel Sleeve

Laminate Thumbhole Stock with Adjustable Length of Pull

W 10/22 TAKEDOWN[®]

FEATURES

- Easy takedown enables quick separation of the barrel from the action for ease of transport and storage. Takedown is as simple as locking the bolt back and verifying that the rifle is unloaded, pushing a recessed lever, twisting the subassemblies and pulling them apart.
- Simple reassembly allows for a secure connection of the barrel and action and returns the firearm to zero, even when receiver-mounted optics are used, ensuring consistent accuracy, shot after shot.
- This legendary action is a tried and true Ruger design that ensures consistent, reliable performance.
- Detachable 10-round rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- Easy-to-use, prominent magazine release provides smooth, no-fuss removal of the flush-mounted magazine.

- Positive, push-button, cross-bolt manual safety.
- Combination scope base adapter for both Weaver-style and .22 tip-off scope mounts included.
- Heat-stabilized, glass-filled, polymer trigger housing assembly is precision-made of high-tech material for improved manufacturing tolerances, impact and abrasion resistance and unmatched ability to withstand the elements.
- Precision-rifled, cold hammer-forged barrel.
- The receiver and stock combine to create classic lines for attractive styling.
- Also includes: convenient carry-case.



Recessed Locking Lever



22

LR

Detachable 10-Round Rotary Magazine



Classic Lines for Attractive Styling



Positive, Push-Button, Cross-Bolt Manual Safety

3 Rotate Barrel Assembly

Remove Barrel Assembly

from Receiver

Lock Bolt Back and Verify Rifle is Unloaded

Pull Locking Lever to Unlock



Easy-to-Use, Prominent Magazine Release

Patented Takedown Design Enables Quick and Easy Separation of the Barrel from the Action

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.

10/22 TAKEDOWN®



			COMPARE										
Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
11100	22 LR	10	Stainless Steel/ Satin Stainless	Black Synthetic	Gold Bead Front, Adjustable Rear	Standard	-	18.50''	37''	4.6 lbs.	13.87''	1:16''	\$439.00
11112*	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear	Threaded with Flash Suppressor	1/2''-28	16.40''	36.75''	4.6 lbs.	13.87''	1:16''	\$459.00

10/22 TAKEDOWN[®] with Fluted .920" Diameter Barrel



Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
21133*	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	None	Threaded, Fluted .920'' Diameter	1/2''-28	16.12''	34.62''	5.3 lbs.	13.87''	1:16''	\$629.00



Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights
21152*	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	None

Adjustable Rear Sights

Satin Stainless or Satin Black Finish

Alloy Steel Barrel Tensioned in a 6061-T6 Aluminum Alloy, Ventilated Sleeve

Standard Length of Pull Module Installed (Ships with	
Additional High Comb, Standard Length of Pull Module)	

Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
Threaded, Tensioned in Aluminum Sleeve	1/2''-28	16.12''	34.62''	4.5 lbs.	13.87''	1:16''	\$659.00

SILENT-SR° ISB

Offering top-tier sound reduction, the **Silent-SR**[®] **Integrally Suppressed Barrel** features best-in-class materials and an advanced design resulting in a lightweight, compact package.



22 Charger™ Takedown

eil

10/22 Takedown®

Silent-SR[®] ISB (Model 19001)

6777777 Rifle Not Included

93



SILENT-SR[®] ISB





REDUCES SOUND PRESSURE LEVELS OF .22 LR TO AN AVERAGE OF 113.2 dB WITH STANDARD VELOCITY AMMUNITION.

THE SILENT-SR® ISB IS COMPATIBLE WITH THE FOLLOWING RUGER® FIREARMS

10/22 Takedown[®] with .920" Diameter Barrel

10/22 Takedown® Lite



SILENT-SR° ISB

FEATURES

- Reduces sound pressure levels of .22 LR to an average of 113.2 dB with standard velocity ammunition.
- Lightweight for balance and portability. Once installed on the firearm, the center of gravity is close to the receiver, making it easy to maneuver and shoot.
- Easy to disassemble and clean. All internal components seal together to keep the byproducts of combustion away from the tube. A single screw retains the baffles and cap within the sleeve and doubles as a removal tool. The included 5/32^{''} hex key tool allows the integrally suppressed barrel to be completely disassembled for cleaning.
- Sleeve surrounding the 17-4 stainless baffles is matched to the forend for a clean, but distinctive, appearance.

 Stainless steel barrel, baffles and front cap were chosen for maximum strength and serviceability. The aluminum sleeve is permanently attached to the barrel to minimize weight and maintain a minimum overall length.

0

22

LR





Easy Disassembly for Cleaning



Using the Provided Disassembly Tool, Remove the Barrel Cap



Slide the Entire Stack of Baffles Out of the Barrel



Snap Apart Each Part of the Baffle Stack

Model Number	Caliber	Material/Finish	Effective Barrel Length	Legal Barrel Length	Weight	Suggested Retail
19001*	22 LR	17-4 Stainless and Aluminum/Cerakote®	10.62''	16.12''	2.6 lbs.	\$629.00

* Sound suppressors are not available in all states and locales due to laws restricting their ownership and use. Prior to purchasing, please check your state and local regulations to verify that you may legally possess a suppressor.



PC CARBINE

Practical and versatile, the **PC Carbine**[™] is built to excel in a variety of roles, from plinking or competition to home or personal defense. The PC Carbine™ is highly configurable, yet compact, making it the perfect, portable companion to match with a variety of pistols.







TWO CALIBERS





PC CARBINE™



THIRTEEN MODELS





PC CARBINE

FEATURES

- Interchangeable magazine wells for use of common Ruger® and Glock[®] magazines. Ships with SR-Series[™] and Security-9[®] pistol magazine well installed and an additional magazine well accepting Glock® magazines is included**. Ruger American® Pistol magazine wells are available at ShopRuger.com.
- Easy takedown enables quick separation of the barrel/forend assembly from the action for ease of transportation and storage. Takedown is as simple as locking the bolt back and verifying that the rifle is unloaded, pushing a recessed lever, twisting the subassemblies and pulling them apart.
- Dead blow action features a custom tungsten dead blow weight that shortens bolt travel and reduces felt recoil and muzzle rise. Bolt is machined from heat treated, chrome-moly steel to ensure strength, structural integrity and durability.
- Reversible magazine release and reversible charging handle to support left- or right-handed use or one-handed control manipulation while maintaining a proper firing grip***.
- Cold hammer-forged, chrome-moly steel barrel with ultra-precise rifling provides exceptional accuracy and longevity. The heavy-contour barrel provides consistent accuracy, while barrel fluting sheds unnecessary weight and allows for quick handling.



Interchangeable Magazine Wells

Reversible Magazine Release**

CHASSIS MODEL FEATURES



spacers included.

Threaded barrel with included thread protector allows for use

of standard muzzle accessories (excludes non-threaded models).

Accurate sighting system with adjustable ghost ring rear aperture sight

and non-glare, protected blade front sight (excludes Chassis models).

• Soft rubber buttpad with spacers allows the rifle to be properly sized

• Durable, glass-filled nylon synthetic stock features sling swivel studs

for rapid sling attachment and forward mounted accessory rail to

The grip features a proprietary texture for enhanced control.

utilizing proven 10/22[®] trigger components.

hard-coat anodized for maximum durability.

adjustment and charging handle removal.

Light, crisp trigger pull with minimal overtravel and positive reset

CNC-machined from an aerospace-grade 7075-T6 aluminum billet,

the receiver includes an integrated Picatinny-style⁺ rail and is Type III

■ Also includes: one SR-Series[™] pistol magazine. Non-chassis models

include hex wrenches for rear sight adjustment, buttpad spacer

allow for a variety of under-barrel accessories such as lights or lasers.

for different shooters or varying levels of outerwear. Three, 1/2"



Dead Blow Action to Shorten Bolt Travel and Reduce Felt Recoil and Muzzle Rise



Buttpad Spacers Allow for and Reversible Charging Handle Adjustable Length of Pull



Easy Takedown Enables Quick Separation of

the Barrel/Forend Assembly from the Action

Integrated Picatinny-Style Rail⁺ is Type III Hard-Coat Anodized for Maximum Durability



Non-Glare, Protected Blade Front Sight and Adjustable Ghost Ring Rear Aperture Sight



Chassis System Features Flared Magwell for Improved Magazine Reloading Capabilities as Well as Integrated, Rear-Mounted QD Cups

- * Some firearms may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.
- ** Early versions of Glock®-brand magazines with a "U" shaped notch at the rear of the magazine



Six-Position, Telescoping, Magpul® MOE® Buttstock



an Extended Trigger Reach for More Precise Trigger Control

- ***Older Glock® magazines with only one magazine latch slot require magazine release button
- The receiver-mounted, Picatinny-style rail is designed to accommodate most optics and optic mounts intended for use with Picatinny/ MIL-STD 1913 rails. However, due to reduced clearance between the top of the receiver and the bottom of the optics rail, optics and optic mounts that extend more than .275" below the top of the rail may not fit the PC Carbine™. Ensure that the optic or optic mount you intend to use does not extend more than .275" below the top of the



PC CARBINE[™] WITH FREE-FLOAT HANDGUARD



			COMPARE						F	eaturing wa	gpui® IVI-L(JK® Access	ory Attac	iment Slots
	Model Number	Caliber	Capacity	Receiver Material/Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
	19115*	9mm Luger	17	Aluminum Alloy/ Type III Hard-Coat Anodized	Black Synthetic	Protected Blade Front/Adjustable Ghost Ring Rear	Threaded, Fluted	1/2''-28	16.12''	34.37''	7 Ibs.	12.62''- 14.12''	1:10''	\$729.00
	19116	9mm Luger	10	Aluminum Alloy/ Type III Hard-Coat Anodized	Black Synthetic	Protected Blade Front/Adjustable Ghost Ring Rear	Fluted	-	16.12''	34.37''	7 Ibs.	12.62''- 14.12''	1:10''	\$729.00
	19117*	9mm Luger	10	Aluminum Alloy/ Type III Hard-Coat Anodized	Black Synthetic	Protected Blade Front/Adjustable Ghost Ring Rear	Threaded, Fluted	1/2''-28	16.12''	34.37''	7 Ibs.	12.62''- 14.12''	1:10''	\$729.00
NEW	19121*	9mm Luger	17	Aluminum Alloy/ Type III Hard-Coat Anodized	Synthetic with American Flag Camo	Protected Blade Front/Adjustable Ghost Ring Rear	Threaded, Fluted	1/2''-28	16.12''	34.37''	7 Ibs.	12.62''- 14.12''	1:10''	\$779.00

PC CARBINE[™] CHASSIS MODEL



			COMPARE											
	Model Number	Caliber	Capacity	Receiver Material/Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
NEW	19122*	9mm Luger	17	Aluminum Alloy/ Type III Hard-Coat Anodized	Adjustable, Black Synthetic Chassis with Aluminum Free-Float Handguard	None	Threaded, Fluted	1/2''-28	16.12''	32.25''- 35.50''	7.3 Ibs.	10.50''- 13.75''	1:10''	\$799.00
NEW	19124*	9mm Luger	10	Aluminum Alloy/ Type III Hard-Coat Anodized	Adjustable, Black Synthetic Chassis with Aluminum Free-Float Handguard	None	Threaded, Fluted	1/2''-28	16.12''	32.25''- 35.50''	7.3 Ibs.	10.50''- 13.75''	1:10''	\$799.00
NEW	19126*	9mm Luger	10	Aluminum Alloy/ Type III Hard-Coat Anodized	Fixed, Black Synthetic Chassis with Aluminum Free-Float Handguard	None	Fluted	-	16.12''	35.50''	7.3 Ibs.	13.75''	1:10''	\$799.00

	Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
Blade Front/ Ghost Ring Rear	Threaded, Fluted	1/2''-28	16.12''	34.37''	6.8 lbs.	12.62''- 14.12''	1:10''	\$649.00
Blade Front/ Ghost Ring Rear	Fluted	-	16.12''	34.37''	6.8 lbs.	12.62''- 14.12''	1:10''	\$649.00
Blade Front/ Ghost Ring Rear	Threaded, Fluted	1/2''-28	16.12''	34.37''	6.8 lbs.	12.62''- 14.12''	1:10''	\$649.00
Blade Front/ Ghost Ring Rear	Threaded, Fluted	9/16''- 24	16.12''	34.37''	6.6 lbs.	12.62''- 14.12''	1:16''	\$649.00
Blade Front/ Ghost Ring Rear	Fluted	-	16.12''	34.37''	6.6 lbs.	12.62''- 14.12''	1:16''	\$649.00
Blade Front/ Ghost Ring Rear	Threaded, Fluted	9/16''- 24	16.12''	34.37''	6.6 lbs.	12.62''- 14.12''	1:16''	\$649.00

Free-Float Hard Black Anodized Aluminum Handguard

AR-556°

A semi-automatic, M4-Style, direct impingement Modern Sporting Rifle, the **AR-556**° offers consumers an affordable, American-made rifle with the rugged reliability they have come to expect from Ruger. Extensively tested during its development, the AR-556° is constructed from top-quality components, including forged 7075-T6 aluminum upper and lower receivers and a cold hammer-forged, chrome-moly steel barrel with M4 feed ramp cuts. With standardized M4/AR components utilized throughout, the AR-556° is readily customizable.

AR-556° with Lite Free-Float Handguard (Model 8542)





A R - 5 5 6 ® 350 LEGEND SIXTEEN MODELS AR-556° MPR







AR-556[®]

FEATURES

- Ruger® Rapid Deploy folding rear sight provides windage adjustability and pairs with the A2-style, F-height, elevation-adjustable front sight for a solid, reliable aiming system (excludes models 8525, 8529 and AR-lower receivers).
- Made from 7075-T6 hard-coat anodized aluminum forgings, shot-peened and proof-tested 9310 steel bolt, and 8620 steel bolt carrier. The inside diameter of the carrier and gas key are chrome plated and the key is staked for longevity.
- Barrel nut and delta ring allow easy, one-person service of the heatresistant glass-filled nylon handguard. The design accepts most standard carbine-length handguards. The barrel nut uses a standard wrench (excludes model 8529).
- Gas block is located at a carbine-length (M4) position for improved balance and handling. Multiple attachment points include a QD socket and bayonet lug for many sling and accessory mounting options. Serrations on the angled face of the gas block provide a low-glare surface (excludes model 8529).

- Single-stage trigger provides durable and reliable fire control. The enlarged trigger guard is designed to allow for gloved shooting in cold weather.
- Complete rifles are equipped with a cold hammer-forged alloy barrel with 1:8" twist rifling that provides exceptional accuracy with bullets from 35 to 77 grains. The barrel and Ruger® flash suppressor have a matte black oxide finish to reduce glare and provide corrosion resistance (excludes model 8502).





A2-Style Front Sight and Ruger® Rapid Deploy Folding Rear Sight (Excludes Model 8525)



16.10" Cold Hammer-Forged Barrel with Ruger® Flash Suppressor



Flattop Upper Receiver Features a Forward Assist, Dust Cover and Brass Deflector



AR-Lower and AR-Lower Elite Receivers Available for Purchase Separately





AR-556°



MOE® Handguard with Magpul® M-LOK® Slots

Magpul® PMAG®

			COMPARE								
Model Number	Caliber	Capacity	Stock	Barrel Length	Overall Length	Height**	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
8500*	5.56 NATO/223 Rem	30	Black Synthetic, Collapsible	16.10''	32.25''- 35.50''	8''	6.5 lbs.	10.25'' - 13.50''	1/2''-28	1:8''	\$799.00
8515*	5.56 NATO/223 Rem	30	Magpul [®] MOE [®] Synthetic, Collapsible	16.10''	32.25''- 35.50''	8''	6.5 lbs.	10.25'' - 13.50''	1/2''-28	1:8''	\$849.00

AR-556® Optics Carbine



Model Number	Caliber	Capacity	Stock	Barrel Length	Overall Length	Height**	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
8525*	5.56 NATO/223 Rem	30	Black Synthetic, Collapsible	16.10''	32.25''- 35.50''	7.20''	6.7 lbs.	10.25'' - 13.50''	1/2''-28	1:8''	\$789.00



* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale. ** Without magazine. *** Some states prohibit the purchase of certain firearm receivers. Please check with your local law enforcement agency prior to purchasing this firearm receiver to verify that it may legally be purchased and/or possessed in your particular state and locale.

32.25''-

35.50''

8''

6.7 lbs.

10.25" -

13.50''

1/2"-28

1:8''

\$799.00

16.10''

AR-556[®] with Lite Free-Float Handguard



AR-556® with Free-Float Handguard

	-	Model 8529 Shown			
	Model Number	Caliber	Capacity	Stock	Barrel Length
	8529*	5.56 NATO/223 Rem	30	Black Synthetic, Collapsible	16.10''
NEW	8537*	5.56 NATO/223 Rem	10	Black Synthetic, Collapsible	16.10''
NEW	8530*	300 BLK	30	Black Synthetic, Collapsible	16.10''

AR-556[®] with Fixed Magazine



Model Number	Caliber	Capacity	Stock	Barrel Length
8523*	5.56 NATO/223 Rem	10	Magpul [®] MOE [®] Synthetic, Collapsible	16.10''

AR-LOWER RECEIVERS



8511*

5.56 NATO/223 Rem 10

Black Synthetic, Collapsible

el th	Overall Length	Height**	Weight	Length of Pull
)''	33''-36.25''	7.20''	6.7 lbs.	11.13''-1





11" Free-Floating Aluminum Handguard



Flattop Picatinny Upper Receiver for Easy Attachment of Optics

Overall Length	Height**	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
32.25''- 35.50''	7.20''	6.7 lbs.	10.25'' - 13.50''	1/2''-28	1:8''	\$819.00
32.25''- 35.50''	7.20''	6.7 lbs.	10.25'' - 13.50''	1/2''-28	1:8''	\$819.00
33''- 36.25''	7.20''	6.4 lbs.	10.25'' - 13.50''	5/8''-24	1:7''	\$819.00



Equipped with Juggernaut Tactical's Fixed Magazine Kit



Quick-Release Takedown Pin Allows for Convenient Separation for Reloading

Overall Length	Height**	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
32.25''- 35.50''	8''	6.5 lbs.	10.25'' - 13.50''	1/2''-28	1:8''	\$849.00



Stripped AR-Lower Receiver (Model 8506)

	COMPARE							
n/ S	Weight	Stock	Grip	Trigger	Overall Length	Length of Pull	Height	Suggested Retail
	8.8 oz.	-	-	-	7.75''	-	4''	\$129.00
	2.2 lbs.	Magpul [®] MOE SL®	Magpul [®] MOE [®]	Elite 452® AR-Trigger	15.63''- 19''	11.10''- 14.40''	6.75''	\$299.00

AR-556° MPR

FEATURES

- Lower receiver is fitted with Magpul[®] MOE[®] grip and MOE SL[®] collapsible buttstock on a Mil-Spec buffer tube.
- Handguard is free-floated for accuracy and the slim profile provides enhanced ergonomics.
- The bolt on models 8514 and 8532 is mil-spec 9310 and is machined and shot peened for strength and durability. To support the large case head of .450 Bushmaster ammunition, the .450 Bushmaster bolt is engineered with tapered lugs and machined from a high-strength superalloy.
- The Ruger® Elite 452[®] AR-Trigger is a two-stage trigger that offers a smooth, crisp, 4.5 pound trigger pull. It features a full-strength hammer spring for consistent primer ignition and a lightweight hammer that enables a faster lock time for improved accuracy.

- Magpul[®] M-LOK[®] accessory attachment slots along the 3:00, 6:00 and 9:00 positions with additional slots on the angled faces near the muzzle.
- Ruger® muzzle brake is a radial port design that significantly reduces felt recoil and muzzle movement. The threaded barrel allows for standard muzzle accessories to be installed.
- Models 8522 and 8532 features a cold hammer-forged 4140 chrome-moly steel barrel with ultra-precise 5R rifling and black nitrided finish provides exceptional accuracy, longevity and easy cleaning. The heavy barrel profile and 1:16" twist rate maximizes accuracy with bullets ranging from 170 to 260 grains.
- Also includes: one magazine.





Flat Top Upper Receiver Features a Forward Assist, Dust Cover and Brass Deflector



Two-Stage, Ruger® Elite 452® AR-Trigger Offers a Smooth, Crisp, 4.5 Pound Trigger Pull

Lower Receiver Fitted with Magpul® MOE® Grip and MOE SL® Collapsible Buttstock



Magpul® M-LOK® Accessory Attachment Slots Along the 3:00, 6:00 and 9:00 Positions





* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale. ** Without magazine.

MINI-14° AND MINI THIRTY°

From the farm and ranch to the deep woods and personal defense, Mini-14[®] and Mini Thirty[®] rifles have been the people's choice. Their shorter barrels and overall length make them favorites in any application where reliability, maneuverability and ease of handling are priorities.











NEW



Mini Thirty® (Model 5806



MINI-14° AND MINI THIRTY°

FEATURES

- Simple, rugged, Garand-style action with breech bolt locking system, a fixed-piston gas system and self-cleaning moving gas cylinder gives unparalleled reliability under harsh operating conditions.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Integral scope mounts, machined directly on the solid steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Accurate sighting system with adjustable ghost ring rear aperture sight and a non-glare, protected blade front sight.
- Receiver is drilled and tapped for mounting the included Picatinny rail.
- Also includes: two magazines; Picatinny rail; scope rings.





Simple, Rugged, Garand-Style Action



Adjustable Ghost Ring Rear Aperture Sight and Non-Glare, Protected Blade Front Sight



Integral Scope Mounts



Cold Hammer-Forged Barrel



W MINI-14° AND MINI THIRTY°

MINI-14[®] RANCH with Hardwood Stock



Adjustable Rear

MINI-14[®] RANCH with Black Synthetic Stock

223 Rem

Matte Stainless





	Number	Ganber	oapaony	Finish	SIOCK	Signta	Length	Length	Pattern	weight	of Pull	TWISt	Retail
	5847*	5.56 NATO/ 223 Rem	20	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	1/2''-28	6.7 lbs.	13''	1:9''	\$1,089.00
	5819*	5.56 NATO/ 223 Rem	20	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	1/2''-28	6.7 lbs.	13''	1:9''	\$1,169.00
	5864*	300 BLK	20	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.25''	5/8''-24	6.7 lbs.	13''	1:7''	\$1,089.00
NEW	5889*	5.56 NATO/ 223 Rem	20	Alloy Steel/ Blued	Speckled Black/ Brown Hardwood	Blade Front, Adjustable Rear	16.12''	37''	1/2''-28	7.2 lbs.	13.62''	1:9"	\$1,069.00

MINI-14® TACTICAL with Collapsible Folding Stock



	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
NEW	5888*	5.56 NATO/ 223 Rem	20	Alloy Steel/ Blued	Black Synthetic, Collapsible/Folding	Blade Front, Adjustable Rear	16.12''	34.50''- 38''	1/2''-28	7.5 lbs.	11.19''- 14.56''	1:9''	\$1,089.00



		COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
5853*	7.62x39	20	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50''	37.50''	6.7 lbs.	13''	1:10''	\$1,139.00
5806	7.62x39	5	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50''	37.50''	6.7 lbs.	13''	1:10''	\$1,069.00
5804	7.62x39	5	Stainless Steel/ Matte Stainless	Hardwood	Blade Front, Adjustable Rear	18.50''	37.50''	7 lbs.	13''	1:10''	\$1,069.00

MINI THIRTY® TACTICAL Model 5854 Shown

			COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
5854*	7.62x39	20	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	5/8''-24	6.7 lbs.	13''	1:10''	\$1,089.00
5868*	7.62x39	20	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	5/8''-24	6.7 lbs.	13''	1:10''	\$1,169.00

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.

Picatinny Rails

Swivels



RUGER PRECISION[®] **RIFLE**

Purpose-built to distance itself from the typical long-range rifle, the **Ruger Precision**[®] **Rifle** is a highly configurable, in-line recoil path, bolt-action rifle. Available in a variety of calibers, the Ruger Precision[®] Rifle offers outstanding accuracy and long-range capability.



RUGER





W RUGER PRECISION[®] RIFLE

FEATURES

- In-line recoil path manages recoil directly from the rear of the receiver to the buttstock, not through a traditional bedding system, providing maximum accuracy potential.
- Cold hammer-forged, chrome-moly steel barrel with 5R Rifling at minimum bore and groove dimensions, minimum headspace and centralized chamber.
- Ruger Marksman Adjustable™ trigger is externally adjustable, with a trigger pull range of 2.25 to 5 pounds; wrench is stored in the bolt shroud.
- Ruger Precision® MSR stock with QD sling attachment points features a bottom Picatinny rail and soft rubber buttpad. The left-folding stock hinge is attached to an AR-style buffer tube and accepts any AR-style stock. Length of pull and comb height are adjustable.
- Barrel features a Ruger Precision® Rifle Hybrid or Magnum Muzzle Brake to effectively reduce recoil while minimizing noise and blast to the sides of the shooter.
- Aluminum free-float handguard is black hard-coat anodized aluminum and features Magpul[®] M-LOK[®] slots on all four sides for improved scope clearance for long-range scopes and easy mounting of M-LOK-compatible rails and accessories.
- Ambidextrous manual safety for left- or right-handed lever manipulation.
- 20 or 30 MOA Picatinny rail secured with #8-40 screws for increased long-range elevation capabilities, depending on caliber.

- "Upper" receiver and one-piece bolt are precision CNC-machined from pre-hardened 4140 chrome-moly steel to minimize distortion.
- Three-lug bolt with 70° throw features dual cocking cams and a smooth-running, full diameter bolt body. Bolt body is nitrided for corrosion resistance, smooth operation and durability.
- Barrel can be replaced easily by a competent gunsmith using headspace gauges.
- Magazine well front is contoured for a positive grip when bracing against shooting supports.
- Oversized bolt handle for positive bolt manipulation, with a 5/16"-24 thread pattern for easy replacement. Bolt disassembly tool is stored in the Ruger Precision® Rifle Billet Aluminum Bolt Shroud for easy striker channel cleaning.
- "Lower" magazine well halves are precision machined from aerospacegrade 7075-T6 aluminum and are Type III hard-coat anodized for maximum durability.
- Extended trigger-reach AR-style grip and 45° ambidextrous safety selector. May be configured with any AR-style grip and selector.
- Also includes: two magazines.



		COMPARE						_	_		1
	Model Number	Caliber	Capacity	Barrel Length	Folded Length	Overall Length	Height	Width	Weight	Twist	Suggested Retai
	18028	308 Win	10	20''	31.60''	39.25'' - 42.75''	7.30''	3.30''	9.8 lbs.	1:10''	\$1,599.00
	18029	6.5 Creedmoor	10	24''	35.60''	43.25'' - 46.75''	7.30''	3.30''	10.7 lbs.	1:8''	\$1,599.00
	18032	6mm Creedmoor	10	24''	35.60''	43.25'' - 46.75''	7.30''	3.30''	10.8 lbs.	1:7.7''	\$1,599.00
W	18057	6mm Creedmoor	10	26''	35.60''	45.25'' - 48.75''	7.30''	3.30''	11 lbs.	1:7.7''	\$1,599.00
	18042	6.5 PRC	8	26''	35.60''	45.25'' - 48.75''	7.30''	3.30''	11 lbs.	1:8''	\$1,599.00
	18080	338 Lapua Mag	5	26''	40.35''	49'' - 52.50''	7.50''	3.50''	15.2 lbs.	1:9.375''	\$2,099.00
	18081	300 Win Mag	5	26''	40.35''	49'' - 52.50''	7.50''	3.50''	15.2 lbs.	1:9''	\$2,099.00
	18083	300 PRC	5	26''	40.35''	49'' - 52.50''	7.50''	3.50''	15.2 lbs.	1:9''	\$2,099.00







Picatinny Rail



Ambidextrous Safety

Ruger Precision® MSR Stock with QD Sling Attachment Points Features a Bottom Picatinny Rail and Soft Rubber Buttpad



RUGER.COM/PRECISIONRIFLE

RUGER PRECISION[®] **RIMFIRE**

Bringing the big-gun experience to the rimfire world, the **Ruger Precision**[®] **Rimfire** is a scaled down version of the Ruger Precision[®] Rifle that maintains the same ergonomics, trigger and manual of arms as the larger centerfire rifle. This rifle is the ideal rimfire trainer and the go-to rifle for your next rimfire match.

and the second

RUGER















RUGER PRECISION[®] RIMFIRE

QUICK-FIT PRECISION RIMFIRE ADJUSTABLE STOCK

120

Q RUGER PRECISION[®] RIMFIRE

FEATURES


- Molded, one-piece chassis and adjustable buttstock assembly are manufactured with glass-filled nylon for strength, stiffness and stability, making a solid foundation for accuracy each and every shot. Adjustable buttstock features a flat Picatinny bag rider, making it easy to affix a rear monopod. A molded-in window provides a tether point for your squeeze bag, and a metal QD pocket makes it easy to secure a sling.
- Quick-Fit adjustable Precision Rimfire stock allows length of pull and comb height to be quickly and easily adjusted to get proper fit over a wide range of shooter sizes, outerwear and shooting positions. Indicating marks molded into the chassis help you quickly return to a previous position.
- Big-Gun bolt throw adjustment enables shooters to change from a rimfire 1-1/2" bolt throw to a short-action centerfire 3" bolt throw, reducing the chance of short-stroking your bolt in competition.
- Ruger Marksman Adjustable[™] trigger is externally adjustable, with a trigger pull range of 2.25 to 5 pounds; wrench is stored in a buttstock compartment.
- Ruger's own AR-pattern pistol grip and safety selector provides an extended reach for maximum control and access to the 45°, reversible safety selector. May be configured with most AR-style grips and selectors.

- Features anodized Picatinny scope base.
- Oversized bolt handle for positive bolt manipulation (same as the Ruger Precision® Rifle).
- 15" aluminum free-float handguard is black hard-coat anodized aluminum and features Magpul[®] M-LOK[®] slots on all four sides for improved scope clearance for long-range scopes and easy mounting of M-LOK-compatible rails and accessories.
- 18" target barrel is cold hammer-forged from 1137 alloy steel to create ultra-precise rifling for excellent accuracy. Barrel can be replaced easily by a competent gunsmith using AR-style wrenches and headspace gauges.
- 1/2"-28 threaded barrel for standard muzzle accessories, like the Silent-SR[®] suppressor. Comes with a factory-installed thread protector covering both the threads and crown.



Ruger Precision® Rimfire in .22 LR

(Model 8400*)















15" Free-Float Hard Black Anodized Aluminum Handguard

1/2"-28 Threaded Barrel for Standard Muzzle Accessories, Including the Silent-SR®

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.

Bolt Throw



RUGER AMERICAN[®] RIFLE

Another engineering innovation from America's leading firearms manufacturer, the **Ruger American**[®] **Rifle** combines Ruger's famous rugged reliability with the award-winning ingenuity featured in so many of Ruger's products.





U

TEEEEEE

Ruger American® Ranch Rifle in 6.5 Grendel (Model 36926)



RUGER AMERICAN[®] RIFLE





Q RUGER AMERICAN[®] RIFLE

FEATURES

- Ruger Marksman Adjustable[™] trigger offers a crisp release with a pull weight that is user adjustable between 3 and 5 pounds, allowing shooters to make that perfect shot.
- Ergonomic, lightweight synthetic stock designed for quick, easy handling blends a classic look with modern forend contouring and grip serrations.
- Soft rubber buttpad is crafted for maximum recoil reduction.
- The one-piece, three-lug bolt with 70° throw provides ample scope clearance and utilizes a full diameter bolt body and dual cocking cams for smooth, easy cycling from the shoulder.
- Patented Power Bedding[®], integral bedding block system positively locates the receiver and free-floats the barrel for outstanding accuracy.





Patented Power Bedding® Integral Bedding Blocks for Outstanding Accuracy

- Factory-installed, one-piece Picatinny scope base.
- Offers minute-of-angle accuracy that can make every hunt a success.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- The visible, accessible and easy-to-actuate tang safety provides instant security.
- Also includes: one magazine; sling swivel studs.





Ruger Marksman Adjustable™ Trigger Provides a Crisp Release with a User-Adjustable 3-5 lb. Trigger Pull



Visible, Accessible and Easy-to-Actuate Tang Safety



Cold Hammer-Forged Barrel



Ergonomic, Lightweight Stock



One-Piece, Three-Lug Bolt with 70° Throw Provides Ample Scope Clearance



W RUGER AMERICAN[®] RIFLE

RUGER AMERICAN[®] RIFLE



COMPARE Model Caliber Material/ Barrel Length of Pull Capacity Magazine Stock Sights Overall Twist Suggested Retail Weight Number Finish Length Length 6904 243 Win Flush-Fit Alloy Steel/ Black None 22'' 42'' 6.2 lbs. 13.75'' 1:9'' \$489.00 Matte Black Synthetic 6902 270 Win Flush-Fit 42.50'' 6.2 lbs. 13.75'' 1:10" \$489.00 Alloy Steel/ None Black 22'' 4 Synthetic Matte Black 13.75'' 42'' 6.3 lbs. 1:8.5'' \$489.00 6906 7mm-08 Rem Flush-Fit Alloy Steel/ Black None 22'' Matte Black Synthetic 13.75'' 6901 30-06 Sprg Flush-Fit Alloy Steel/ Black None 22'' 42.50'' 6.2 lbs. 1:10'' \$489.00 Matte Black Synthetic 308 Win 13.75'' 1:10'' \$489.00 6903 Flush-Fit Allov Steel/ Black None 22'' 42'' 6.1 lbs. Matte Black Svnthetic 6917 LH 13.75'' \$489.00 6.1 lbs. 1:10'' 308 Win Δ Flush-Fit Alloy Steel/ Black None 22'' 42'' Matte Black Synthetic



Model 16933 Shown

	SPECIFICAT				Adjı	ıstment Ma
Item N	umber: CF2-310	007				
Constr	uction Feature	s: Waterpro	of.		Mai	ntube Dian
			, Shockproof		Mat	erial: Aircra
	COMPARE					
Model Number	Caliber	Capacity	Magazine	Material/ Finish		Stock
16931	243 Win	4	Flush-Fit	Alloy Stee Matte Bla		Black Synthetic

	CONFARE											
Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
16931	243 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II [®] Riflescope	22''	42''	7.2 lbs.	13.75''	1:9''	\$639.00
16932	270 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	Vortex [®] Crossfire II [®] Riflescope	22''	42.50''	7.1 lbs.	13.75''	1:10''	\$639.00
16933	30-06 Sprg	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II® Riflescope	22''	42.50''	7.1 lbs.	13.75''	1:10''	\$639.00
16934	308 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	Vortex [®] Crossfire II [®] Riflescope	22''	42''	7 lbs.	13.75''	1:10''	\$639.00

RUGER AMERICAN® RIFLE COMPACT



COMPARE



reduction in overall length of more than five inches).

Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
6908	243 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	18''	36.75''	6 lbs.	12.50''	1:9''	\$489.00
6909	7mm-08 Rem	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	18''	36.75''	6 lbs.	12.50''	1:8.5''	\$489.00
6907	308 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	18''	36.75''	6 lbs.	12.50''	1:10''	\$489.00

RUGER AMERICAN® RIFLE RANCH



Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
26965	5.56 NATO/ 223 Rem	10	AR-Style	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	1/2''-28	6.1 lbs.	13.75''	1:8''	\$549.00
26968	300 BLK	10	AR-Style	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	5/8''-24	5.9 lbs.	13.75''	1:7"	\$549.00
16950	450 Bushmaster	3	Single- Stack	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	11/16''-24	5.5 lbs.	13.75''	1:16''	\$549.00
16976	7.62x39	5	Mini Thirty®	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	5/8''-24	5.9 lbs.	13.75''	1:9.5''	\$549.00
26981	350 Legend	5	AR-Style	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.38''	36''	1/2''-28 x 0.4	6.1 lbs.	13.75''	1:16''	\$549.00
26985 Compact	350 Legend	5	AR-Style	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.38''	34.75''	1/2''-28 x 0.4	6 lbs.	12.50''	1:16''	\$549.00
36926	6.5 Grendel	10	AR-Style	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.10''	36''	5/8''-24	6.1 lbs.	13.75''	1:8''	\$549.00

RUGER AMERICAN® RIFLE with Vortex® Crossfire II® Riflescope

larkings: 1/4 MOA Finger Click Adjustments

meter: 1"

aft Grade Aluminum

Magnification: 3-9x Linear Field of View (ft @ 100yd): 34.1 - 12.6 Objective Lens Diameter: 40mm



Threaded Barrel with Factory-Installed Thread Protector or Ruger⊛ Hybrid Muzzle Brake (Model 16950)

W RUGER AMERICAN[®] RIFLE

RUGER AMERICAN® RIFLE PREDATOR

			-	Ö		-		0				•	0
		odel 26973	Shown										led Barrel with lled Thread Protect
Model Number	COMPARE	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
26971	204 Ruger	10	AI-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	1/2''-28	6.6 lbs.	13.75''	1:12''	\$549.00
6945	22-250 Rem	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	1/2''-28	6.6 lbs.	13.75''	1:10"	\$529.00
26944	223 Rem	10	AR-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	1/2''-28	6.6 lbs.	13.75''	1:8''	\$549.00
6972	243 Win	3	AI-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:9''	\$549.00
26973	6.5 Creedmoor	3	AI-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$549.00
6973	6.5 Creedmoor	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$529.00
16977 LH	6.5 Creedmoor	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$569.00
26916 LH	243 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:9''	\$569.00
26917 LH	7mm-08 Rem	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8.5"	\$569.00
26918 LH	308 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:10"	\$569.00
26948	6mm Creedmoor	3	AI-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:7.7"	\$549.00
6974	308 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	18''	38''	5/8''-24	6.2 lbs.	13.75''	1:10"	\$529.00
26922	6.5 Grendel	10	Metal AR-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$549.00

RUGER AMERICAN® RIFLE PREDATOR with Vortex® Crossfire II® Riflescope



SCOPE SPECIFICATIONS Reticle: Dead-Hold BDC Construction Features: Waterproof, Fogproof, Shockproof

Maintube Diameter: 1"

	COMPARE												
Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
26951	223 Rem	10	AR-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	22''	42''	1/2''-28	7.6 lbs.	13.75''	1:8''	\$699.00
26952	204 Ruger	10	AI-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II [®] Riflescope	22''	42''	1/2''-28	7.6 lbs.	13.75''	1:12"	\$699.00
26953	6.5 Creedmoor	3	AI-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	22''	42''	5/8''-24	7.6 lbs.	13.75''	1:8''	\$699.00
16953	6.5 Creedmoor	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	22''	42''	5/8''-24	7.6 lbs.	13.75''	1:8''	\$699.00

RUGER AMERICAN® RIFLE with GO Wild[®] Camo I-M Brush[®] Stock



Model 26925 Shown

		COMPARE				<u>.</u>	o		0 "			1	.	
Mode Num		Caliber	Capacity	Magazine	Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
2692	23	7mm-08 Rem	3	Al-Style	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8.5''	\$629.00
2692	24	243 Win	3	Al-Style	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:9''	\$629.00
2692	25	6.5 Creedmoor	3	Al-Style	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$629.00
2692	26	308 Win	3	Al-Style	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:10''	\$629.00
2692	27	30-06 Sprg	4	Flush-Fit	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:10''	\$629.00
2692	28	450 Bushmaster	3	Single- Stack	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	22''	42''	11/16''- 24	6.6 lbs.	13.75''	1:16''	\$629.00
2692	29	300 Win Mag	3	Single- Stack	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	24''	44''	5/8''-24	7 lbs.	13.75''	1:10''	\$629.00
2698	86	350 Legend	5	Al-Style	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	22''	43.75''	1/2''-28 x0.4	6.8 lbs.	13.75''	1:16''	\$629.00
3692 Com		243 Win	4	Flush-Fit	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	16.10''	34.75''	5/8''-24	5.6 lbs.	12.50''	1:9''	\$629.00
3692 Com		6.5 Creedmoor	4	Flush-Fit	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	16.10''	34.75''	5/8''-24	5.6 lbs.	12.50''	1:8''	\$629.00
3692	25	6.5 PRC	3	Single- Stack	Bronze Cerakote®	GO Wild® Camo I-M Brush®	None	24''	44''	5/8''-24	7.1 lbs.	13.75''	1:8''	\$629.00

RUGER AMERICAN® RIFLE HUNTER



	COMPARE								. , .,.	5		,	
Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Thread Pattern	Length of Pull	Twist	Suggested Retail
26983	6.5 Creedmoor	5	Magpul [®] PMAG [®] 5 7.62 AC	Alloy Steel/ Matte Black	Gray Magpul® Hunter American	None	20''	41.25''- 43.25''	9.2 lbs.	5/8''-24	13''-15''	1:8''	\$799.00
26993	308 Win	5	Magpul® PMAG® 5 7.62 AC	Alloy Steel/ Matte Black	Gray Magpul® Hunter American	None	20''	41.25''- 43.25''	9.2 lbs.	5/8''-24	13''-15''	1:10''	\$799.00

LH: Left-Handed.

Adjustment Markings: 1/4 MOA Finger Click Adjustments

Magnification: 4-12x

Linear Field of View (ft @ 100yd): 24.7 - 8.4 Objective Lens Diameter: 44 mm

Material: Aircraft-Grade Aluminum

AND THE REAL PROPERTY AND
AL AN SPEC
A DICIONAL AND A
10.0

GO Wild[®] Camo I-M Brush[®] Stock

RUGER AMERICAN[®] RIMFIRE

The **Ruger American**[®] **Rimfire** bolt-action rifle builds on the enormous success of the centerfire Ruger American[®] Rifle. With many of the standard Ruger American[®] Rifle features, this line also combines several design innovations from the popular 10/22[®] rimfire rifle. This combination, along with the rifle's adaptability, will appeal to all bolt-action rifle enthusiasts – young or old, novice or experienced.







W RUGER AMERICAN[®] RIMFIRE

FEATURES

- Models configured with a synthetic stock include two interchangeable stock modules that provide comb height options for scope or iron sight use. By simply removing the rear sling swivel stud, stock modules can be changed in seconds. Stock modules are completely interchangeable across all models and are available at ShopRuger.com.
- Models chambered in .22 LR include the patented, detachable, flush-mounted BX-1, 10-round rotary magazine and accept all 10/22[®] magazines, including the BX-25[®], BX-25[®]x2 and BX-15[®].
- Models chambered in .22 Magnum and .17 HMR use the detachable, flush-mounted JMX-1, 9-round rotary magazine and accept the BX-15[®] Magnum magazine.
- Easy-to-use, extended magazine release provides smooth, no-fuss removal of the flush-mounted magazine.
- Patented Power Bedding[®] integral bedding block system positively locates the receiver and free-floats the barrel for outstanding accuracy.
- Ruger Marksman Adjustable™ trigger offers a crisp release with a pull weight that is user adjustable between three and five pounds, allowing shooters to make that perfect shot.

- Features a visible, accessible and easy-to-actuate tang safety that provides instant security.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- A 3/8'' rimfire scope base is machined into the receiver, which is also drilled and tapped for Weaver™ #12 bases. Long-Range Target model features a factory-installed, one-piece aluminum scope rail.
- A 60° bolt provides ample scope clearance and the easy-to-use, receiver-mounted bolt release allows the bolt to be readily removed without requiring a pull of the trigger, a unique safety feature among rimfire, bolt-action rifles.
- Also includes: sling swivel studs.





Visible, Accessible and Easy-to-Actuate Tang Safety



Ruger Marksman Adjustable™ Trigger Provides a Crisp Release with a User-Adjustable 3-5 lb. Trigger Pull





Detachable Rotary Magazine Provides Reliable Feeding

Patented Power Bedding® Integral Bedding Block for Outstanding Accuracy



134

W RUGER AMERICAN[®] RIMFIRE

RUGER AMERICAN[®] RIMFIRE

E				20				od			5	-
Model	COMPARE Caliber		8301 Shown Material/ Finish	Stock	Sights	Barrel	Overall		le with and wi nreaded Barrel Weight	thout		rchangeable lules Included Suggested
Number	Galiber	oupdoily		Otook	orgino	Length	Length	Pattern	Worgin	of Pull	IWISC	Retail
8311	17 HMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	22''	41''	-	6 lbs.	13.75''	1:9''	\$359.00
8301	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	22''	41''	-	6 lbs.	13.75''	1:16''	\$359.00
8321	22 WMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	22''	41''	-	6 lbs.	13.75''	1:14''	\$359.00
8312	17 HMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	37''	1/2''-28	5.5 lbs.	13.75''	1:9''	\$389.00
8305	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	37''	1/2''-28	5.5 lbs.	13.75''	1:16''	\$389.00
8322	22 WMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	37''	1/2''-28	5.5 lbs.	13.75''	1:14''	\$389.00

RUGER AMERICAN® RIMFIRE Compact

			303 Shown					Ava	ailable with or Threaded Ba			terchangeable odules Included
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
8313	17 HMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	35.75''	-	5.3 lbs.	12.50''	1:9''	\$359.00
8303	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	35.75''	-	5.3 lbs.	12.50''	1:16''	\$359.00
8323	22 WMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	35.75''	-	5.3 lbs.	12.50''	1:14''	\$359.00
8306	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	35.75''	1/2''-28	5.3 lbs.	12.50''	1:16''	\$389.00

.

RUGER AMERICAN® RIMFIRE with GO Wild® Camo I-M Brush Stock



RUGER AMERICAN® RIMFIRE STAINLESS



	COMPARE											
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
8351	22 LR	10	Stainless Steel/ Satin Stainless	Black Synthetic	None	18''	37''	1/2''-28	5.3 lbs.	13.75''	1:16''	\$429.00
8352	22 WMR	9	Stainless Steel/ Satin Stainless	Black Synthetic	None	18''	37''	1/2''-28	5.3 lbs.	13.75''	1:14''	\$429.00
8353	17 HMR	9	Stainless Steel/ Satin Stainless	Black Synthetic	None	18''	37''	1/2''-28	5.3 lbs.	13.75''	1:9''	\$429.00

RUGER AMERICAN® RIMFIRE TARGET



	COMPARE				_							
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
8350	17 HMR	9	Alloy Steel/ Satin Blued	Black Laminate	None	18''	37''	1/2''-28	6.8 lbs.	13.75''	1:9''	\$499.00
8348	22 LR	10	Alloy Steel/ Satin Blued	Black Laminate	None	18''	37''	1/2''-28	6.7 lbs.	13.75''	1:16''	\$499.00
8349	22 WMR	9	Alloy Steel/ Satin Blued	Black Laminate	None	18''	37''	1/2''-28	6.7 lbs.	13.75''	1:14''	\$499.00
8369	17 HMR	9	Stainless Steel/ Satin Stainless	Black Laminate	None	18''	37''	1/2''-28	6.7 lbs.	13.75''	1:9''	\$529.00
8367	22 LR	10	Stainless Steel/ Satin Stainless	Black Laminate	None	18''	37''	1/2''-28	6.7 lbs.	13.75''	1:16''	\$529.00
8368	22 WMR	9	Stainless Steel/ Satin Stainless	Black Laminate	None	18''	37''	1/2''-28	6.7 lbs.	13.75''	1:14''	\$529.00
8360	22 LR	10	Alloy Steel/ Satin Blued	Black Laminate with Thumbhole	None	18''	37''	1/2''-28	6.7 lbs.	13.75''	1:16''	\$559.00
8366	22 LR	10	Stainless Steel/ Satin Stainless	Black Laminate with Thumbhole	None	18''	37''	1/2''-28	6.7 lbs.	13.75''	1:16''	\$579.00

RUGER AMERICAN® RIMFIRE Long-Range Target



	Model Number	Caliber	Capacity	Material/ Finish	Stock
NEW	8378	22 LR	10	Alloy Steel/ Matte Blued	Speckled Black/Brow



Two, Interchangeable Factory-Installed, One-Piece Stock Modules Included Aluminum Scope Rail



Cold Hammer-Forged 0.860'' Bull Barrel with Factory-Installed One-Piece Aluminum with Thumbhole Laminate or Satin Knurled Thread Protector

Scope Rail



Factory-Installed, Adjustable Length of Pull Satin Stainless Stock Models

Blued Finish



Threaded 0.860" Bull Barrel with Factory-Installed



Factory-Installed

One-Piece Aluminum

Two-Way Adjustable Comb

		Knuried Threa	Id Protector	Scope	Kall					
	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail			
rown Laminate	None	22''	40.50''	8 lbs.	13.50''	1:16''	\$599.00			

6

RUGER[®] SCOUT RIFLE

The one rifle to have if you could have only one. The **Ruger**[®] **Scout Rifle** is the perfect lightweight, hard-hitting, do-it-all bolt-action rifle.





W RUGER[®] SCOUT RIFLE

FEATURES

- Forward-mounted Picatinny rail allows use of modern optics, like an intermediate eye relief scope (not included), for "both eyes open" sighting and rapid target acquisition.
- Built-in, accurate sighting system with adjustable ghost ring rear aperture sight and a non-glare, protected blade front sight.
- Detachable box magazine with push-forward magazine release just forward of the trigger guard.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Soft-rubber buttpad with buttpad spacers allows the rifle to be properly sized for different shooters or varying levels of outerwear (three, 1/2" spacers included).
- Free-floating, cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Rugged and reliable glass-reinforced nylon trigger guard and magazine well.

Capacity

10

10

10

10

Material/

Alloy Steel/

Matte Black

Stainless Steel/

Matte Stainless

Stainless Steel/

Matte Stainless

Stainless Steel/

Matte Stainless

Allov Steel/

Matte Black

Alloy Steel/

Matte Black

Finish

Stock

Black

Black

Black

Black

Laminate

Laminate

Laminate

Synthetic

American

Walnut

Black

Synthetic

- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Laminate stock models feature durable, laminated wood that free floats the barrel and remains stable in weather and temperature extremes.
- Lightweight synthetic stock models feature a forward aluminum bedding block and rear aluminum pillar that positively locate the receiver.
- Model 6837 features a Ruger® Hybrid Muzzle Brake (thread protector included).
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Rugged, one-piece, stainless steel bolt

NEW

(Model 6841)

Barrel Feature

Flash Suppressor

Flash Suppressor

Flash Suppressor

Muzzle Brake

Ruger® Hybrid

Muzzle Brake

Muzzle Brake

Ruger® Scout Rifle in .350 Legend

Overall

Length

37"- 38.50"

39.50''- 41''

39.50''- 41''

37''- 38.50''

37"- 38.50"

37''- 38.50''

Weight'

7.1 lbs.

7.3 lbs.

7.3 lbs.

6.2 lbs.

6.6 lbs.

6.3 lbs.

Length

of Pull

12.75''-

14.25"

12.75''-

14.25" 12.75''-

14.25''

12.75''-

14.25''

12.75''-

14.25

12.75''-

14 25'

Barrel

Length

16.10''

18.70''

18.70''

16.10''

16.10''

16.50''



Twist

1:10''

1:10''

1:10''

1:10''

1:16''

1:16''

Thread

Pattern

5/8"-24

5/8"-24

5/8"-24

5/8"-24

11/16"-24

1/2"-28 x 0.4

Suggested Retail

\$1,139.00

\$1.199.00

\$1,199.00

\$1,199.00

\$1.199.00

\$1,139.00







Glass-Reinforced Nylon Trigger Guard and Magazine Well





Adjustable Ghost Ring Rear Sight



Buttpad Spacers Allow for Adjustable Length of Pull



Model

6803

6821

6822

6829

6837

NEW 6841

LH

Number

Caliber

308 Win

308 Win

308 Win

308 Win

Bushmaste

350 Legend

450

HAWKEYE

The classic **Hawkeye**[®] bolt-action rifles are built with versatility, style and performance





HAWKEYE®



142

🤬 HAWKEYE® AFRICAN

FEATURES

- The LC6[™] trigger features smooth, crisp performance right out of the box for increased accuracy on the range or in the field.
- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects empty cases as the bolt is moved fully rearward.
- The Ruger® Muzzle Brake System includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced by the included dynamically-matched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.
- Hinged, solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

- Shallow "express-style" windage-adjustable V-notch rear sight and large white bead front sight for instant target acquisition.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Ergonomically pleasing, American walnut stock has rounded contours along the barrel, on the bottom of the stock and on top of the pistol grip and wrap-around checkering on the grip and forend.
- Rugged, one-piece, stainless steel bolt.
- Also includes: barrel band mounted swivel stud; optional forend swivel stud.






	COMPARE										
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
37186	375 Ruger	3	Alloy Steel/ Satin Blued	American Walnut with Ebony Forend Cap	Bead Front, Adjustable Rear	23''	44.88''	8 lbs.	13.50''	1:12''	\$1,279.00
47121 LH	375 Ruger	3	Alloy Steel/ Satin Blued	American Walnut with Ebony Forend Cap	Bead Front, Adjustable Rear	23''	44.88''	8 lbs.	13.50''	1:12''	\$1,279.00
37185	416 Ruger	3	Alloy Steel/ Satin Blued	American Walnut with Ebony Forend Cap	Bead Front, Adjustable Rear	23''	44.88''	7.8 lbs.	13.50''	1:14''	\$1,279.00



American Walnut Stock with Ebony Forend Cap



Ruger® Muzzle Brake System



Hinged, Solid-Steel Floorplate for Easy Unloading




Bead Front Sight and "Express-Style" Windage-Adjustable Rear Sight





FEATURES

- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects empty cases as the bolt is moved fully rearward.
- Hinged, solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.



- Rugged, one-piece, stainless steel bolt.
- Also includes: studs for mounting sling swivels.



NEW 57104 NEW 57105 6.5 PRC Stainless Steel/Satin Stainless American Walnut 22'' 42'' 7.2 lbs. 13.50'' 1:8'' \$1,099.00 None MEW 57107 \$1,099.00 308 Win Stainless Steel/Satin Stainless American Walnut None 20'' 40'' 7 lbs. 13.50'' 1:10'' NEW 57108 30-06 Sprg Stainless Steel/Satin Stainless American Walnut 22'' 42.75" 7.4 lbs. 13.50'' 1:10'' \$1,099.00 None NEW 57109 300 Win Mag 44.75'' 13.50'' 1:10" \$1,099.00 Stainless Steel/Satin Stainless American Walnut 24'' 8.1 lbs. None NEW 57120 LH 6.5 Creedmoor Stainless Steel/Satin Stainless American Walnut 22'' 42'' 7.2 lbs. 13.50'' 1:8'' \$1,099.00 None MEW 57121 LH 300 Win Mag 44.75" 13.50'' 1:10" \$1,099.00 24'' 8.1 lbs. Stainless Steel/Satin Stainless American Walnut None NEW 57124 7mm Rem Mag Stainless Steel/Satin Stainless American Walnut 24'' 44.75'' 8.1 lbs. 13.50'' 1:9.5'' \$1,099.00 None **MEW** 57125 44'' 13.50'' 204 Ruger Stainless Steel/Satin Stainless American Walnut 24'' 8 lbs. 1:12" \$1.099.00 None

HAWKEYE® COMPACT

			-6-		-	Ļ			3		1
0	COMPARE			Trigger for ed Accuracy	Am	erican Walnut Stock					
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
37139	308 Win	4	Alloy Steel/Satin Blued	American Walnut	None	16.50''	35.50''	5.7 lbs.	12.50''	1:10''	\$979.00
37140	7mm-08 Rem	4	Alloy Steel/Satin Blued	American Walnut	None	16.50''	35.50''	6 lbs.	12.50''	1:9.5''	\$979.00

HAWKEYE® LAMINATE COMPACT



	COMPARE Increased Accuracy										
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
17108	243 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	16.50''	35.50''	6.2 lbs.	12.50''	1:9''	\$1,069.00
17111	7mm-08 Rem	4	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	16.50''	35.50''	6.2 lbs.	12.50''	1:9.5''	\$1,069.00
17110	308 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	16.50''	35.50''	6 lbs.	12.50''	1:10''	\$1,069.00



HAWKEYE® LONG-RANGE TARGET



Unique, Two-Stage,

Adjustable Target

Model 47184 Shown

Matte Stainless

		COMPARE				Trigger (Not LC6	0
	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length
	47183	300 Win Mag	5	Alloy Steel/ Matte Black	Speckled Blac Brown Lamina		26''
	47184	6.5 Creedmoor	10	Alloy Steel/ Matte Black	Speckled Blac Brown Lamina		26''
	47189	6.5 PRC	3	Alloy Steel/ Matte Black	Speckled Blac Brown Lamina		26''
NEW	57122	204 Ruger	10	Alloy Steel/ Matte Black	Speckled Blac Brown Lamina		26''
NEW	57123	308 Win	10	Alloy Steel/ Matte Black	Speckled Blac Brown Lamina		26''





Black Laminate Stock





LC6[™] Trigger for Increased Accuracy

Speckled Black/Brown Laminate Stock

Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
Speckled Black/ Brown Laminate	None	22''	42.25''- 43.75''	7.2 lbs.	12.75''- 14.25''	1:8''	\$1,279.00
Speckled Black/ Brown Laminate	None	22''	42.25''- 43.75''	7.2 lbs.	12.75''- 14.25''	1:8''	\$1,279.00

Two-Way Adjustable Comb



Heavy-Contour, Target Barrel 20 MOA Picatinny Rail

Featuring Ruger® Hybrid

Muzzle Brake



HAWKEYE® PREDATOR

Model 17121 Shown



Green Mountain Unique, Two-Stage, Adjustable Target Laminate Stock Trigger (Not LC6[™] Trigger) Model 47139 Features an Adjustable Length of Pull

	COMPARE										
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
17123	204 Ruger	5	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24''	44''	8 lbs.	13.50''	1:12''	\$1,139.00
17121	22-250 Rem	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24''	44''	8 lbs.	13.50''	1:14''	\$1,139.00
17122	223 Rem	5	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	22''	42''	7.7 lbs.	13.50''	1:9''	\$1,139.00
47108	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24''	44''	8.1 lbs.	13.50''	1:8''	\$1,139.00
47139	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24''	43.25''- 44.75''	8.1 lbs.	12.75''- 14.25''	1:8''	\$1,159.00



	Nodel Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
4	47166	375 Ruger	3	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Hardwood	None	22"	41.25'' - 42.75''	7.8 lbs.	12.75''- 14.25''	5/8''-18	1:12''	\$1,269.00
4	47170	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Hardwood	None	24"	43.25'' - 44.75''	7.6 lbs.	12.75''- 14.25''	1/2''-24	1:8''	\$1,279.00



	COMPARE								_	101	neuuceure	11 1100011
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
57100	375 Ruger	3	Stainless Steel/ Hawkeye Matte Stainless	Black Hogue® OverMolded®	Bead Front/ Adjustable Rear	20"	42''	8.1 lbs.	13.50''	5/8''-18	1:12''	\$1,279.00
57101	338 Win Mag	3	Stainless Steel/ Hawkeye Matte Stainless	Black Hogue® OverMolded®	Bead Front/ Adjustable Rear	20"	42''	8 lbs.	13.50''	1/2''-32	1:10''	\$1,279.00
57102	300 Win Mag	3	Stainless Steel/ Hawkeye Matte Stainless	Black Hogue® OverMolded®	Bead Front/ Adjustable Rear	20"	42''	8.1 lbs.	13.50''	1/2''-24	1:10''	\$1,279.00



W RUGER[®] GUIDE GUN

FEATURES

- Shallow "express-style" windage-adjustable V-notch rear sight and large white bead front sight for instant target acquisition.
- Rugged, Green Mountain laminate stock is dimensionally stable in environmental extremes, and features a soft rubber buttpad with buttpad spacers that allow the rifle to be properly sized for different shooters or varying levels of outerwear (three, 1/2" spacers included). Wrap-around checkering provides a sure grip in any weather.
- The Ruger® Muzzle Brake System includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced with the included dynamicallymatched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.
- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.

- The LC6[™] trigger features smooth, crisp performance right out of the box for increased accuracy on the range or in the field.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Rugged, one-piece, stainless steel bolt.
- Also includes: barrel band mounted swivel stud; optional forend swivel stud.



	COMPARE		_						_		_
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
47117	338 Win Mag	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8 lbs.	12.75''- 14.25''	1:10''	\$1,279.00
47118	30-06 Sprg	4	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8.1 lbs.	12.75''- 14.25''	1:10''	\$1,279.00
47124 LH	375 Ruger	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8.1 lbs.	12.75''- 14.25''	1:12''	\$1,279.00
47125	375 Ruger	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8.1 lbs.	12.75''- 14.25''	1:12''	\$1,279.00
47130	416 Ruger	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8.1 lbs.	12.75''- 14.25''	1:14''	\$1,279.00



Ruger Logo Engraving



"Express-Style" Windage-Adjustable Rear Sight and Large White Bead Front Sight



Integral Scope Mounts

Ruger® Muzzle Brake System



Buttpad Spacers Allow for Adjustable Length of Pull





77-SERIES RIFLES

In 1983, Ruger responded to the many shooters who desired a high-quality, adult-size .22 LR rimfire rifle – one that was built to centerfire standards of strength, accuracy and aesthetics. Focused on building a rifle that was accurate, economical and extremely handsome, Bill Ruger launched the rotary magazine fed **77-Series** of bolt-action rifles.





(Model 7225)

152

W 77-SERIES

FEATURES

- Features a rugged, stainless steel bolt with 90° bolt throw and rapid lock time for added accuracy.
- Detachable rotary magazine features a unique rotor to separate cartridges and provide reliable feeding. Mounts flush with the stock to eliminate protrusions at the rifle's balance point.
- Threaded, cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Three-position safety is easily accessible and allows the shooter to lock the bolt to load and unload the rifle with the safety engaged.
- Also includes: sling swivel studs.










17

HORNET



Detachable Rotary Magazine



Integral Scope Mounts



on Mo

		COMPARE	1								Green Mountain Laminate Stock			
	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Thread Pattern	Suggested Retail	
NEW	7220	17 Hornet	6	Stainless Steel/ Matte Stainless	Green Mountain Laminate	None	18.50''	37.75''	7 lbs.	13.50''	1:9''	1/2''-28	\$1,069.00	
NEW	7222	17 WSM	6	Alloy Steel/ Blued	American Walnut	None	20''	39.25''	5.7 lbs.	13.50''	1:9''	1/2''-28	\$999.00	
NEW	7219	17 WSM	6	Stainless Steel/ Matte Stainless	Green Mountain Laminate	None	18.50''	37.75''	7 lbs.	13.50''	1:9''	1/2''-28	\$1,069.00	





				COMPARE									
	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Thread Pattern	Suggested Retail
NEW	7225	22 Hornet	6	Alloy Steel/ Blued	American Walnut	None	20''	39.25''	6.5 lbs.	13.50''	1:14''	1/2''-28	\$999.00
NEW	7226	22 Hornet	6	Stainless Steel/ Matte Stainless	Green Mountain Laminate	None	18.50''	37.75''	7 lbs.	13.50''	1:14''	1/2''-28	\$1,069.00



RUGER 77/44[®] with American Walnut Stock



RUGER 77/44[®] with Black Synthetic Stock



				COMPARE									
	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Thread Pattern	Suggested Retail
NEW	7417	44 Rem Mag	4	Stainless Steel/ Brushed Stainless	Black Synthetic	Bead Front, Adjustable Rear	18.50''	38.50''	5.2 lbs.	13.50''	1:20''	11/16''-24	\$999.00
NEW	7418	44 Rem Mag	4	Alloy Steel/ Blued	Black Synthetic	Bead Front, Adjustable Rear	18.50''	38.50''	5.2 lbs.	13.50''	1:20''	11/16''-24	\$899.00







Matte Stainless or Blued Finish

American Walnut or Green Mountain Laminate Stock

Gold Bead Front and Adjustable Rear Sights

ghts	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Thread Pattern	Suggested Retail
ld Bead ont,	18.50''	38.50''	5.5 lbs.	13.50''	1:16''	1/2''-28	\$999.00

Rear

ghts	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Thread Pattern	Suggested Retail
ad Front, ljustable	18.50''	38.50''	5.2 lbs.	13.50''	1:20''	11/16''-24	\$999.00

No.1

When you only have one shot, make it count. When you think of single-shot rifles, think of the best – think **Ruger**[®] **No.1**. The No.1 rifle is made for virtually every sporting activity.



CLASSIC SINGLE-SHOT

in .450 Bushmaster (Model 21304)

Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Feature	Barrel Length	Overall Length	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
21304	450 Bushmaster	1	Stainless Steel/ Satin Stainless	Black Laminate	None	Ruger® Hybrid Muzzle Brake	20''	36.50''	7.5 lbs.	13.50''	11/16''-24	1:10''	\$1,899.00

FEATURES

- Sliding tang safety provides instant security, visibility and accessibility.
- Strong, simple, compact falling block breech mechanism with artillery-style breechblock and under-lever is ideally suited for powerful cartridges.

đ

- Robust, sturdy, sculptured receiver forms a rigid support for barrel, stock and sliding breech block.
- Ejector mechanism provides maximum leverage at the point where the ejector engages the cartridge case and can be adjusted to provide extraction only.







- Integral scope mounts, machined directly on the solid steel quarter rib, provide a stable mounting surface for included scope rings.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Also Includes: sporting style buttpad; sling swivel studs.

W RUGER[®] RIFLE MAGAZINES

										.MR.T		۵	MR. Th	
		WEDOWN	•				ON RIFL	HUGER PE	AF 22 LT. RIMFT	REAL WHEN THE RUGER PUBLIC	MERCANDINE RUSER P	AF 22 LT RIMFIRS	20mm ^{R, T, IMR,} E H ^{MMCHE} Item No.	
	10122.1	PC CARE	M ^E AR-556	MM+1A	MMTHR	austr	RECISION RIFL	AFCISIC RUSER PR	EUSIL BUSER P	MERICA DUGER P	MERICE AUGER AN	MERICI-COUT RIF	E JAWKETE	
-Round, 22 LR Magazine	•	X ²	۴	<i>k</i> .	N .	v	•	×.	¢.	•	<u>к</u>	_د ح	* Item No. 90344	Price \$21.95
-Round, 22 LR Magazine	•						•			•			90041	\$21.95
D-Round, 22 LR Magazine	•						•			•			90005	\$21.95
)-Round, 2 LR Magazine (3-Pack)	•						•			•			90451	\$47.95
)-Round, 2 LR Magazine (Clear)	•						•			•			90223	\$24.9
5-Round, 22 LR Magazine	•						•			•			90463	\$28.9
5-Round, 22 LR Magazine	•						•			•			90361	\$33.9
5-Round, 2 LR Magazine (2-Pack)	•						•			•			90548	\$51.95
5-Round, 22 LR Magazine Clear-Sided)	•						•			•			90591	\$39.95
x25-Round, 2 LR Magazine	•						•			•			90398	\$58.95
-Round, 2 WMR/17 HMR Magazine											•		90076	\$24.9
5-Round, 2 WMR/17 HMR Magazine								•					90585	\$29.95
-Round, Short-Action Magazine 22-250 Rem)									•				90573	\$39.9
-Round, Short-Action Magazine 243 Win/308 Win/7mm-08 Rem/									•				90689	\$39.9
5 Creedmoor) Round, Short-Action Magazine 23 Rem/5.56 NATO/									•				90440	\$39.9
04 Ruger/300 BLK) -Round, 223 Rem Magazine				•									90009	\$29.9
)-Round,				•									90339	\$39.9
23 Rem Magazine 0-Round,													90010	\$39.9
23 Rem Magazine D-Round,				•									90035	\$49.9
23 Rem Magazine -Round,				•									90428	\$24.9
56 NATO/223 Rem Magazine			•						•					· ·
0-Round, .56 NATO/223 Rem Magazine			•						•				90384	\$19.9
D-Round, 56 NATO/223 Rem Magazine												•	90458	\$74.9
0-Round, 5.56 NATO/ 23 Rem Magazine			•										90420	\$ 19.9
D-Round, Al-Style Magazine 5.56 NATO)						•						•	90562	\$39.9
-Round, Long-Action Magazine 270 Win/30-06 Sprg)									•				90435	\$39.9
-Round, Magnum Magazine 7mm Rem Mag/300 Win Mag)									•				90549	\$49.9
-Round, 300 BLK Magazine				•									90583	\$29.9
D-Round, 00 BLK Magazine				•									90584	\$ 39.9
0-Round, 00 BLK Magazine				•									90484	\$39.95
-Round, 00 Win Mag Magazine						•							90682	\$84.9
Round, 7.62x39 Magazine					•				•				90012	\$29.9
D-Round, 7.62x39 Magazine					•				•				90485	\$39.9
0-Round, 62x39 Magazine					•				•				90338	\$39.9
-Round, 308 Win/4-Round 50 Bushmaster Magazine						•						•	90352	\$69.9
-Round, 308 Win Magazine												•	90354	\$39.95
0-Round, 08 Win Magazine						•						•	90353	\$74.95
20-Round, 308 Win/7.62 x 51/													90448	\$19.95

										1	HMR		A14	INF	
		PC CARP					TONRIFLE	-10N RIMFI	RECONDERING	AE 22 WMR.	ANRINFI	HERCAN RUNFIEL	22 mmR.		
	10/22.10	PC CARP	M ^E AR-556	MM+1A	MINI THE	IN RUGERP	REGIS. RUGER P	HUGER P	HUGER AN	AFRID. RUGER P	MERID RUGER AN	MERID SCOUT RI	IE HAWKEY	۶۶ Item No.	Price
3-Round, Al-Style Magazine (308 Win/6.5 Creedmoor/ 243 Win)					-	-	-		•			•		90560	\$39.9
5-Round, Al-Style Magazine (308 Win/ 6.5 Creedmoor/243 Win)						•			•			•		90561	\$39.9
10-Round, Al-Style Magazine (5.56 NATO/223 Rem)									•					90562	\$39.9
10-Round, Al-Style Magazine (308 Win/ 6.5 Creedmoor/243 Win)						•			•			•		90563	\$39.9
5-Round, 350 Legend Magazine			•						•					90694	\$17.9
10-Round, 350 Legend Magazine			•						•					90695	\$17.9
5-Round, 350 Legend Magazine												•		90146	\$63.
9-Round, 350 Legend Magazine												•		90147	\$69.
5-Round, 338 Lapua Magazine						•								90683	\$84.
17-Round, SR9® 9mm Luger Magazine		•												90326	\$44.
17-Round, Security-9® 9mm Luger Magazine		•												90675	\$39.
17-Round, SR9® 9mm Luger Magazine (2-Pack)		•												90449	\$57.
10-Round, SR9® 9mm Luger Magazine		•												90325	\$44.
10-Round, Security-9® 9mm Luger Magazine (2-Pack)		•												90685	\$55.
17-Round, Ruger American® Pistol 9mm Luger Magazine (Nickel-Teflon)		•												90510	\$39.
10-Round, Security-9® 9mm Luger Magazine		•												90638	\$39.
10-Round, Ruger American® Pistol 9mm Luger Magazine (Nickel-Teflon)		•												90514	\$39.
10-Round, Ruger American® Pistol 9mm Luger Compact Magazine		•												90617	\$39.
- 10-Round, SR9c⊛ 9mm Luger Compact Magazine		•												90369	\$44.
10-Round, Security-9® Compact 9mm Luger Magazine		•												90667	\$39.
10-Round, Security-9® Compact 9mm Luger Magazine (2-Pack)		•												90686	\$55.
12-Round, Ruger American⊚ Pistol 9mm Luger Compact Magazine		•												90618	\$39.
15-Round, Security-9® 9mm Luger Magazine		•												90637	\$39.
15-Round, Security-9® 9mm Luger Magazine		•												90681	\$44.
15-Round, Security-9® 9mm Luger Magazine (2-Pack)		•												90684	\$55.
9-Round, SR40c⊚ 40 S&W Compact Magazine		•												90368	\$44.
10-Round, SR40 [®] 40 S&W Magazine		•												90351	\$44.
15-Round, SR40®/SR40c® 40 S&W Magazine		•												90350	\$44.
5-Round, 6.8mm Magazine				•										90332	\$29.
3-Round, 450 Bushmaster Magazine									•					90633	\$39.
5-Round, MSR Magazine (.450 Bushmaster)			•											90679	\$42.9
5-Round, Al-Style Magazine 300 Win Mag)													•	90145	\$39.

RUGER® PISTOL MAGAZINES

			à	DUTY	COMPACT												
	در	9	ERICANPISTO	ERCANPSIL SRIPIT	e.	FHCER	HIGH RUGER	4		•				.1	2145	ft.	
	SECURITY	RUGERA	RUGERA	SR1911	SRIPITI	AR-556	RUGER	s. 4095	10380	ja LCB	LCP"	SRIL	MARKIN	MARKIN	2145 CHAR	Item No	. Price
1-Round, 22 LR Magazine															•	90344	\$21.95
5-Round, 22 LR Magazine															•	90041	\$21.95
10-Round, 22 LR Magazine															•	90005	\$21.95
10-Round, 22 LR Magazine (3-Pack)															•	90451	\$47.95
10-Round, 22 LR Magazine (Clear)															•	90223	\$24.95
10-Round, 22 LR Magazine														•		90599	\$29.95
10-Round, 22 LR Magazine													•			90231	\$29.95
10-Round, 22 LR Magazine (2-Pack)													•			90645	\$41.95
10-Round, 22 LR Magazine (2-Pack)														•		90646	\$41.95
10-Round, 22 LR Magazine with Extended Floorplate												•				90382	\$34.95
10-Round, 22 LR Magazine with Extended Floorplate (2-Pack)												•				90647	\$48.95
10-Round, 22 LR Magazine											•					90696	\$34.95
10-Round, 22 LR Magazine (2-Pack)											•					90697	\$48.95
15-Round, 22 LR Magazine															•	90463	\$28.95
25-Round, 22 LR Magazine															•	90361	\$33.95
25-Round, 22 LR Magazine (2-Pack)															•	90548	\$51.95
25-Round, 22 LR Magazine (Clear-Sided)															•	90591	\$39.95
2x25-Round, 22 LR Magazine															•	90398	\$58.95
5-Round, 5.56 NATO/223 Rem Magazine						•										90428	\$24.95
10-Round, 5.56 NATO/223 Rem Magazine						•										90384	\$19.95
30-Round, 5.56 NATO/223 Rem Magazine						•										90420	\$19.95
5-Round, 350 Legend Magazine						•										90694	\$17.95
10-Round, 350 Legend Magazine						•										90695	\$17.95
7-Round, 9mm Luger Magazine					•											90652	\$39.95
7-Round, 9mm Luger Magazine with Extended Floorplate								•								90363	\$39.95
Floorplate 7-Round, 9mm Luger Magazine with Extended Floorplate (2-Pack)								•								90642	\$55.95
(2-Pack) 9-Round, 9mm Luger Extended Magazine								•								90404	\$44.95
9-Round,				•												90600	\$39.95
9mm Luger Magazine 10-Round,	•															90667	\$39.95
9mm Luger Magazine 10-Round, 9mm Luger Magazine with Extended Floorplate (Nickel-Teflon®)			•													90617	\$39.95

				aurt	OMPACT												
		t ⁹ HUGH AM	UCAN PISTO	LUCAN PIST	₽ ⁰⁰	.cHR									19		
	SECURIT	H ⁹ RUGER AN	ERI RUGER AN	MERI-SH1911	SRIPIT	HICH AR-556	NSTO. RUSER	.5 ¹ 40 ⁹⁵	1 ^{C386}	5A _ 59	LCP1	ુક્ષીરે	MARKIN	MARKIN	2145 22 CHAR	jtr Item No	. Price
10-Round, 9mm Luger Magazine (Nickel-Teflon®)		•														90514	\$39.95
10-Round, 9mm Luger Magazine	٠															90638	\$39.95
10-Round, 9mm Luger Magazine (2-Pack)	•															90685	\$55.95
17-Round, 9mm Luger Magazine	•															90675	\$39.95
10-Round, Security-9 [®] Compact 9mm Luger Magazine	•															90686	\$55.95
10-Round, 9mm Luger Magazine (Competition Model Only)				•												90666	\$39.95
12-Round, 9mm Luger Magazine with Extended Floorplate (Nickel-Teflon®)			•													90618	\$39.95
15-Round, 9mm Luger Magazine	•															90637	\$39.95
15-Round, 9mm Luger Magazine (2-Pack)	•															90684	\$55.95
15-Round, 9mm Luger Magazine & Adapter	•															90681	\$44.95
17-Round, 9mm Luger Magazine (Nickel-Teflon®)		•														90510	\$39.95
10-Round, 5.7x28mm Magazine							•									90701	\$49.95
10-Round, 5.7x28mm Magazine (2-Pack)							•									90712	\$69.95
20-Round, 5.7x28mm Magazine							•									90700	\$49.95
20-Round, 5.7x28mm Magazine (2-Pack)							•									90711	\$69.95
8-Round, 10mm Auto Magazine				•												90639	\$39.95
6-Round, 380 Auto Magazine with Extended										•	•					90621	\$34.95
Floorplate 6-Round, 380 Auto Magazine with Extended Floorplate (2-Pack)										•	•					90644	\$48.95
6-Round, 380 Auto Magazine with Extended										•	•					90333	\$34.95
Floorplate 6-Round, 380 Auto Magazine with Extended Floorplate (2-Pack)										•	•					90643	\$48.95
7-Round, 380 Auto Extended Magazine										•						90405	\$39.95
7-Round, 380 Auto Extended Magazine											•					90626	\$39.95
7-Round, 380 Auto Magazine with Extended Floorplate									•			<u> </u>				90416	\$39.95
7-Round, 45 Auto Magazine				•												90366	\$29.95
7-Round, 45 Auto Magazine (Officer Model Only)				•												90664	\$29.95
7-Round, 45 Auto Magazine with Extended Floorplate (Nickel-Teflon)			•													90636	\$39.95
8-Round, 45 Auto Magazine				•												90365	\$39.95
10-Round, 45 Auto Magazine (Nickel-Teflon®)		•														90512	\$39.95

RUGER.COM/ACCESSORIES 160

RUGER LEGAL INFORMATION

9mm RUGER AMERICAN® PISTOL PRODUCT SAFETY BULLETIN: Ruger has discovered that some Ruger American® Pistols chambered in 9mm may exhibit premature wear of the locking surfaces between the slide and barrel which, if ignored, can result in a crack developing near the election port of the slide. This twoically does not occur at round counts below 10,000 rounds. The condition is easily identified during routine maintenance and cleaning and the crack should be visible long before the pistol becomes unsafe to shoot. Ruger is committed to safety and is asking owners of Ruger American® Pistols chambered in 9mm to inspect their pistols for excessive wear or cracks and, if necessary, sign up for this retrofit. Details about what to look for and how to sign up for the retrofit appear below and on our website at Ruger.com/APRetrofit.

Ruger American® Pistols chambered in .45 Auto are NOT subject to this Safety Bulletin. Similarly, other Ruger® pistols chambered in 9mm (for example, SR9®, LC9s®, etc.) are NOT subject to this Safety Bulletin.

Products Subject to This Safety Bulletin: Ruger American® Pistols chambered in 9mm with serial number prefixes "860" and "862" are subject to this Safety Bulletin. These include duty (full-sized) and compact models, in both Manual Safety and Pro (no manual safety) configurations. One easy way to tell if your pistol is subject to this Safety Bulletin is by looking at the barrel. If your 9mm Ruger American® Pistol is equipped with a silver-colored, stainless steel barrel, you should follow the inspection procedure outlined below. Retrofitted and newly manufactured Ruger American® Pistols will be equipped with a black, nitrided stainless steel barrel.

Description of the Issue: In some instances (typically at round counts in excess of 10,000 rounds), the locking surfaces between the slide and barrel can experience excessive wear. If ignored, this condition will worsen and can result in a crack developing near the ejection port of the slide. If cracking occurs, it will become visible long before an unsafe condition develops. However, if the crack is not addressed and the pistol remains in service, the pistol may eventually fail to function or become unsafe to shoot.

How To Inspect Your Pistol: If your pistol is dirty, clean it thoroughly before performing the inspection. Disassembly and cleaning instructions appear in your instruction manual, which is available online at Ruger.com/Service/ProductHistory. Inspect your pistol, paying particular attention to the barrel/slide lockup surfaces and the sidewalls of the slide at the corners of the ejection port. If you observe excess wear in the lockup surfaces (A and B) or a crack in the slide (C), you should immediately stop using your pistol and sign up for the retrofit. If you are unsure, we recommend that you sign up for the retrofit and allow us to inspect your barrel/slide assembly. If you do not observe excess wear in the lockup surface or a crack in the slide, no further action on your part is necessary at this time. Nonetheless, you should continue to monitor these areas and, if you suspect that either of these conditions is developing, sign up for the retrofit or contact Customer Service. Ruger reminds consumers that periodic inspection of any firearm is important to ensuring its safe operation. You should clean and inspect your firearm after each range session. Proper maintenance increases the longevity of your firearm and will allow early detection of worn or broken parts.

How To Sign Up For The Retrofit:

STEP 1: If you detect or suspect excess wear in the locking surfaces or a crack in the slide, or if you are uncertain, please visit the Ruger American® Pistol Retrofit Website at Ruger.com/APRetrofit and sign up to return your barrel/slide assembly to Ruger. You will be asked to provide your name, address, and telephone number, an email address, and the serial number of your pistol. You will be added to a list to have the inspection and retrofit performed on a first-come, first-served basis.

STEP 2: In the next few weeks, you will receive a USPS box with a prepaid shipping label and detailed packaging and shipping instructions. Follow the instructions and return only your barrel/slide assembly.

STEP 3: We will inspect your barrel/slide assembly and install new components as needed, FREE OF CHARGE. We will make every effort to return your barrel/slide assembly within one week of the day we receive it.

MARK IVTM RECALL NOTICE: We have determined that all Mark IVTM pistols (including 22/45TM models) manufactured prior to June 1, 2017 have the potential to discharge unintentionally if the safety is not utilized correctly. In particular, if the triager is pulled while the safety lever is midway between the "safe" and "fire" positions (that is, the safety is not fully engaged or fully disengaged), then the pistol may not fire when the trigger is pulled. However, if the trigger is released and the safety lever is then moved from the mid position to the "fire" position, the pistol may fire at that time. Although only a small percentage of pistols appear to be affected and we are not aware of any injuries, Ruger is firmly committed to safety and would like to retrofit all potentially affected pistols with an updated safety mechanism. Until your Mark IV" pistol has been retrofitted or you verify that it is not subject to the recall, we strongly recommend that you not use your pistol.

How to determine if your pistol needs the retrofit: All Mark IVTM pistols produced prior to June 1, 2017 are potentially affected and therefore are being recalled. This includes Mark IV[™] Target, Hunter, Competition, 22/45[™], 22/45[™] Lite and 22/45[™] Tactical models. These models bear serial numbers beginning with "401" (2017 models) or "WBR" (2016 models). Mark I, Mark II™ and Mark III™ Pistols are NOT affected

Newly manufactured Mark IV[™] pistols will begin with serial number "500." Thus, if you have a Mark IV[™] or 22/45[™] pistol with a serial number beginning with the number "5," your pistol is not subject to the recall.

Mark IV™ and 22/45[™] pistols retrofitted with the updated safety mechanism are easily identified by the letter "S" in the white safety dot that is visible when the safety is engaged.

Visit the Mark IVTM Recall website at Ruger.com/MarkIVRecall to look up your serial number and verify if it is subject to the recall. Please have the unloaded pistol available when you visit the website and obtain the serial number directly from the pistol.

Next steps (if your pistol is affected):

STEP 1: Follow the instructions at the Mark IV™ Recall Website and sign up for the recall. You will be asked to provide your name, address, telephone number, an e-mail address and the serial number of your pistol.

STEP 2: You will be added to a list to have the retrofit installed on a first-come, first-served basis. In the next few weeks, you will receive a prepaid USPS box with a shipping label and detailed packaging and shipping instructions. Simply follow the instructions in your instruction manual to separate the barrel/receiver assembly and return the grip frame assembly to us in accordance with the shipping instructions.

STEP 3: We will install the updated safety mechanism, and return your grip frame assembly to you, all FREE of charge. Individual consumers will receive a FREE magazine (a \$29.95 value) as a "thank you" for their patience and cooperation. (Customers in states with magazine shipping restrictions will receive a ShopRuger gift certificate in lieu of a magazine.) We will make every effort to return your pistol within one week of the day we receive it.

We recognize that this is an inconvenience so, as a thank you, we will include an extra magazine at no charge to you when we return the pistol.*



9mm LUGER

SILVER



How to Identify Your Serial Number

LCP® RECALL NOTICE: In 2008, Ruger received a small number of reports from the field indicating that LCP® pistols could discharge when dropped onto a hard surface with a round in the chamber. We are firmly committed to safety and would like to retrofit all affected LCP® pistols. The retrofit involves installation of an upgraded hammer mechanism at no charge to the customer.

We want to remind gun users that, for maximum safety when carrying any pistol with a loaded magazine in place, the chamber should be empty, and the slide should be closed. Any gun may fire if dropped or struck.

How to determine if your pistol needs the retrofit: Any LCP® pistol bearing prefix "370" (that is, serial number 370-xxxxx) may be affected. Retrofitted "370" prefix LCP® pistols with the new hammer mechanism installed have been marked with a diamond in the flat portion of the slot just behind and below the hammer, as shown to the right. If your pistol has the diamond*, it does not need the retrofit. Any I CP® marked with the serial number orefix "371" (serial number 371-xxxxx) or higher is not affected. When we return your pistol, we also will send you a FREE magazine with the new finger grip extension as a "thank you" for your patience and cooperation. Visit RUGER.COM/LCPRECALL for more information

SR9® RECALL NOTICE: We have determined that some Ruger® SR9® pistols manufactured between October 2007 and April 2008 can, under certain conditions, fire if dropped with their manual safeties in the "off" or "fire" position. The pistols will not fire if the manual safety is in the "on" or "safe" position.

We designed a replacement trigger group which prevents firing when dropped and retrofits all affected Ruger® SR9® pistols at no charge. This retrofit only applies to SR9® pistols with serial number prefix "330" (330-xxxxx) and these new parts at NO CHARGE to our customers. When we return your pistol, we also will send you a FREE magazine as a "thank you" for your patience and cooperation*

In order to ensure correct fitting, the new parts must be installed at our Ruger factory in Prescott, Arizona. We will remove the old parts and install the new trigger group promptly, at no charge, and will return the pistol to you. The old parts will not be returned. Visit RUGER.COM/SR9RECALL for more information.

For additional product, safety or service information, please visit **RUGER.COM**

AN IMPORTANT FREE SAFETY OFFER FROM RUGER:

Do you own an "old model" (pre-1973) Ruger® Single-Six®, Blackhawk®, Super Blackhawk® or Bearcat® single-action revolver like these?



Three frame screws identify the "old model" Single-Six[®], Blackhawk[®], and Super Blackhawk® made from 1953 to 1972.

Three frame screws identify the "old model" Single-Six®, Blackhawk® and Super Blackhawk® made from 1953 to 1972. Serial numbers below 93-00000 identify old Bearcat® and Super Bearcat® models made from 1958-1972.

The Ruger® Conversion Kit is an entirely new operating system for these revolvers. It can help prevent accidental discharges caused by a drop or blow to the hammer if the user has failed to take the basic safety precaution of keeping the hammer down on an empty chamber. That's very important!

This mechanism can be factory-installed in "old model" revolvers without any further alteration. The frame and other major parts will not be affected by this conversion. The value of the gun will not be impaired, and we will return your original parts for collector's purposes.

To receive a free factory safety conversion, write to us at Sturm, Ruger and Company, Inc.; 411 Sunapee Street Newport, NH 03773 or call 336-949-5200. We will provide you with a shipping container and instructions. You only pay initial shipping to our factory. We will cover all other charges including return shipping costs. Please write to us without delay if you have one of these guns, and tell your friends about the availability of this kit. Remember that the safest way to carry any older single-action revolver, regardless of manufacturer, is with the hammer down on an empty chamber.

PLEASE WRITE TO US AT:

Ruger / Conversion Department / 411 Sunapee Street / Newport, NH 03773 or call 336-949-5200 For full details and a FREE shipping box. If your single-action revolver has the words "New Model," "Bisley" or "Vaguero" on the frame, this offer is not applicable.

NOTICE: Typographic, photographic and/or descriptive errors are subject to correction. We apologize for any inconvenience. Weights of all Ruger® firearms, and rifles in particular, may vary from the published weight because of variations in wood density, bore size, barrel length and style. All weights specified in this reference quide are approximate. In some instances, length, width or height dimensions may have been rounded or truncated. All ammunition that appears in this reference guide is shown actual size only when noted. Sturm, Ruger & Co., Inc. does not manufacture scopes, optics or lasers. Scopes, optics and lasers are not included with any firearm purchase unless specifically noted.

All specifications and prices are subject to change without notice. Sturm, Ruger & Co., Inc. reserves the right to change the prices, specifications or availability of its products at any time without notice.

The following are registered trademarks of Sturm, Ruger & Co., Inc.: 9E: 10/22; 10/22 Takedown; AC-556; All-Weather; AR-556; Arms Makers For Responsible Citizens; Bearcat; Blackhawk; BX-15; BX-25; BX-27; BX-Trigger; EC9s; Elite 452; Everything You Need and Nothing You Don't; GP100; Hawkeye; It's Mine and It's American; It's Mine. And It's American; LC380; LC9; LC9; LCP; LCR; LCRx; M77; Match Champion; Mini-14; Mini Thirty; Old Army; Power Bedding; Redhawk; Ruger; Ruger 22/45 Lite; Ruger 77/17; Ruger 77/22; Ruger 77/44; Ruger American; Ruger American; Pistol; Ruger American Rifle; Ruger American Rimfire; Ruger Custom Shop; Ruger Hunting; Ruger Inside & Out; Ruger Precision; Ruger Precision Rifle; Ruger SP101; Ruger Titanium; Ruger Vaquero; Rugged, Reliable Firearms; Security-9; Silent-SR; Single-Nine; Single-Ten; SR1911; SR9; SR9c; SR22; SR-22; SR40; SR40c; SR-556 Takedown; SR-762; Super Redhawk Alaskan; Wrangler.

Actual colors may vary from those displayed in this reference guide due to variations in print quality, light, wood, metal and other factors. Inspect product before purchase.

The following are trademarks of Sturm, Ruger & Co., Inc.: 10/22-FS; 22/45; 22/45; PF; 77/357; Bisley; Gold Label; I'm a Ruger American; LC380CA; LC6; LCR-357; Mark II; Mark III; Mark IV; Model 96; P345; P345D; P345D; P345PR; P85; P90; P91; P93; P94; P95; P97; PC Carbine; Ruger 10/17; Ruger 77/50; Ruger Marksman Adjustable; R.I.O.S. (Ruger Inertia Operating System); Security-Six; Service-Six; Single-Seven; Speed-Six; SR45; SR-556C; SR-556VT; Super Bearcat; Target Grey; This is Ruger. This is America.; Train. Compete. Defend.; Tri-Flex.





Serial numbers below 93-00000 identify old Bearcat[®] and Super Bearcat[®] models made from 1958-1972.

CONTACT INFORMATION



RUGER CUSTOMER SERVICE

Service inquires for all firearms, sportswear and accessories: 336-949-5200 / Ruger.com/CustomerService

INDEPENDENT DISTRIBUTORS OF RUGER BRANDED PRODUCTS

BANGERS L.P. 800-226-4377 | bangersusa.com

BIG ROCK SPORTS, LLC 800-334-2661 | bigrocksports.com

BILL HICKS & CO., LTD. 800-223-0702 | billhicksco.com

CAMFOUR, INC. 800-347-3276 | camfour.com

CHATTANOOGA SHOOTING SUPPLIES, INC. 800-251-4808 | chattanoogashooting.com

CROW SHOOTING SUPPLY 800-264-2493 | crowshootingsupply.com DAVIDSON'S, INC. 800-367-4867 | davidsonsinc.com

> **GUNARAMA WHOLESALE, INC.** 800-333-3006 | gunarama.com

HILL COUNTRY WHOLESALE, INC. 800-777-2666 | hillcountrywholesale.com

LIPSEY'S, LLC 800-666-1333 | lipseys.com

MGE WHOLESALE, INC. 800-734-5965 | mgewholesale.com

RSR GROUP, INC. 800-541-4867 | rsrgroup.com **SPORTS SOUTH, LLC** 800-388-3845 theshootingwarehouse.com

V.F. GRACE, INC. 907-272-6431 vfgrace.com/custport/index.htm

W.L. BAUMLER COMPANY, INC. 800-321-2501 | wlbco.com

ZANDERS SPORTING GOODS 800-851-4373 | gzanders.com





RUGER.COM f 🖸 🚻 🖗